INFORMATION TO USERS

The most advanced technology has been used to photograph and reproduce this manuscript from the microfilm master. UMI films the text directly from the original or copy submitted. Thus, some thesis and dissertation copies are in typewriter face, while others may be from any type of computer printer.

The quality of this reproduction is dependent upon the quality of the copy submitted. Broken or indistinct print, colored or poor quality illustrations and photographs, print bleedthrough, substandard margins, and improper alignment can adversely affect reproduction.

In the unlikely event that the author did not send UMI a complete manuscript and there are missing pages, these will be noted. Also, if unauthorized copyright material had to be removed, a note will indicate the deletion.

Oversize materials (e.g., maps, drawings, charts) are reproduced by sectioning the original, beginning at the upper left-hand corner and continuing from left to right in equal sections with small overlaps. Each original is also photographed in one exposure and is included in reduced form at the back of the book. These are also available as one exposure on a standard 35mm slide or as a 17" x 23" black and white photographic print for an additional charge.

Photographs included in the original manuscript have been reproduced xerographically in this copy. Higher quality 6" x 9" black and white photographic prints are available for any photographs or illustrations appearing in this copy for an additional charge. Contact UMI directly to order.

University Microfilms International
A Bell & Howell Information Company
300 North Zeeb Road, Ann Arbor, MI 48106-1346 USA
313/761-4700 800/521-0600

Order Number 1337965

**Classification of environmental hydrologic behaviors in
Northeastern United States**

Kim, Kye Hyun, M.S.

The University of Arizona, 1989

U·M·I
300 N. Zeeb Rd.
Ann Arbor, MI 48106

CLASSIFICATION OF ENVIRONMENTAL HYDROLOGIC
BEHAVIORS IN NORTHEASTERN UNITED STATES

by
Kye Hyun Kim

A Thesis Submitted to the Faculty of the
SCHOOL OF RENEWABLE NATURAL RESOURCES
In Partial Fulfillment of the Requirements
For the Degree of
MASTER OF SCIENCE
WITH A MAJOR IN WATERSHED SCIENCE
In the Graduate College
THE UNIVERSITY OF ARIZONA

1 9 8 9

STATEMENT BY AUTHOR

This thesis has been submitted in partial fulfillment of requirement for an advanced degree at The University of Arizona and is deposited in the University Library to be made available to borrowers under rules of the Library.

Brief quotations from this thesis are allowable without special permission, provided that accurate acknowledgement of source is made. Request for permission for extended quotation from or reproduction of this manuscript in whole or in part may be granted by the head of the major department or the Dean of the Graduate College when in his judgement the proposed use of the material is in the interests of scholarship. In all other instances, however, permission must be obtained from the author.

SIGNED :

Kyle A. Finn

APPROVAL BY THESIS COMMITTEE

This thesis has been approved on the date shown below:

Richard H. Hawkins

Richard H. Hawkins
Professor of Watershed Management

July 24, 1989
Date

Soroosh Sorooshian

Soroosh Sorooshian
Professor of Hydrology and Water Resources

7/21/89
Date

Martin M. Fogel

Martin M. Fogel
Professor of Watershed Management

July 24, 1989
Date

Phillip D. Guertin

Phillip D. Guertin
Assistant professor of Watershed Management

July 25, 1989
Date

ACKNOWLEDGEMENTS

I would like to thank the many people whose assistance has made this thesis a reality. I am especially grateful to my advisor, Richard H. Hawkins, committee members Martin M. Fogel, David P. Guertin, and Soroosh Sorooshian. I am appreciative of Dr. Parker J. Wiggington at U.S.E.P.A. Laboratory of Corvallis, Oregon for his financial support for this research. Also my thanks are extended to the many professors including Dr. A. Sastri, a visiting professor from India, and fellow students at the University of Arizona who provided technical assistance.

Sincere thanks are extended to my mother Jung Im Kim and brother Ro Hyun Kim who gave me high spirits.

This thesis is dedicated to the memory of my Father Ju On Kim.

TABLE OF CONTENTS

	Page
LIST OF FIGURES	6
LIST OF TABLES	8
ABSTRACT	9
Chapter	
I. INTRODUCTION	11
Objectives	12
Procedures	12
Review of Literature	14
II. DEVELOPMENT OF A FLOW SEPARATION METHODOLOGY	18
Streamflow Components	18
Rainwater as a Major Acidic Input	19
Significance of Baseflow for Environmental Management	19
Development of a Flow Separation Technique	22
Background	22
Major Concept	23
Identification of the Best Slope	24
Application of the Least Square Method	24
Standard Error of the Mean	29
Procedurally Defined Method	30
Shape of a Slope-Baseflow% Curve	32
Flow Separation Period	33
Temporal Variation of the Baseflow	38
III. ANALYSIS OF SMALL WATERSHEDS	40
Selection of Study Regions	40
Characteristics of the Study Regions	42
Selection of Streamflow Gauging Stations	49

Processing Procedure	50
Major Output	54
Output Analysis	56
Global Analysis	56
Regional Baseflow Analysis	60
IV. STREAMFLOW CLASSIFICATION	68
Cluster Analysis	68
Pre-Clustering	69
Defining Regional Pre-Clusters	70
Considering Output from Clustering	78
V. RESULTS, DISCUSSION, AND FURTHER DEVELOPMENT	86
Results and Benefits	86
Further Development	87
APPENDIX 1. Sample Report from SAM	89
APPENDIX 2. Regional Streamflow Analysis Output	94
APPENDIX 3. List of Stations for Each Pre-clusters ...	115
APPENDIX 4. Dendrogram from Clustering	121
APPENDIX 5. Clustering Output	127
APPENDIX 6. Development of SAM	150
APPENDIX 7. SAM User's Guide	161
APPENDIX 8. SAM Source Code	168
REFERENCE	217

LIST OF FIGURES

Figure		Page
2-1	Distribution of precipitation input	20
2-2	Hydrograph with trial separation slope of Logan river at Logan, Utah for water year 1960	25
2-3	Trial separation slope vs. baseflow% of Logan river at Logan, Utah for water year 1960	26
2-4	Location of the best separation slope of Logan river at Logan, Utah for water year 1960	27
2-5	Compensation effects using straight line separation method	31
2-6	Hydrograph of Canaseraga creek at Shakers Crossing, New York for water year 1986	34
2-7	Baseflow% vs. trial separation slope curve of Canaseraga creek at Shakers Crossing for water year 1986	35
2-8	Hydrograph of Santa Cruz river near Tucson, Arizona for water year 1979	36
2-9	Baseflow% vs. separation slope of Santa Cruz river near Tucson, Arizona for water year 1979	37
2-10	Temporal variation of the baseflow from different hydrologic region	39
3-1	Regions used for National Stream Survey by U.S.E.P.A.	41
3-2	Location of the streamflow gauging stations processed for this project in Northeastern U.S.	52

Figure		Page
3-3	Flow chart for batch streamflow processing	53
3-4	Drainage area vs. average annual runoff in Northeastern U.S.	57
3-5	Drainage area vs. baseflow% in Northeastern U.S.	58
3-6	Average annual runoff vs. baseflow% in Northeastern U.S.	59
3-7	Average annual runoff vs. separation slope in Northeastern U.S.	61
3-8	Baseflow% vs. trial separation slope in Northeastern U.S.	62
3-9	Spatial distribution of baseflow% in Northeastern U.S.	64
3-10	Regional average baseflow% vs. separation slope	66
4-1	Defining boundaries for pre-clustering	71
4-2	Identification of the pre-clusters	72
4-3	Boundary of each cluster	81
4-4	Average baseflow% vs. separation slope of each cluster	83
4-5	Boundary of each region from the cluster analysis	84

LIST OF TABLES

Table		Page
3-1	Number of stations from each region	51
3-2	Correlation coefficients matrix	63
3-3	Regional statistical summary	65
4-1	List of pre-clusters for the classification of streamflow in Northeastern U.S.	74
4-2	Summary of major clusters from dendrogram	79
4-3	Statistical summary for major clusters	80

ABSTRACT

Environmental response to acidic deposition occurs through the vehicle of water movement in the ecosystem. As a part of the environmental studies for acidic deposition in the ecosystem, output-based hydrologic classification was done from basin hydrologies based on the distribution of the baseflow, snowmelt, and the direct runoff sources. Because of the differences in the flow paths and exposure duration, those components were assumed to represent distinct geochemical responses.

As a first step, user-friendly software has been developed to calculate the baseflow based on the separation of annual hydrographs. It also generates the hydrograph for visual analysis using trial separation slope.

After the software was completed, about 1200 streamflow gauging stations in Northeastern U.S. were accessed for flow separation and other hydrologic characteristics.

At the final stage, based on the output from the streamflow analysis, cluster analysis was performed to classify the streamflow behaviors in terms of acidic inflow. The output from the cluster analysis shows more efficient regional boundaries of the subregions than the current regional boundaries used by U.S. Environmental Protection Agency (U.S.E.P.A.) for the environmental management in terms

of acidic deposition based on the regional baseflow properties.

CHAPTER I

INTRODUCTION

An understanding of acidic deposition requires an understanding of the movement of the water which carries it and promotes modifying reactions. On a global scale, the hydrologic cycle is the vehicle for the transport of dissolved chemicals, and the acid deposition problem is only one of the many environmental problems. The transport processes from rainfall to streamflow results in a variety of acid deposition responses.

As the rain water passes through the soil zone, the concentration of cations in the water increases until it reaches the ground water system. Therefore, the portion of the baseflow, the input to the surface water from the ground water system, is very important in terms of the buffering capacity of a watershed to acidic input.

Classification of the watersheds based on portion of the baseflow to the total runoff and regional hydrologic properties is crucial to the management of acidic deposition. For this purpose, classification of all the watersheds in Northeastern United States was done based on regional baseflow properties.

Objectives

The overall objectives of this study are to make the clusters from all the small watershed streamflows in Northeastern U.S. based on the regional hydrologic properties and also to apply this cluster output to the problems of interest to the EPA. Specifically to :

1. Develop credible analytic methods for long-term based flow separation from available hydrologic data
2. Apply developed flow separation technique to the regions of acid deposition concern (mainly Northeastern U.S. regions)
3. Use cluster analysis to classify small watershed groups based on regional baseflow properties
4. Provide a user-friendly software for flow separation and hydrograph generation

Procedures

1. Development of flow separation methodology : By accessing a large data base of daily streamflows for all the gauging stations in the United States, a software for the long-term based flow separation and some other graphic utilities has been developed. This program gives broad idea for a watershed in terms of statistical hydrologic analysis and the amount of baseflow.

2. Processing all the streamflows from the study area : All the small watersheds (with drainage area less than 500

mi²) were processed (about 1200 stations) to determine the hydrologic characteristics and regional baseflow properties.

3. Output analysis : First, all the output from the processing were analyzed to see any general trend of the major hydrologic parameters in this area. Secondly, they were analyzed based on subregions used by EPA for the monitoring of water quality to see some of the regional hydrologic properties.

4. Clustering : Cluster analysis was done based on the major hydrologic parameters to determine regional baseflow properties. The new subregions from the cluster analysis were compared with the existing regional subregions.

5. Discussion for further development : After evaluating all the results and benefits from this study, the scope for further development to establish better environmental management tools for Northeastern U.S. was discussed.

REVIEW OF LITERATURE

Two separate items are proposed for investigation here; flow component analysis, and hydrologic classification. For clarity they will be treated separately, though the work undertaken will unite the two ideas.

Flow separation: This discussion will be focused on the separation of flow components in long-term data sets (i.e., over years rather than days), and primarily from streamflow data alone. This specification is targeted on the current availability of a large body of easily accessible streamflow data (daily averages) on compact disc thru a commercial outlet. Comprehension and ease of application by the eventual user is also a consideration. Thus, the considerable work on separating direct flow contributions on small watersheds is not covered, though it serves as the initial inspiration for the study. On a related matter, there is considerable current interest in the queuing behavior of rainwater through the watershed during a rain-hydrograph event, much of which draws on chemical and/or isotope tracers (e.g., Hino and Hasebe, 1986). These are short duration considerations of interest here only as tangential background.

Several investigators have done flow separation by building crude hydrologic models to isolate specific source portions. These include the requirement for accompanying rainfall data. In a procedure called "streamflow partitioning"

Shirmohammadi (See Shirmohammadi et al., 1984, 1985, 1986, 1987) has spearheaded work separating "surface and subsurface flow components" in the Southeastern U.S. by identifying stormflow base time and a threshold storms size based on watershed characteristics and existing USDA Methods (USDA, 1956). With local calibration, it gave "reasonable results." Birtles (1978) takes a more ornate approach, separating into several subsurface flow components, and using auxiliary rainfall data to build simple models for several English rivers. Simplifying assumptions allow the model to be used without rainfall, a situation specific to the base locations. Hino and Hasabe (1984) use rainfall similarly, combined with a filter separation technique to determine "component rainfalls."

Long-term flow separation (i.e., on annual hydrographs) is seldom treated except in special cases. Visual straight line techniques are common, resting on the subjective judgement of the analyst, and without a check for consistency or reality. A computer technique using component separation proportional to flow rate was created by Bethlahmy (1972), and applied by Van Haveren (1981) to long-term data. Though Van Haveren found it to "give reasonable results" (Personal communication, 1988), the method is difficult to defend. It is dimensionally inconsistent, uses arbitrary coefficients, and the original document contains neither base references nor supporting background. It has had only limited testing in the

available literature.

Classification: As stated previously, there are no existing conventions to describe hydrologic behavior. When descriptions are necessary, ordinary adjectives are used. However, a preliminary approach to the ordering of storm event responses was done in a prior work by Sneller (1985). Though not yet available in the open literature, the structure and scale of watershed response to rainstorms was used to classify watersheds into four categories; Inactive, Complacent, Standard, and Violent. Using rainfall-runoff data sets from over 100 different watersheds, a wide variety of behavior patterns was found, and association of the categories with land types was weak. Geographic variety and lumping of flood peak behavior was demonstrated by White (1975), and homogeneous groups made on the basis of watershed area, channel slope, and rock type. There is a literature suggesting that hydrologically homogeneous clusters should occur. Ebisemiju (1979) suggests using basin geomorphology as a rational basis for the selection of representative basins, and outlines a classification scheme for application in Nigeria. Parra-Mata (1981) developed a diagrammatic framework to interrelate structure and function by watershed modules. The modules are then aggregated according to their functional role in the watershed system. Lotspeich (1980) argues for the "Watershed as the Basic Ecosystem," and suggests that it provides a "Basis for a Natural

Classification System." However, the system is not provided. Furthermore, none of the above are based on output hydrology, and there are no hydrologic observations included. In a similar vein, there is current interest in geomorphology-based classification, reasoning that the response is controlled by the land form (See Bevan 1986). However, demonstration of generality from widespread data sets is lacking.

CHAPTER II

DEVELOPMENT OF A FLOW SEPARATION METHODOLOGY

Streamflow Components

Most hydrologic models are designed to accept precipitation as input, distribute this input to components such as infiltration and overland flow and finally produce an outflow hydrograph. A hydrograph represents a time distribution of streamflow or discharge and has three major component elements : (1) direct surface runoff, (2) interflow, and (3) baseflow. The direct surface runoff is the effective precipitation (total precipitation less losses due to interception, depression storage, infiltration, and evaporation) that finds its way to a watercourse. Interflow is a part of the subsurface flow that moves at shallow depths and reaches the surface channels in a relatively short period of time and is therefore commonly considered as a part of the direct surface runoff. During dry periods, when streamflow exists, groundwater flow to the stream channel is the sole source of surface-water flow. This is called baseflow (i.e., the flow sustained by groundwater input to the system). The baseflow component is the water that percolates downward until it reaches the groundwater reservoir and then flows to surface streams as groundwater discharge. So the amount of baseflow in a system may or may not show an increase during the storm

period. Groundwater accretion resulting from a particular storm is normally released over an extended period measured in days for small watersheds and often in months or years for large drainage areas (generally larger than 500 square miles). Figure 2-1 shows the general distribution of precipitation input.

Rainwater As A Major Acidic Input

Rain is not pure H_2O , but contains a wide range of dissolved substances. Over the oceans and near coasts, the main source of dissolved material is sea salt. When waves break, fine droplets of seawater are injected into the atmosphere. The water evaporates, leaving solid aerosol particles which are transported by winds until they are dissolved by rain. The burning of fossil fuels also introduces large amount of sulphur and nitrogen oxides into the atmosphere, which end up as sulphuric acid and nitric acid in rain.

Significance of Baseflow for Environmental Management

The chemistry of rainwater undergoes drastic changes as it comes in contact with the earth's surface. As water passes through the soil zone it acquires solutes from dissolution or partial dissolution of minerals and some solutes are extracted from the water by plants. As water leaves the soil zone and passes through the ground water system, the concentration of organic matter greatly decreases (through either bacterial

Figure 2-1. Distribution of precipitation input

decay or absorption), the concentration of elements that are in the form of organic complexes (notably iron and aluminum) decreases, and the concentrations of the common major ions generally increase as a result of reaction between the water and the rock. Hence, the portion of baseflow to the total runoff is very important in determining the acid neutralizing capacity of a watershed. This is also related to the residence time of water in a watershed. The relatively short residence time of water indicates the relatively less contact between water and soil phases, which gives less opportunity for acidic neutralizing.

DEVELOPMENT OF A FLOW SEPARATION TECHNIQUE

Background

Even though many studies have been done on streamflow separation, for the purpose of environmental management, no study has shown an effective flow component separation technique to identify the portion of the baseflow on a given watershed without limitation to the types of streamflow (perennial, intermittent, or ephemeral), regional difference (dry, wet, or snow-melting area), and the size of drainage area.

For this streamflow behavior study in Northeastern U.S., a practical separation technique which can be widely applied based on long-term periods (yearly basis instead of daily or monthly basis) has been developed. For the verification of the amount of baseflow calculated from this technique, analysis of the hydrographs for many stations from different geologic structure, drainage area, and watershed topography effects was done.

In developing this streamflow separation method, precipitation was not considered. Considering precipitation data would introduce problems, such as unavailability of regional precipitation data (specially for the baseflow separation of the stations with more than 10 or 20 years' streamflow data) and local geologic data. It also takes more

time and cost, and complicates the procedure.

A user-friendly software, SAM (Streamflow Analysis Module), was developed for the application of this baseflow separation technique and hydrograph analysis. This program, with menu-driven interactive input/output (I/O) processing, can be used on any personal computer with a color monitor (EGA,VGA, or CGA). Detailed information for this program described in Appendix 6, SOFTWARE DEVELOPMENT : SAM.

Major Concept

The major concept for this separation technique is based on the procedure pioneered by Hewlett, which proposed a universal hydrograph separation gradient for rainstorm-runoff events. A major consideration in this study is the determination of an appropriate separation slope for each data set (each streamflow station). To avoid unrealistic or inconsistent fixation on specific chosen slopes (i.e., gradients), a variety of "trial" values were used in the procedure, which ranges from zero to 0.0180 in increments of 0.0006(cfs/mi²/day).

The separation begins at the point (at a day) with runoff bigger than previous day's runoff plus unit increment (drainage area multiplied by trial slope). After applying all the 31 trial separation slopes for a water year, the results are then arrayed to pick the point where the baseflow (as a percentage of the total flow) most abruptly changes its

portion to the total flow. Ideally, this occurs where the separation line intersects the change from mixed flow (rain and/or snowmelt plus baseflow) to pure baseflow on the continuing hydrograph. Figure 2-2 shows a hydrograph of water year 1960 of Logan River at Logan, Utah with changes of trial separation slope. The straight line presents the separation of streamflow into baseflow and stormflow based on each trial separation slope. Figure 2-3 shows the changes of the baseflow fraction as the slope changes from the hydrograph of Figure 2-2.

Identification of The Best Slope

Some of the numerical/statistical methods for the identification of a point which gives most abruptly changed baseflow fraction for a watershed (best slope point) were examined. Based on these trials, the least square method, in which the separation slope-baseflow % curve was split into two separate linear segments (as a "sensitive" part and an "insensitive" part), was used to fit the least square line to minimize the mean square errors (Fig. 2-4). The split point leading to the highest overall R-square (the best overall fit) was thus chosen. Figure 2-4 shows the separated two parts of the separation slope-baseflow % curve from Figure 2-3.

Application of The Least Square Method

To express the principle of the least square method, it

Figure 2-2. Hydrograph with trial separation slopes for Logan River at Logan Utah for water year 1960 (slopes are in cfs/sq. mi./day)

Figure 2-3. Trial separation slope vs. baseflow% of Logan river at Logan for water year 1960.

Figure 2-4. Location of the best separation slope of Logan river at Logan Utah for water year 1960.

is important to define the error, ϵ or residual, as the difference between the predicted value and measured value of the criterion variable :

$$\epsilon_i = E(Y_i) - Y_i \quad (1)$$

in which $E(Y_i)$ is the i th predicted value of the criterion variable, Y_i is the i th measured value of Y , and ϵ_i is the i th error. Note that the error is defined as the measured value of Y subtracted from the predicted value. The objective function (F) for the principle of least square is to minimize the sum of square of the errors :

$$F = \min\left\{\sum_{i=1}^n (E(Y_i) - Y_i)^2\right\} \quad (2)$$

in which n is the number of observations on the criterion variable (i.e., sample size. In this case, the trial separation slope changes from 0.0000 to 0.0180 by 0.0006. Therefore $n = 31$). A function for the predicted values can be

$$E(Y) = b_0 + b_1 X \quad (3)$$

in which b_0 is the intercept and b_1 is the slope coefficient; b_0 and b_1 are often called regression coefficients because they are obtained from a regression analysis. To illustrate the solution procedure, the equation (3) is substituted into the objective function of equation (2) which yields :

$$F = \sum_{i=1}^n (b_0 + b_1 X_i - Y_i)^2 \quad (4)$$

The derivative of equation (4) with respect to unknowns are

$$\frac{\partial F}{\partial b_0} = 2 \sum_{i=1}^n (b_0 + b_1 X_i - Y_i) = 0 \quad (5-a)$$

$$\frac{\partial F}{\partial b_1} = 2 \sum_{i=1}^n (b_0 + b_1 X_i - Y_i) X_i = 0 \quad (5-b)$$

Dividing the above equation by 2, separating the terms in the summation, and rearrange yields the set of normal equations;

$$nb_0 + b_1 \Sigma X = \Sigma Y \quad (6-a)$$

$$b_0 \Sigma X + b_1 \Sigma X^2 = \Sigma XY \quad (6-b)$$

From (6-a) and (6-b), the two unknowns b_0 and b_1 can be evaluated by solving the two simultaneous equations ;

$$b_1 = \frac{\Sigma XY - \Sigma X \Sigma Y / n}{\Sigma X^2 - (\Sigma X)^2 / n} \quad (7-a)$$

$$b_0 = Y - b_1 X = \Sigma Y / n - b_1 \Sigma X / n \quad (7-b)$$

The variable b_0 and b_1 from equation (7-a) and (7-b) provide the minimum value of objective function F (Eq.2).

Standard Error of The Mean

From Equation (7-a) and (7-b), we can get the standard error of the mean (S_e) ;

$$S_e = \frac{1}{n} \left(\sum_{i=1}^n (b_0 + b_1 X_i - Y_i)^2 \right)^{1/2} \quad (8)$$

From the two standard error of the mean from each part (sensitive and insensitive part), we can get the total

standard error of the mean ;

$$S_e^T = \{ (n_1 S_{e1}^2 + n_2 S_{e2}^2) / n \}^{1/2} \quad (9)$$

In which S_e^T is the standard error of the mean for two parts, S_{e1} is the standard error of the mean for the sensitive part and S_{e2} is the standard error of the mean for insensitive part. n_1 and n_2 are sample size for each sensitive and insensitive part (Fig. 2-4). From the standard error of the mean, we can calculate the R^2 (square of correlation coefficient = coefficient of determination) from the equation ;

$$S_e = S_y (1 - R^2)^{1/2} \quad (10)$$

$$R^2 = 1 - (S_e / S_y)^2 \quad (11)$$

in which S_y is standard deviation of Y. As the trial slope changes, the boundary of the two part (sensitive/insensitive part) will be changed (the sample size of the sensitive part increases as that of the insensitive part decreases. Refer to Figure 2-4). The trial slope which gives maximum R^2 is chosen as the best slope.

Procedurally Defined Method

The linear baseflow separation used here is clearly a computational convenience. Actual baseflow during rainfall and snowmelt events is usually envisioned as rising during the recharge process and then smoothly joining the recession limb of the hydrograph. This traditional concept is illustrated in Figure 2-5.

Figure 2-5. Compensation effects using straight line separation method.

The gradient method applied here does not clearly model the actual on-land short duration processes of recharge and storage release during an event. It is an approximate procedure (or convention) which intends to produce equivalent volumes of baseflow and the separated components. Thus, as illustrated in Figure 2-5, the straight line separation hopefully divides the real baseflow into equal volumes of under-estimates and over-estimates during events.

Since it is difficult to check the procedure against reality, it may be considered a convention, or an agreed way of making a calculation in the absence of better methods. Since usual procedures on large volumes of data is done using "judgement", the method here merely formalizes a procedure and adds consistency by fixing the coefficient (separation slope) selection. Different users should get the same results with the same data.

Shape of a Slope-Baseflow % Curve

As mentioned at the beginning of this chapter, the baseflow variability of a certain streamflow depends on the local geological structure including topographic effects and hydrologic characteristics. Accordingly, the shape of the curve which represents the baseflow % vs. separation slope also varied based on streamflow types. Generally the perennial types of streamflows show sharper changes of the slope-baseflow % curve (Figure 2-7) from the highly variable

streamflow hydrograph on a given period (Figure 2-6). The intermittent or ephemeral types of streamflows show slight changes of the slope in a slope-baseflow % curve (Figure 2.9) from the corresponding hydrograph (Figure 2-8). The slope-baseflow % curve from Logan river at Logan (Figure 2-3) does not show so much slope changes as perennial streamflows but has sharper slope change than intermittent or ephemeral streamflows.

Flow Separation Period

As mentioned at the beginning of this chapter, baseflow separation was done based on two long-term based time periods, one is on each water year basis and the other is on whole period basis. The whole period, in this case, means the period with available daily streamflow data for more than 5 years in respect of each streamflow station (in average, 35 years of data period in Northeastern U.S.).

For more precise temporal analysis of the baseflow separation, separation based on each water year adapted for analyzing all the streamflow stations in Northeastern U.S. In the case of flow separation based on whole period, we might easily get a best slope point because the ratio of baseflow to total flow will be drastically decreased beyond a certain slope (might be a best slope point). This gives insufficient baseflow information, however, for a certain water year especially with less runoff.

Figure 2-6. Hydrograph of Canaseraga creek at Shakers Crossing, New York for water year 1986.

Figure 2-7. Baseflow% vs. trial separation slope curve of Canaseraga creek at Shakers Crossing, New York for water year 1986.

Figure 2-8. Hydrograph of Santa Cruz River near Tucson, Arizona for water year 1979.

Figure 2-9. Baseflow% vs. trial separation slope of Santa Cruz river near Tucson, Arizona for water year 1979.

Temporal Variation of The Baseflow

To get more information about baseflow variability, temporal analysis for a long period (40 years) was done by processing stations from different hydrologic regions. These stations were considered as good samples to represent each different hydrologic region. Figure 2-10 shows the comparison of baseflow % variation of each water year of these stations. A station from New York (wet region) has a highest average baseflow (88.64%) with most persistent temporal baseflow variation. A station from Arizona (dry region) shows the lowest average baseflow (25.37%) with high temporal baseflow variation. The station from Utah, a region with a considerable amount of contribution to surface runoff from snow-melting in spring, has a medium average baseflow (58.62%) and also high temporal baseflow variation. However, in terms of magnitude of variation between water years, the Arizona has shown more temporal variation. Figure 2-10 gives a general idea concerning temporal baseflow variability in different hydrologic regions.

Figure 2-10. Temporal variation of the baseflow from different hydrologic regions.

CHAPTER III

ANALYSIS OF SMALL WATERSHEDS

Based on the newly developed flow-separation technique described on Chapter 2, all the small watersheds from the study area (Northeastern/Mid-South) were analyzed to see the hydrologic characteristics, especially the baseflow variation. Based on the output from this processing, global streamflow analysis for Northeastern U.S. was done. Also regional streamflow analysis was done based on each region of the study area defined by U.S.E.P.A.

Selection of Study Area

Figure 3-1 shows the regions defined based on geographic consideration, largely according to the physiographic regions of Northeastern and Southeastern U.S. (Fenneman, 1946). These are the major regions used by U.S.E.P.A. and U.S. Geological Survey (U.S.G.S.) for National Stream/Lake Survey as a part of the Aquatic Effects Research Program (A.E.R.P.). Individual sites within these larger regions were subclassified according to geology, local elevation, vegetation cover and land use.

For this streamflow analysis project, as far as the E.P.A. is concerned about the streamflow characteristics in Northeastern U.S., the study areas selected are based on the larger regions instead of individual sites. These are as

Figure 3-1. Regions used for National Stream Survey by U.S.E.P.A. 7 regions were selected for this streamflow analysis study (5 geographic regions - (*) and 2 sub-regions - (**)). (from U.S.E.P.A. National Streams Survey Report, June 1988)

follows :

- Four Regions from Northeastern U.S. : Northern Appalachians, Mid-Atlantic Coastal Plains, Pocono and Catskills, and Valley and Ridge mountains.
- Two additional sub-Regions : State of Maine and Adirondacks of New York which traditionally shows more serious pollution problems than any other regions in Northeastern U.S.
- One Southeastern Region : For the purpose of comparison with Northeastern U.S., one of the Southeastern region Ozark/Ouachitas was selected. This region has somewhat different hydrologic characteristics from the regions of Northeastern U.S. in terms of frequency and intensity of rainfall, less amount of surface runoff, and foreseeable less amount of baseflow.

Characteristics of the Study Regions

General terrestrial, hydrologic, and aquatic characteristics for 5 large regions (Northern Appalachians, Pocono/Catskills, Valley and Ridge Mountains, Mid-Atlantic Coastal Plains, and Ozark and Ouachitas) and 2 sub-regions (Adirondacks and State of Maine) are described below. Aquatic descriptions are included to get an idea about the water quality based on surface water chemistry of the study regions (U.S.E.P.A. National Streams Survey Report, June 1988, Volume 1; Population Description and Physico-Chemical Relationships).

(1) POCONO/CATSKILLS

Land Use

- Forest or woodland

Geology

- Sandstone, shales, quartz conglomerates

Soils

- Silt loam, shallow to deep

Geographic Extent

- Cover the Pocono Mountains, the Catskill Mountains, the glaciated highlands of Southern New York and Northeastern Pennsylvania, and the Valley and Ridge Province of Northeastern Pennsylvania and Southeastern New York.

Terrestrial Characteristics

- Tablelands with considerable relief, open high hills, and low mountains.
- Elevations 500 to 3000 feet.
- Vegetation cover is northern hardwoods and Appalachian oak forests.

Precipitation/Hydrological Characteristics

- Annual precipitation 40-48 inches, with most rainfall occurring during May-August.
- Annual surface water runoff 20-30 inches.
- Low streamflow, August-September; high flow, March.

Aquatic Characteristics

- Clearwater streams.

- Low alkalinity streams generally drain watersheds less than 50 mi², usually above 1500 feet elevation.
- Alkalinity values are generally low in spring.

(2) VALLEY AND RIDGE

Land Use

- Forest (Valley); agriculture and urban (Ridge).

Geology

- Sandstone, shales, and siltstones (Valley).
- Limestone, calcareous shales, and glacial till (Ridge).

Soils

- Silt loam to sandy loam, good to well drained (Valley and Ridge).

Geographic Extent

- Centered over the Valley and Ridge Province of Pennsylvania, Maryland, West Virginia. Includes western section of the Piedmont in Virginia and Maryland.

Terrestrial Characteristics

- Open hills, plains with low mountains, and open low mountains.
- Elevations 600 to 3700 feet.
- Vegetation cover is Appalachian oak and oak-hickory-pine forests.

Precipitation/Hydrological Characteristics

- Annual precipitation 40-50 inches, with most rainfall occurring during July-August.
- Annual surface water runoff 20-30 inches.

- Approximately annual evapotranspiration 32-40 inches.
- Low streamflow, September-October; high flow, February-March.

Aquatic Characteristics

- Clearwater streams.
- Lowest alkalinity streams generally drain watersheds smaller than 20 mi², usually above 2000 feet.
- Alkalinity values are generally low in spring.
- Subregion characterized by trellised drainage patterns.

(3) NORTHERN APPALACHIANS

Land Use

- Mixed forest and agriculture

Geology

- Sandstones and shales

Soils

- Silt loam to sandy loam, good to well drained

Geographic Extent

- Covers the Northern Appalachians Plateau of Western New York, Pennsylvania, Western Maryland, and West Virginia. Includes western sections of the Valley and Ridge Province in West Virginia and Maryland.

Terrestrial Characteristics

- Open high hills, and low mountains.
- Elevation 600 to 3000 feet.
- Vegetation cover is Appalachians oak and mixed mesophytic forests.

Precipitation/Hydrological Characteristics

- Annual precipitation 40-55 inches, with most rainfall occurring during May-July.
- Annual surface water runoff 20-30 inches.
- Approximate annual evapotranspiration 28-36 inches.
- Low streamflow, September-October; high flow, March.

Aquatic Characteristics

- Mostly clearwater streams with some colored water streams.
- Low alkalinity streams generally drain watersheds smaller than 100 mi²; lowest alkalinity streams generally drain watersheds smaller than 10 mi².
- Alkalinity values are generally low in spring.

(4) MID-ATLANTIC COASTAL PLAINS

Land Use

- Agriculture, urban, small patches of forest (Eastern Mid-Atlantic). Mixed forest and agriculture in north, increasing forest cover in the southern portions of the region (Western Mid-Atlantic). Forested with some urbanization, cranberry bogs (New Jersey Pine Barrens)

Geology

- Sands, mix of sands, gravels, clays, and silts (Eastern Mid-Atlantic). Sands in the northern portion, fossiliferous clays and sands in the southern portion (Western Mid-Atlantic). Sandstone, gravel and sandstone

(New Jersey Pine Barrens).

Soils

- Sandy, increasing amount of clay to the south (Eastern Mid-Atlantic); Fine loamy with a small percentage of sites with coarse loamy or fine silty, well drained (Western Mid-Atlantic); Quartz sands (New Jersey Pine Barrens).

Geographic Extent

- A geographically diverse subregion that includes the following areas : i) Piedmont of Southern Pennsylvania, Maryland, and Virginia; ii) Pine Barrens of Southern New Jersey; iii) Coastal Plain covering Delaware, Southern New Jersey and the eastern sections of Maryland, Virginia, and Northern North Carolina.

Terrestrial Characteristics

- Flat plains and irregular plains.
- Elevation 0 to 300 feet.
- Vegetation cover is oak-hickory-pine and northeastern oak-pine forests.

Precipitation/Hydrological Characteristics

- Annual precipitation 40 inches, with most rainfall occurring July-August.
- Annual surface water runoff 15-20 inches.
- Approximately annual evapotranspiration 34-38 inches.
- Low streamflow, September-October; high flow, February-March.

Aquatic Characteristics

- Mostly colored streams with some clearwater streams.
- Low alkalinity streams generally drain watersheds smaller than 500 mi²; lowest alkalinity streams generally drain watersheds within the Pine Barrens smaller than 50 mi².
- Alkalinity values are generally low from late winter to early summer.

(5) OZARK/OUACHITAS

Land Use

- Forested with less than 5% of the watershed in agriculture

Geology

- Sandstone and shales

Geographic Extent

- Includes the Boston Mountains, the Ouachitas Mountains, and the Arkansas River Valley in Arkansas and Eastern Oklahoma, as well as northern portions of the Gulf Coastal Plain.

Terrestrial Characteristics

- High hills and open low mountains.
- Elevations 500 to 2500 feet.
- Vegetation cover is oak-hickory-pine and oak-hickory forests.

Precipitation/Hydrological Characteristics

- Annual precipitation 48-56 inches, with most rainfall

occurring during April-June.

- Annual surface water runoff 10-20 inches.
- Approximate annual evapotranspiration 42-50 inches.
- Low streamflow, August; high flow, April.

(6) Adirondacks

Land Use

- Forest

Geology

- Sandstone and shales

Soils

- Silt loam

(7) State of Maine

Land Use

- Forest

Geology

- Metamorphic terrain

Soils

- Silt loam to clay loam

Selection of Streamflow Gauging Stations

For this study, all the small streamflow stations which can be accessed from the compact disc-based U.S.G.S. streamflow data base (HYDRODATA, published by U.S. West Inc., 1989) were processed. Total number of the stations processed is 1171 (1113 stations from Northeastern area and 58 stations from Ozark and Ouachita).

Selection criteria : Major criteria to select stations for this project are as follows :

- Drainage area less than 500 mi²
- Regulation-free : Any kind of regulation (artificial structures such as dams or lakes) can facilitates the decreasing of the organic material of rain water by storing water. For this watershed filtering process, the regulated stations list from USGS (Graczyk, et al., 1987) was used.
- More than 5 years of daily streamflow gauging record.

Table 3-1 shows the number of stations accessed from each region. Figure 3-2, shows the location of the streamflow gauging stations in Northeastern U.S.

Processing Procedure

Once period's streamflow data was accessed for each station for a region from a compact disc, each station was analyzed based on the processing procedure described on Figure 3-3.

For this project, in addition to the major software Sam (Streamflow Analysis Module-described in Appendix 6), another batch streamflow analysis program was developed for the time saving. Processing (manually) time for each station requires about 4.5 minutes in case of 30 years streamflow data (based on 16 Mhz 30386 machine with 640 Kbyte base memory and 30387 math co-processor).

As shown on Figure 3-3, there are three major loops for

Table 3-1. Number of stations from each region

Regions	Sub-area	#	Total
North-eastern	Northern Appalachians	219	1113
	Valley and Ridge	270	
	Mid-Atlantic Plains	295	
	Pocono and Catskill	249	
	State of Maine	41	
	Adirondacks	39	
Mid-South	Ozark and Ouachita	58	58

Figure 3-2. Location of the streamflow gauging stations processed for this project in Northeastern U.S.(total 1115 stations).

Variables. s, e : from first water year to last water year
 st, et : from first station to last station
 sr, er : from first region to last region
 slp : trial separation slope
 sl, el : from first slope (0.0) to last
 slope(0.018)
 il : slope increment (=0.0006)

Figure 3-3. Flowchart for batch streamflow processing

repeated processing in this batch job-processing. The first outer loop marked with (1) is to repeat the procedure for all the regions in the study area. The second outer loop marked with (2) is to repeat the procedure for all the stations in each region. The last loop marked with (3), which includes all the simulation and input/output file processing procedure, repeats its calculation to get the baseflow for each water year in a station.

Once the processing for all the stations was done, all the computation results are saved into a master output file for further global/regional analysis.

Major Output

The major output from this streamflow analysis can be divided into 4 parts and major items of each part are as follows.

1. Station identification : Station name, period of records, type of station, drainage area, and location.
2. Statistical parameters : Total number of days, days with no-flow/missing data, total flow, mean, standard deviation, variance, low/high extreme values, and skewness.
3. Baseflow separation : Best slope, and baseflow % of each water year. Also average separation slope and baseflow % over the whole period.
4. Flow summary : Baseflow components (pure, mixed) and others (event flow). Pure baseflow means that the amount of baseflow

is same as the amount of mixed flow (runoff) on a given period. Mixed means that the baseflow is less than runoff. We can see streamflow variability based on wet/dry period (portion of dry period to a given period) from these values.

Sample analysis output by SAM is listed in Appendix 1 and the output from batch processing for all the stations are listed in Appendix 2.

OUTPUT ANALYSIS

Global Analysis

To get some general idea concerning the streamflow characteristics of the study area, simple 2-D graphics based on major variables (runoff, baseflow, separation slope, drainage area) were used. More detailed multivariate analysis for the major variables is presented in Chapter 4 - STREAMFLOW CLASSIFICATION. In this section, only general trends were examined based on graphics.

Drainage area vs. runoff : As a basic but essential variables for streamflow analysis, the drainage area and runoff (average annual runoff in inches) were analyzed (Figure 3-4). As already studied by others (Church and Graczyk 1988; Rochelle, et al., 1987; Rochelle and Church, 1987) the runoff becomes consistent as the drainage area increases. The variation of runoff from a drainage area of less than 200 mi² is higher than from a drainage area larger than 200 mi².

Baseflow % vs. drainage area : As the drainage area increases, the baseflow % for the streamflow seems to be approaching the mean value. This may imply as the drainage increases, the portion of the baseflow to the total runoff becomes constant (Figure 3-5).

Baseflow % vs. runoff : As shown on Figure 3-6, there is no trends or relationship between baseflow % and runoff.

Figure 3-4. Drainage area vs. average annual runoff in Northeastern U.S.

Figure 3-5. Drainage area vs. baseflow % in Northeastern U.S.

Figure 3-6. Average annual runoff vs. baseflow % in Northeastern U.S.

Separation slope vs. runoff : We may easily expect this relationship (Figure 3-7) that as the runoff increases, the separation slope also increase linearly.

Separation slope vs. baseflow % : As shown on Figure 3-8, there is no trend or relationship between these variables.

Correlation coefficients matrix : Table 3-2 shows the matrix of correlation coefficients for major variables. From these very low correlation coefficients, we can not say any linear relationship between baseflow % (the most important variable in this study) and any other major variables. Separation slope shows good correlation coefficients with runoff(0.65). However, the low correlation coefficient between baseflow % and separation slope (0.044) does not provide any clues to express baseflow % as a function of runoff.

Spatial distribution of the baseflow % : Based on the results from each study region, spatial distribution of the baseflow % was drawn as shown in Figure 3-9. Different notations are assigned for different ranges of the baseflow %. This Figure indicates higher baseflow % distribution in Mid-Atlantic Coastal Plains which has higher distribution density of the streamflow gauging stations. Adirondacks and State of Maine have comparatively uniform baseflow % distribution.

Regional Baseflow Analysis

Table 3-3 shows the statistical calculation for major variables from each region. As shown on Figure 3-10, almost

Figure 3-7. Runoff vs. separation slope in Northeastern U.S.

Figure 3-8. Baseflow $\%$ vs. separation slope in Northeastern U.S.

Table 3-2. Correlation coefficients matrix

Variables) Area : Drainage area (mi²)
 Runoff : Average annual runoff (inches)
 Slope : Best separation slope (cfs/mi²/day)

	Area	Runoff	Slope	Baseflow %
Area	1	0.018	0.012	0.093
Runoff	0.018	1	0.65	0.10
Slope	0.012	0.65	1	0.044
Baseflow %	0.093	0.10	0.044	1

Remarks. * Above 60% □ 40 - 60%
 Δ 20 - 40% * 0 - 20%

Figure 3-9. Spatial distribution of baseflow% in Northeastern U.S.

Table 3-3. Regional statistical summary

Variables) First line : Mean value
 Second Line : Standard deviation
 Third Line : Standard error of the mean
 B.F. : Baseflow
 Slope : Separation slope (cfs/mi²/day)

Regions	#	B.F. (%)	Slope	Area (mi ²)	Runoff (cfs)
Mid-Atlantic Coastal Plains	295	39.9 13.8 0.8	0.00343 0.00075 0.00004	61.9 90.8 5.2	17.8 5.9 0.34
Valley and Ridge area	270	32.0 11.3 0.68	0.00366 0.00062 0.00004	135.8 126.7 7.7	19.2 10.4 0.63
State of Maine	41	29.9 7.9 1.23	0.00430 0.00037 0.00006	167.7 138.3 21.6	26.5 3.5 0.55
Northern Appalachians	219	24.6 8.2 0.55	0.00398 0.00055 0.00004	141.3 127.2 8.6	22.9 10.8 0.73
Adirondacks of New York	39	34.7 11.0 1.76	0.00421 0.00053 0.00008	176.3 135.0 21.6	24.4 5.9 0.94
Pocono and Catskills	249	30.2 9.7 0.61	0.00401 0.00061 0.00004	96.6 112.2 7.1	22.5 5.4 0.34
Ozark and Ouachitas	58	14.4 6.6 0.86	0.00285 0.00078 0.00010	181.5 135.8 17.8	16.2 5.6 0.74

Regions) ME : State of Maine AD : Adirondacks 1D : Pocono/Catskills
 2Bn : Valley and Ridge 2Cn : Northern Appalachians
 2D : Ozark/Ouachitas 3B : Mid-Atlantic Coastal Plains
 Remarks) S.D./ $\sqrt{n}$: Standardized Error of the Mean (n : Total Number of Samples)

Figure 3-10. Regional average baseflow % vs. separation slope. 2D (Ozark and Ouachitas) has relatively low baseflow % and separation slope.

all the regions in Northeastern U.S. have comprised of a good cluster in terms of separation slope and baseflow % which are the major variables to calculate the amount of baseflow for each streamflow station. The Ozark and Ouachitas regions have relatively low baseflow % and separation slope. Based on regional streamflow characteristics and corresponding baseflow amount described on Chapter 2, this is fairly predictable result and also can be used as a verification of the regional baseflow analysis.

CHAPTER IV

STREAMFLOW CLASSIFICATION

Cluster Analysis

To make reasonable classifications of the streamflows in Northeastern U.S. based on streamflow behaviors from the regional properties, cluster analysis, the best methodology for the classification purpose, was done. For this, a computer program for clustering (CLUSTAR) was used. The major options for this clustering are as follows :

Calculation of Qualitative Attributes : In this clustering, standardized data was used instead of raw data based on following reasons ;

- All the clustering attributes in this study have different units; baseflow (%), separation slope (cfs/mi²/day), runoff (inches), latitude (in degree), and longitude (in degree). By standardizing the attributes and recasting them in dimensionless units, we can remove the effects from different units.
- Standardizing makes attributes contribute more equally to the similarities among the objects. For example, if the range of the values on the first attribute is much greater than the range of the values on the second, then the first attribute will carry more weight in determining the similarities among the objects. When this is undesirable in context of research

achievements, we can compensate for the effect by standardization. The standardization function (Z_{ij}) most commonly used in practice is from the equation ;

$$Z_{ij} = (X_{ij} - \bar{X}_i) / S_i \quad (12)$$

$$\text{where, } \bar{X}_i = \left(\sum_{j=1}^t (X_{ij}) / t \right)$$

= Average of i th attribute of j th object

$$S_i = \left(\sum_{j=1}^t (X_{ij} - \bar{X}_i)^2 / (t-1) \right)^{1/2}$$

= Standard deviation of i th attribute of j th object

X_{ij} = Value of i th attribute of j th object

t = Total number of objects

Calculation of resemblance coefficient : In this cluster analysis, the Euclidean distance was used to measure the overall resemblance (the degree of similarity between each pair of data points).

Clustering method : The most commonly used clustering algorithm, Unweighted Pair-Group Method using Arithmetic average (UPGMA), was used in this study.

Pre-Clustering

For this study, 1113 streamflow gauging stations over the Northeastern U.S. have been analyzed, which includes the subregions Pocono/Catskill, Northern Appalachians, Valley/Ridge, Mid-Atlantic Coastal Plains, Adirondacks, and

State of Maine. For more efficient regional clustering, these 1113 stations were divided into 141 pre-clusters on a regional basis (pre-clusters to represent the regional properties).

Defining Regional Pre-Clusters

As shown on Figure 4-1, all the Northeastern regions were divided into two sub-regions for pre-clustering : Northeastern subregion and State of Maine. Each subregion was divided into equally spaced grids of 30'48" (latitude, 37.1 miles) by 36'22" (longitude, 43.8 miles) for Northeastern subregion and 1 deg. 6'2" (latitude, 79.9 miles) by 1 deg. 14'37" (longitude, 89.9 miles) for State of Maine. The reason considering bigger cell size in State of Maine is the homogeneity of the spatial distribution of the baseflow %. Thus, a total of 9 pre-clusters were considered for the State of Maine which are sufficient for final clustering. Figure 4-2 shows the numeric identification of each pre-cluster of the two regions. Only the grids with at least one gauging station were selected as a pre-cluster.

Density of stations in a pre-cluster : The density of the gauging stations are to be examined before final clustering as the density may vary in each pre-cluster. However, all the pre-clusters are equally treated regardless of their number of stations in the pre-cluster which was the criterion for classifying pre-clusters. Appendix 3 shows all the 141 pre-clusters analyzed in this project and their corresponding

Figure 4-1. Defining boundaries for pre-clustering. State of Maine has bigger cell size than Northeastern subregion.

Figure 4-2. Identification of the pre-clusters. Northeastern subregion has 135 pre-clusters and State of Maine has 6 pre-clusters.

streamflow gauging stations. More detailed information for each gauging station is enclosed as Appendix 2 which lists all the gauging stations based on major regions.

Reassigning values of each pre-cluster : Each attribute's value of each pre-cluster was from the average value of each attribute from all the stations in that pre-cluster. Therefore, the attributes of each pre-cluster (baseflow %, separation slope, runoff, latitude, longitude, and drainage area) presents the average value of all the stations in that pre-cluster. Table 4-1 shows the average values of the attributes of each pre-cluster.

Clustering attributes : Trial clustering was done based on different attributes group as follows.

- Clustering with baseflow %, separation slope, runoff, latitude, longitude, and drainage area.
- Clustering with baseflow %, separation slope, latitude, longitude, and drainage area.
- Clustering with baseflow %, separation slope, latitude, and longitude.

The reason to include the location parameter (latitude and longitude) was to get the clustering output based on regional properties. All the attributes used for clustering were assigned equal weight.

Best clustering output : Based on the output from trial clustering, the best clustering output was obtained from the clustering based on the attributes such as baseflow %,

Table 4-1. List of pre-clusters for the classification of streamflow in Northeastern U.S.

Variables.	I.D. : Identification of a pre-cluster
	BF% : Average baseflow%
	Slope : Average separation slope (unit = cfs/mi ² /day)
	Lat. : Average latitude value (unit = degree/min./sec.)
	Long. : Average longitude value (unit = degree/min./sec.)
	Area : Average drainage area (unit=mi ²)
	R.O. : Average runoff (unit=inches/year)
	# : Number of gauging stations

I.D.	BF%	Slope	Lat.			Long.			Area	R.O.	#
1	35.88	0.0043	44	33	49	74	57	13	128.54	24.46	5
2	52.77	0.0041	44	39	39	74	21	32	139.40	21.43	3
3	37.68	0.0040	44	27	28	73	41	48	174.66	17.46	5
4	32.82	0.0048	44	5	11	75	0	7	166.76	28.14	5
5	30.77	0.0043	43	53	5	74	11	20	257.00	27.07	3
6	38.30	0.0045	43	50	38	73	25	57	234.00	18.20	1
7	45.23	0.0047	43	33	52	75	4	13	236.00	29.88	4
8	24.20	0.0039	43	31	42	74	15	15	245.67	28.80	3
9	23.80	0.0035	43	33	22	73	42	44	20.00	20.87	3
10	39.50	0.0048	42	56	48	76	35	56	206.00	19.10	1
11	33.58	0.0039	42	54	5	76	8	26	42.19	19.17	4
12	18.57	0.0039	43	0	57	74	42	45	202.07	28.57	3
13	28.20	0.0032	43	3	57	74	9	48	28.30	24.80	1
14	34.20	0.0039	43	3	24	73	45	23	170.00	21.03	3
15	32.38	0.0038	42	33	40	76	36	10	118.55	16.73	4
16	29.53	0.0042	42	33	45	76	4	10	124.11	24.70	6
17	26.27	0.0038	42	32	21	75	25	39	96.28	22.03	8
18	27.40	0.0039	42	24	29	74	57	56	158.53	21.99	7
19	20.13	0.0041	42	26	47	74	21	39	162.45	19.45	10
20	26.95	0.0044	41	49	20	78	26	53	115.55	24.13	4
21	28.30	0.0038	41	57	42	78	11	54	98.70	22.40	1
22	23.66	0.0036	41	54	41	77	7	22	260.20	15.62	5
23	19.38	0.0035	41	55	41	76	50	41	21.16	14.03	6
24	21.60	0.0038	41	59	45	76	8	21	95.33	22.55	2
25	22.53	0.0038	42	5	0	75	23	39	76.84	23.00	8
26	28.07	0.0041	42	1	42	74	52	21	139.12	25.33	17
27	32.09	0.0041	41	53	14	74	26	27	115.24	31.34	9
28	32.10	0.0037	41	52	18	73	49	57	102.38	15.72	6
29	27.80	0.0045	41	36	7	79	3	1	233.00	25.00	1
30	29.43	0.0041	41	32	27	78	35	44	109.38	25.48	6
31	23.58	0.0039	41	24	0	77	55	21	186.44	22.20	5
32	26.10	0.0045	41	29	19	77	9	42	116.97	21.48	4

Table 4-1. Continued

I.D.	BF%	Slope	Lat.	Long.	Area	R.O.	#
33	23.48	0.0042	41 24 45	76 47 34	171.59	21.86	5
34	27.20	0.0037	41 23 57	75 57 46	116.57	17.80	4
35	29.99	0.0039	41 31 27	75 27 59	124.68	23.27	9
36	24.81	0.0043	41 30 36	75 0 26	160.40	23.51	8
37	28.56	0.0038	41 25 3	74 22 46	161.36	20.57	9
38	37.49	0.0042	41 32 50	73 50 27	95.15	20.13	7
39	19.30	0.0039	40 43 13	79 30 42	278.00	20.40	1
40	24.06	0.0041	40 55 9	79 8 44	183.56	23.90	5
41	27.30	0.0039	40 56 12	78 27 56	319.16	23.64	5
42	49.54	0.0042	40 57 59	77 47 37	130.49	22.33	7
43	36.84	0.0044	41 1 6	77 16 56	141.37	21.54	5
44	31.05	0.0041	41 1 57	76 38 58	110.06	22.45	8
45	35.58	0.0044	40 53 13	76 6 16	32.91	23.34	5
46	37.33	0.0044	40 57 33	75 34 2	95.17	26.91	13
47	36.79	0.0043	40 53 8	74 54 55	52.25	23.05	21
48	30.68	0.0041	40 57 28	74 15 20	67.03	22.38	32
49	22.35	0.0038	40 25 5	79 44 23	30.15	17.90	2
50	24.96	0.0039	40 26 45	79 7 26	215.22	23.04	14
51	31.20	0.0041	40 35 51	78 22 42	67.16	22.23	6
52	29.88	0.0037	40 28 44	78 4 32	151.01	17.82	13
53	34.76	0.0038	40 30 36	77 19 30	101.82	18.15	11
54	32.40	0.0037	40 20 35	76 50 42	101.58	21.00	27
55	38.85	0.0041	40 31 54	76 3 8	137.55	23.74	17
56	42.28	0.0038	40 30 2	75 28 35	58.46	20.77	20
57	24.33	0.0037	40 29 34	74 48 46	52.69	23.08	29
58	28.31	0.0037	40 31 2	74 21 38	52.74	19.59	26
59	17.20	0.0033	39 55 23	80 4 22	180.00	15.20	1
60	26.99	0.0039	39 55 40	79 48 24	70.28	19.46	7
61	24.57	0.0045	39 48 18	79 14 14	156.82	25.89	7
62	25.61	0.0038	39 55 21	78 36 12	103.99	17.26	16
63	22.65	0.0039	39 45 40	78 3 56	134.15	48.70	8
64	39.95	0.0040	39 46 29	77 27 56	62.67	18.58	6
65	42.33	0.0035	39 53 25	76 44 52	104.92	15.88	4
66	46.66	0.0036	39 54 29	76 7 6	102.95	18.57	7
67	41.79	0.0035	39 55 59	75 28 48	50.05	19.59	34
68	37.80	0.0035	39 58 17	75 0 5	22.76	24.43	27
69	57.70	0.0041	39 56 53	74 20 46	48.38	24.21	9
70	13.80	0.0031	39 28 30	80 59 50	458.00	19.30	1
71	15.22	0.0034	39 19 20	80 20 31	147.98	19.23	4
72	20.47	0.0044	39 30 46	79 47 15	91.80	27.60	3
73	26.16	0.0043	39 26 26	79 11 43	120.30	24.95	27
74	21.08	0.0032	39 29 7	78 34 37	113.76	12.42	13
75	48.20	0.0031	39 25 42	77 53 39	166.37	11.67	7
76	41.14	0.0036	39 27 8	77 19 8	36.11	17.00	21
77	44.52	0.0030	39 23 14	76 43 13	47.63	15.23	36
78	48.35	0.0033	39 34 22	76 7 34	43.85	17.82	16
79	46.16	0.0034	39 27 24	75 31 33	17.71	15.70	10
80	60.48	0.0042	39 29 31	74 52 24	58.18	21.36	5

Table 4-1. Continued

I.D.	BF%	Slope	Lat.			Long.			Area	R.O.	#
81	62.15	0.0040	39	35	43	74	27	6	28.58	20.80	4
82	14.10	0.0031	39	7	10	81	16	40	452.00	17.30	1
83	15.00	0.0033	38	56	22	80	53	21	152.65	19.78	6
84	19.03	0.0042	38	54	12	80	18	3	99.56	28.23	12
85	22.93	0.0045	38	56	31	79	45	31	147.11	31.36	25
86	24.02	0.0034	38	55	47	79	7	28	151.62	12.90	8
87	30.95	0.0033	38	55	14	78	29	33	86.42	13.63	6
88	34.92	0.0035	38	48	7	77	55	2	71.60	14.25	6
89	27.11	0.0029	38	55	2	77	16	9	46.00	16.14	25
90	41.92	0.0030	38	59	49	76	51	18	55.56	15.38	18
91	34.82	0.0036	38	55	49	75	57	59	27.35	15.07	4
92	50.62	0.0042	38	50	42	75	35	58	38.36	18.28	9
93	15.70	0.0036	38	27	23	81	55	54	8.71	20.40	1
94	21.65	0.0035	38	16	40	81	44	55	348.00	19.38	4
95	19.02	0.0042	38	15	42	80	54	33	149.96	25.08	6
96	19.93	0.0044	38	23	20	80	23	30	129.83	32.33	24
97	21.90	0.0040	38	32	37	79	50	0	133.00	26.80	2
98	33.16	0.0031	38	29	3	79	7	7	191.91	13.88	9
99	29.35	0.0037	38	14	43	78	37	30	56.33	18.25	6
100	41.25	0.0035	38	26	13	78	1	20	238.48	15.60	4
101	21.48	0.0031	38	36	32	77	24	59	77.71	13.45	4
102	41.41	0.0036	38	26	17	76	39	5	11.10	14.16	7
103	50.40	0.0038	38	30	45	75	52	50	15.00	17.00	2
104	43.11	0.0041	38	23	20	75	33	6	17.55	14.79	7
105	20.48	0.0037	37	51	38	81	41	31	103.01	20.50	4
106	19.76	0.0040	37	52	1	80	54	33	128.55	20.58	5
107	23.70	0.0034	37	47	30	80	22	43	103.07	17.57	6
108	30.57	0.0033	37	53	11	79	50	44	227.40	16.30	11
109	37.58	0.0038	37	48	34	79	10	58	197.70	18.01	8
110	40.72	0.0031	37	54	12	78	27	59	168.43	14.52	8
111	33.70	0.0029	37	55	16	78	4	45	90.63	13.40	3
112	37.28	0.0030	37	51	6	77	25	18	316.24	12.72	5
113	44.52	0.0038	37	50	23	76	46	1	48.14	14.27	6
114	25.45	0.0039	37	8	2	82	35	23	49.72	20.52	4
115	23.20	0.0035	37	14	38	82	16	48	221.10	16.26	5
116	28.70	0.0038	37	28	22	81	34	44	110.79	18.50	7
117	24.99	0.0033	37	28	55	80	55	41	220.32	13.44	10
118	37.50	0.0034	37	24	43	80	8	31	124.93	15.10	3
119	37.78	0.0032	37	23	3	79	55	0	120.36	13.64	5
120	46.90	0.0026	37	14	58	79	5	10	143.66	12.02	5
121	46.50	0.0027	37	19	35	78	30	14	127.08	13.30	3
122	38.90	0.0028	37	35	52	77	49	12	22.10	12.50	1
123	32.50	0.0036	37	24	51	77	23	10	119.45	14.38	4
124	46.25	0.0042	37	27	16	76	40	30	6.41	14.50	2
125	25.81	0.0042	36	43	28	82	49	52	143.01	22.19	7
126	38.08	0.0039	36	45	51	82	11	13	179.20	18.17	6
127	39.94	0.0037	36	46	4	81	41	7	145.06	18.76	8
128	38.22	0.0027	36	57	6	80	49	23	148.26	11.77	4

Table 4-1. Continued

I.D.	BF%	Slope	Lat.			Long.			Area	R.O.	#
129	53.00	0.0036	37	2	15	80	33	25	300.00	16.30	1
130	50.00	0.0028	37	0	52	79	38	16	254.50	14.60	2
131	32.90	0.0025	36	50	5	78	55	2	258.50	14.25	2
132	33.16	0.0025	36	56	20	78	36	5	142.16	12.92	5
133	25.90	0.0030	36	50	48	77	56	55	51.95	13.95	2
134	26.05	0.0039	36	50	56	77	23	16	74.94	12.57	4
135	24.67	0.0043	36	46	15	76	46	25	193.93	14.23	3
136	29.18	0.0043	46	6	42	67	56	54	229.62	24.27	4
137	25.04	0.0042	44	45	26	70	16	15	143.20	27.36	5
138	24.60	0.0042	45	1	54	69	5	53	189.76	27.57	7
139	35.14	0.0044	44	48	20	67	53	42	193.16	28.15	8
140	31.89	0.0043	43	59	3	70	25	21	146.62	25.65	15
141	27.80	0.0044	44	14	40	69	38	47	84.35	24.05	2

separation slope, latitude, and longitude. Appendix 4 shows the best clustering output using hierarchical tree structure from clustering output. This diagram, called Dendrogram, shows how these major clusters were grouped by individual pre-cluster. The scale at the top and bottom of the Dendrogram represents the distance of the similarity (so called resemblance coefficient. In this case, the Euclidean distance) among the data points (same as pre-clusters) based on qualitative distance from standardization of the four attributes. The major 7 clusters A,B,C,D,E,F, and G can easily be noticed. Table 4-2 is the summarized form of Dendrogram in Appendix 4. This Table shows the major 7 clusters and their pre-clusters, total number of stations for each pre-clusters. Summarized statistics are listed in Table 4-3. Figure 4-3 shows the regional distribution of these clusters. From this Figure, we can see that State of Maine has a separate cluster (G) as was expected. It is separate from the Northeastern subregion and also has a consistent baseflow % variation. In Northeastern subregion, we can find a cluster, F (which has pre-clusters 69, 80, and 81) with highest average baseflow % among the clusters. Also, the Adirondacks of Upstate New York comes under another separate cluster E.

More detail clustering output is listed in Appendix 5.

Considering Output from Clustering

As mentioned above, some of the characteristics of the

Table 4-2. Summary of major clusters from dendrogram

A	B	C	D	E	F	G
131 (2)	77 (36)	70 (1)	45 (5)	1 (5)	69 (9)	137 (5)
132 (5)	90 (18)	82 (1)	46 (13)	5 (3)	80 (5)	138 (7)
128 (4)	75 (7)	71 (4)	47 (21)	6 (1)	81 (4)	140 (15)
120 (5)	65 (4)	83 (6)	43 (5)	3 (5)		141 (2)
121 (3)	76 (21)	59 (1)	38 (7)	7 (4)		136 (4)
130 (2)	100 (4)	107 (6)	55 (17)	10 (1)		139 (8)
118 (3)	102 (7)	117 (10)	64 (6)	4 (5)		
119 (5)	88 (6)	94 (4)	42 (7)	2 (3)		
87 (6)	91 (4)	105 (4)	24 (2)			
98 (9)	78 (16)	115 (5)	25 (8)			
108 (11)	79 (10)	93 (1)	17 (8)			
112 (5)	66 (7)	84 (12)	18 (7)			
122 (1)	67 (34)	95 (6)	57 (29)			
111 (3)	68 (27)	96 (24)	58 (26)			
110 (8)	56 (20)	97 (2)	35 (9)			
74 (13)	104 (7)	106 (5)	37 (9)			
86 (8)	124 (2)	72 (3)	34 (4)			
89 (25)	92 (9)	85 (25)	26 (17)			
101 (4)	103 (2)	61 (7)	27 (9)			
133 (2)	113 (6)	73 (27)	48 (32)			
	129 (1)	99 (6)	16 (6)			
		123 (4)	33 (5)			
		109 (8)	36 (8)			
		134 (4)	11 (4)			
		135 (3)	15 (4)			
		126 (6)	14 (3)			
		127 (8)	28 (6)			
		114 (4)	12 (3)			
		116 (7)	19 (10)			
		125 (7)	8 (3)			
			9 (3)			
			13 (1)			
			20 (4)			
			29 (1)			
			32 (4)			
			53 (11)			
			54 (27)			
			52 (13)			
			30 (6)			
			51 (6)			
			44 (8)			
			31 (5)			
			41 (5)			
			21 (1)			
			50 (14)			
			62 (16)			
			60 (7)			
			63 (8)			
			39 (1)			
			49 (2)			
			40 (5)			
			22 (5)			
			23 (6)			

I.D. of Pre-cluster <----62 (16)----> Number of Stations of a Pre-cluster

Table 4-3. Statistical summary for major clusters

Variable. P.C. : Pre-clusters
 Sta. : Stations
 S.D. : Standard deviation
 (S.E.) : Standardized error of the mean

Cluster	# of P.C.	# of Sta.	Baseflow %		Slope	
			Mean	S.D. (S.E.)	Mean	S.D. (S.E.)
A	20	124	34.39	7.94 (0.71)	0.0030	0.0003 (0.00003)
B	21	248	43.88	4.69 (0.29)	0.0036	0.0003 (0.00002)
C	30	211	23.56	6.75 (0.46)	0.0038	0.0004 (0.00003)
D	53	444	28.75	6.04 (0.28)	0.0040	0.0002 (0.00001)
E	8	27	39.11	6.58 (1.26)	0.0044	0.0003 (0.00006)
F	3	18	60.11	1.84 (0.43)	0.0041	0.00008 (0.00002)
G	6	41	28.94	3.71 (0.57)	0.0043	0.00008 (0.00001)
Total	141	1113	--	--	---	----

Figure 4-3. Boundary of each cluster. (Cluster G : State of Maine.
Cluster E : Adirondacks).

cluster analysis based on regional properties are as follows:

First, we can see clearly defined separate clusters for State of Maine (Cluster G) and Adirondacks of New York (Cluster E).

Second, we can see the cluster F with only three pre-clusters with highest average baseflow % over the whole study area. This is from the Mid-Atlantic Coastal Plains which was found to have the highest overall baseflow % in Chapter 3.

Third, The cluster, B, the second highest baseflow %, is also from the Mid-Atlantic Coastal Plains.

Fourth, the remaining clusters, A, C, and D show different average baseflow % and cluster C shows the lowest average baseflow % (23.6%). From the Figure 4-4, we can see the difference between major clusters based on separation slope and baseflow %.

Difference between the regional boundaries from the clustering and from the geologic criteria : From the Figure 4-3 and 3-1 at Chapter 3, we can see significant difference of the regional boundary from the clustering (A, B, C, D, and F, except Maine and Adirondacks) and from the geologic criteria (Pocono/Catskill, Northern Appalachians, Mid-Atlantic Coastal Plains, and Valley/Ridges). Figure 4-5 shows the difference of the regional boundaries from two methods.

Implication from the Clustering Output : The regions defined by geologic criteria are useful in terms of land use,

Figure 4-4. Average baseflow % vs. separation slope of each cluster. Cluster F has highest baseflow % and cluster E has highest separation slope.

Remarks. (1D) : Poconos & Catskills (2BN) : Valley & Ridge
 (2CN) : Northern Appalachians (3B) : Mid-Atlantic Coastal Plains

Figure 4-5. Boundary of each region from the cluster analysis (thick solid line : A, B, C, D, and F) and from the types of vegetation and geomorphology (thin solid line : name of the region in the ()).

vegetation, local geology, and soil type of each region for the environmental management. The regions, however, defined by clustering output (assigned A, B, C, D, E, F, and G, arbitrarily) are more useful for the environmental streamflow management in terms of acidic deposition based on streamflow behaviors. This is mainly because these boundaries are determined by the major hydrologic variables which affect the baseflow of each streamflow such as separation slope and baseflow %.

Based on these hydrologic regions from the clustering of Northeastern U.S., further analysis will result in ways for efficient water quality management. For instance, the regions can be used to analyze the relationship between water quality and hydrologic behavior of each region.

CHAPTER V

RESULTS, DISCUSSION, AND FURTHER DEVELOPMENT

Results and Benefits

Based on the results from this streamflow analysis study such as software product, flow separation methodology, general trends analysis for the watersheds in Northeastern U.S., and cluster analysis, some of the benefits that can be derived are as follows :

Software product : This software provides convenient tool for the potential users in the area of Hydrology and Environmental Studies.

Flow separation methodology : Newly developed long term based flow separation technique gives credible analytic method for the analysis of temporal baseflow variation of the watersheds, especially for the monitoring of environmental hydrologic cycles.

General trends analysis : The results from the general trends analysis between hydrologic variables (runoff, baseflow, separation slope) and watershed geographic variables (drainage area, elevation, latitude, and longitude) from the study area (Northeastern U.S.) are useful for any regional environmental watershed studies in this area.

Cluster analysis : The output from the regional cluster analysis is useful for the following purposes :

- The structural arrangement of the watersheds based on hydrologic behaviors is the best tool to understand the common regional hydrologic properties and for the application to the real problems for environmental water quality management.
- In terms of regional baseflow sensitivity, it provides a good potential water quality indication.
- Comparing the regions from clustering (classified by hydrologic behaviors) with the regions used by EPA and USGS for water quality monitoring (classified by geologic criteria) can provide insight for approaching Best Management Practices.

Further Development

Based on the results and benefits described above, we can suggest some of the further studies which will be crucial in establishing the best management methodology for the globally scaled environmental quality management.

Interpolation of water quality data : Another cluster analysis based on regional water quality data (which also can be accessed from the compact disc based USGS water quality data base) and clustering output from the regional baseflow properties will give in-depth regional properties in terms of integrated environmental hydrologic behaviors/water quality.

Land use analysis : For the efficient non-point source management, global land use analysis, which needs GIS (Geographic Information System) implementation for land use monitoring will be a pre-requisite. The output from this

implementation can be easily combined into SAM program for the thematic map generation, which can also be used for land use planning.

Setting criteria for Best Management Policy : Based on the results with these further extended studies, we can set the criteria for Best Management Policies for the global environmental quality management in Northeastern U.S.

APPENDIX 1.

SAMPLE REPORT FROM SAM

STREAM FLOW ANALYSIS REPORT

from
Watershed Simulation Module

Prof. Richard Hawkins'
Watershed Research Team
Division of Watershed Science/SRNR
University of Arizona

Station : CARMANS RIVER AT YAPHANK NY

Input file : H40cany .ini Output file : H40cany .out Time / Date : 12:44:10/03-18-1989
--

Input : H40cany .ini
 Output : H40cany .out

1. Station Identification

Station Name : CARMANS RIVER AT YAPHANK NY
 Period of Record : Oct. 1923 - Sep. 1984
 Type of Station : STREAM
 Drainage Area : 71.00 sq. mi.
 Location : Latitude 40:49:49
 Longitude 72:54:24

2. Statistic Parameters

Total Number of Years :	43
Total Measured Days :	15254
Days with No-flow :	0
Total Unmeasured Days :	453
Total Flow (cfs-days) :	366233.094
(Ac-ft) :	726412.750
Daily Mean (cfs) :	24.009
(Ac-ft/yr) :	17393.619
Standard Deviation :	7.092
Variance (cfs ^2) :	50.290
Serial R :	0.937
Skewness :	0.706
Coeff. of Variation :	0.295
Low Extreme (cfs) :	6.200
High Extreme (cfs) :	84.000

Input : H40cany .ini
 Output : H40cany .out

3. Yearly Baseflow Separation

Station Name : CARMANS RIVER AT YAPHANK NY
 Drainage Area : 71.00 sq. mi.

Water Year	Best Slope	Baseflow %	Water Year	Best Slope	Baseflow %
1924	0.0018	95.20	1977	0.0012	91.87
1943	0.0024	81.65	1978	0.0012	85.90
1944	0.0012	78.03	1979	0.0012	87.30
1945	0.0012	89.60	1980	0.0024	94.38
1946	0.0006	84.95	1981	0.0012	93.28
1947	0.0012	90.30	1982	0.0006	83.69
1948	0.0006	83.14	1983	0.0012	86.32
1949	0.0012	81.22	1984	0.0012	90.15
1950	0.0018	90.22			
1951	0.0012	86.69			
1952	0.0006	80.80			
1953	0.0012	88.30			
1954	0.0012	89.93			
1955	0.0012	92.13			
1956	0.0012	88.27			
1957	0.0018	94.60			
1958	0.0012	83.44			
1959	0.0018	91.07			
1960	0.0012	91.00			
1961	0.0006	88.41			
1962	0.0012	91.21			
1963	0.0012	93.00			
1964	0.0012	92.47			
1965	0.0024	94.74			
1966	0.0018	94.11			
1967	0.0012	82.77			
1968	0.0006	91.75			
1969	0.0012	90.71			
1970	0.0006	86.85			
1971	0.0006	88.57			
1972	0.0006	85.94			
1973	0.0012	86.38			
1974	0.0006	91.92			
1975	0.0006	91.10			
1976	0.0006	88.07			

Input : H40cany .ini
 Output : H40cany .out

4. Stream Flow Summary

Component	Ac-ft/yr	%	in/yr	mm/yr	% time
BASEFLOW					
Pure	6405.34	37.92	1.69	42.97	43.58
Mixed	8552.96	50.63	2.26	57.37	56.42
Sub-total	14958.28	88.55	3.95	100.34	100.00
OTHERS	1935.03	11.45	0.51	12.98	100.00
TOTAL	16893.31	100.00	4.46	113.32	100.00

APPENDIX 2.

REGIONAL STREAMFLOW ANALYSIS OUTPUT

Remarks) I.D. : Station identification number assigned by U.S.G.S.

The I.D. starts with "999..." or "H..." is not the I.D. number assigned by U.S.G.S. (arbitrarily assigned I.D. for this study).

Description : Original station's description is 50 characters long. It is truncated into 27 characters for editing purpose here.

Area : Drainage area (unit = mi²).

From : First year of the daily streamflow data of the gauging station.

To : Last year of the daily streamflow data of the gauging station.

P. : Total number of years in the whole period (From-To).

Elevation : Elevation of the streamflow gauging station (unit = feet).

Slope : Best separation slope for the station (unit = cfs/mi²/day).

BF : Calculated portion of the baseflow to the total runoff (unit = %).

99999.99 : Missing elevation data

Region 1. Northern Appalachians

I.D.	Station Description	Area	From	To	P.	R.O	Latitude	Longitude	Ele.	Slope	BF
9999919	ABERS CREEK NEAR MURRYSVILLE	4.39	1949	1986	38	17.1	40 27 1	79 42 50	936.73	0.0038	23.5
1557500	BALD EAGLE CREEK AT TYRONE,	44.10	1945	1986	42	23.6	40 41 1	78 14 2	921.80	0.0041	28.8
3078500	BIG PINEY RN NR SALISBURY,	24.50	1933	1970	38	20.6	39 43 34	79 2 55	2240.00	0.0040	18.8
3031950	BIG RUN NR SPRANKLE MILLS,	7.38	1964	1980	17	24.6	40 59 30	79 5 26	99999.99	0.0042	24.1
3043000	BLACKLICK CREEK AT BLACKLIC	390.00	1905	1951	45	23.4	40 28 25	79 12 15	945.94	0.0038	23.2
3042000	BLACKLICK CREEK AT JOSEPHIN	192.00	1953	1986	34	26.3	40 28 24	79 11 1	975.82	0.0041	29.1
1541308	BRADLEY RUN NEAR ASHVILLE,	6.77	1968	1979	12	25.9	40 30 33	78 35 2	1770.00	0.0042	36.0
1561000	BRUSH CREEK AT GAPSVILLE, P	36.80	1932	1958	27	17.0	39 57 20	78 15 15	1122.39	0.0039	25.6
1559700	BUFFALO RUN TRIBUTARY NEAR	5.28	1962	1978	17	14.1	39 58 40	78 37 8	1230.00	0.0036	23.8
3079000	CASSELMAN RIVER AT MARKLETO	382.00	1921	1986	66	23.5	39 51 35	79 13 40	1655.29	0.0042	24.4
3028500	CLARION RIVER AT JOHNSONBUR	204.00	1946	1986	41	25.6	41 29 10	78 40 43	1422.98	0.0041	39.9
3029000	CLARION RIVER AT RIDGWAY, P	303.00	1941	1953	13	26.3	41 25 15	78 44 10	1361.62	0.0036	25.0
3039200	CLEAR RUN NEAR BUCKSTOWN, P	3.68	1965	1978	14	23.2	40 2 49	78 50 0	2339.24	0.0044	25.5
1541500	CLEARFIELD CREEK AT DIMELIN	371.00	1914	1986	73	21.4	40 58 18	78 24 22	1146.08	0.0038	26.4
3039000	CROOKED CREEK AT CROOKED CR	278.00	1919	1986	68	20.4	40 43 13	79 30 42	799.51	0.0039	19.3
3038000	CROOKED CREEK AT IDAHO, PA.	191.00	1938	1986	49	20.9	40 39 17	79 20 56	961.04	0.0037	21.5
1543000	DRIFTWOOD BR SINNEMAHOING	272.00	1914	1985	72	22.8	41 24 48	78 11 50	894.84	0.0038	21.6
3072000	DUNKARD CREEK AT SHANNOPIN,	229.00	1942	1986	45	16.5	39 45 38	79 58 24	806.00	0.0034	18.1
3074000	DUNLAP CREEK AT ALLISON, PA	33.10	1944	1951	8	18.2	39 59 20	79 52 30	900.00	0.0036	44.0
1560000	DUNNING CREEK AT BELDEN, PA	172.00	1940	1986	47	18.1	40 4 18	78 29 34	1051.16	0.0036	25.3
1560500	DUNNING CREEK AT YOUNT, PA.	191.00	1930	1939	10	15.9	40 3 30	78 28 30	99999.99	0.0033	24.3
3027500	E. BR. CLARION R. AT E. BR.	73.20	1949	1986	38	25.5	41 33 11	78 35 47	1517.58	0.0048	41.1
1603500	EVITTS C NR CENTERVILLE, PA	30.20	1933	1982	50	14.6	39 47 23	78 38 48	1027.59	0.0036	31.8
1544000	F FORK SINNEMAHOING CR NR	245.00	1954	1986	33	21.8	41 24 6	78 1 28	878.71	0.0036	20.9
1556000	FRANKSTOWN BR JUNIATA RIVER	291.00	1917	1986	70	18.4	40 27 47	78 12 0	831.78	0.0036	34.2
3072590	GEORGES CREEK AT SMITHFIELD	16.30	1964	1978	15	16.1	39 47 44	79 47 47	959.44	0.0037	23.7
1562500	GREAT TROUGH CREEK NEAR MAR	84.60	1930	1957	28	15.3	40 21 0	78 7 50	714.48	0.0037	24.9
3083000	GREEN LICK RUN AT GREEN LIC	3.07	1942	1979	38	25.0	40 6 18	79 30 1	1254.70	0.0043	20.0
3034000	MAHOING CREEK AT PUNXSUTAW	158.00	1939	1986	48	23.7	40 56 21	79 0 31	1206.14	0.0041	28.9
3034500	LITTLE MAHOING CREEK AT MC	87.40	1940	1986	47	23.9	40 50 10	79 6 37	1164.88	0.0040	21.5
3035000	MAHOING CREEK NEAR DAYTON,	321.00	1921	1940	20	23.7	40 54 5	79 13 35	1095.24	0.0039	22.5
3036000	MAHOING CREEK AT MAHOING	344.00	1939	1986	48	23.6	40 55 39	79 17 29	1003.39	0.0042	23.3
3041000	LITTLE CONEMAUGH RIVER AT E	183.00	1940	1986	47	22.7	40 20 37	78 53 7	1207.94	0.0039	27.6
3042200	LITTLE YELLOW CREEK NEAR ST	7.36	1961	1978	18	25.0	40 33 45	78 56 44	1600.00	0.0040	22.3
3045000	LOYALHANNA CREEK AT KINGSTO	172.00	1941	1986	46	23.4	40 17 33	79 20 27	1013.16	0.0042	23.9
3045500	LOYALHANNA CREEK AT NEW ALE	265.00	1920	1940	19	22.4	40 23 40	79 25 55	917.26	0.0038	24.4
3047000	LOYALHANNA CREEK AT LOYALHA	292.00	1940	1986	47	22.6	40 27 53	79 27 5	861.15	0.0037	23.6
3074300	LICK RUN AT HOPWOOD, PA.	3.80	1967	1978	12	25.4	39 52 4	79 41 40	1200.00	0.0042	20.2
3080000	LAUREL HILL CREEK AT URSINA	121.00	1919	1986	68	29.9	39 49 13	79 19 18	1335.26	0.0045	22.7
3082200	POPLAR RUN NEAR NORMALVILLE	9.27	1962	1978	17	28.1	40 0 59	79 25 33	1408.26	0.0046	20.3
1542000	MOSHANNON CREEK AT OSCEOLA	68.80	1941	1986	46	21.9	40 50 58	78 16 5	1446.98	0.0040	33.1

1556500	LITTLE JUNIATA RIVER AT TIP	93.70	1946	1962	17	21.5	40	37	40	78	17	38	946.76	0.0038	29.4
1557000	LITTLE JUNIATA RIVER NR TYR	101.00	1940	1945	6	19.3	40	39	20	78	15	25	99999.99	0.0042	28.2
1558000	LITTLE JUNIATA RIVER AT SPR	220.00	1939	1986	48	23.1	40	36	45	78	8	27	751.15	0.0039	37.8
3074500	REDSTONE CREEK AT WALTERSBU	73.70	1943	1986	44	18.5	39	58	48	79	45	52	883.28	0.0038	36.9
3026500	SEVENMILE RUN NEAR RASSELAS	7.84	1952	1986	35	25.3	41	37	52	78	34	37	1690.73	0.0040	23.7
1558500	SHAVER C NR PETERSBURG PA	46.40	1930	1937	8	15.5	40	36	40	78	0	25	691.38	0.0038	27.3
3073000	SOUTH FORK TENMILE CREEK AT	180.00	1932	1986	55	15.2	39	55	23	80	4	22	852.54	0.0033	17.2
3040000	STONYCREEK RIVER AT FERNDAL	451.00	1914	1986	69	20.2	40	17	37	78	55	8	1184.20	0.0039	24.9
3072840	TENMILE CK NEAR CLARKSVILLE	133.00	1970	1979	10	16.5	39	59	51	80	2	31	820.00	0.0040	26.0
1613050	TONOLOWAY CREEK NEAR NEEDMO	10.70	1966	1986	21	15.8	39	53	54	78	7	57	688.94	0.0033	21.7
3084500	TURTLE CREEK AT TRAFFORD, P	55.90	1921	1952	32	18.7	40	23	9	79	45	55	765.08	0.0037	21.2
3042500	TWO LICK CREEK AT GRACETON,	171.00	1952	1986	35	22.4	40	31	2	79	10	19	981.63	0.0039	28.8
1542810	WALDY RUN NEAR EMPORIUM, PA	5.24	1965	1986	22	23.0	41	34	44	78	17	34	1263.62	0.0041	18.6
1541303	WB SUSQUEHANNA R AT HYDE, P	474.00	1979	1986	8	26.2	41	0	16	78	27	25	1093.90	0.0039	26.9
1541200	WEST BR SUSQUEHANNA RIVER A	367.00	1956	1986	31	24.6	40	57	41	78	31	10	1124.52	0.0041	25.1
3028000	WEST BRANCH CLARION RIVER A	63.00	1954	1986	33	27.2	41	34	31	78	41	33	1502.02	0.0043	28.3
1541000	WEST BRANCH SUSQUEHANNA RIV	315.00	1914	1986	73	24.1	40	53	49	78	40	38	1207.14	0.0038	25.0
1601000	WILLS C BL HYNDMAN, PA	146.00	1952	1967	16	17.1	39	48	43	78	43	0	891.37	0.0044	21.9
3042280	YELLOW CREEK NEAR HOMER CIT	57.40	1968	1986	19	25.3	40	34	18	79	6	13	1140.00	0.0039	25.3
3077500	YOUGHIOGHENY R AT YOUGHIOGH	436.00	1941	1986	46	27.5	39	48	27	79	21	50	1310.17	0.0047	36.4
3076600	BEAR C AT FRIENDSVILLE, MD	48.90	1965	1987	23	25.1	39	39	22	79	23	41	1555.00	0.0043	26.5
3078000	CASSELMAN R AT GRANTSVILLE,	62.50	1948	1987	40	25.8	39	42	8	79	8	12	2089.03	0.0047	24.7
1597000	CRABTREE C NR SWANTON, MD	16.70	1949	1981	33	23.6	39	30	0	79	9	35	1529.06	0.0043	24.4
1599000	GEORGES C AT FRANKLIN, MD	72.40	1930	1987	58	15.3	39	29	38	79	2	42	958.96	0.0035	27.5
3076600	BEAR C AT FRIENDSVILLE, MD	48.90	1965	1987	23	25.1	39	39	22	79	23	41	1555.00	0.0043	26.5
3078000	CASSELMAN R AT GRANTSVILLE,	62.50	1948	1987	40	25.8	39	42	8	79	8	12	2089.03	0.0047	24.7
1597000	CRABTREE C NR SWANTON, MD	16.70	1949	1981	33	23.6	39	30	0	79	9	35	1529.06	0.0043	24.4
1599000	GEORGES C AT FRANKLIN, MD	72.40	1930	1987	58	15.3	39	29	38	79	2	42	958.96	0.0035	27.5
1598000	SAVAGE R AT BLOOMINGTON, MD	115.00	1925	1950	24	19.3	39	29	0	79	4	24	978.76	0.0037	21.5
1597500	SAVAGE R BL SAVAGE R DAM NR	106.00	1949	1987	39	21.2	39	30	5	79	7	25	1276.40	0.0045	25.8
1596500	SAVAGE R NR BARTON, MD	49.10	1949	1987	39	20.8	39	34	5	79	6	10	1605.00	0.0042	21.9
1609500	SAWPIT RN NR OLDTOWN, MD	5.08	1948	1958	11	11.2	39	32	50	78	33	20	574.06	0.0029	12.9
1594934	SF SAND RN NR WILSON, MD	1.55	1981	1986	6	42.2	39	15	29	79	25	7	99999.99	0.0051	12.5
1610155	SIDELING HILL C NR BELLEGRO	102.00	1968	1977	10	16.2	39	38	58	78	20	40	440.41	0.0035	18.9
1609000	TOWN C NR OLDTOWN, MD	148.00	1929	1981	21	14.6	39	33	12	78	33	19	550.00	0.0038	25.7
1601500	WILLS C NR CUMBERLAND, MD	247.00	1930	1987	58	18.1	39	40	7	78	47	18	640.89	0.0038	26.7
3076500	YOUGHIOGHENY R AT FRIENDSVI	295.00	1942	1987	46	29.0	39	39	13	79	24	31	1487.33	0.0047	26.7
3075500	YOUGHIOGHENY R NR OAKLAND,	134.00	1942	1987	46	30.5	39	25	19	79	25	32	2353.11	0.0046	22.6
1612500	L TONOLOWAY C NR HANCOCK, M	16.90	1948	1963	16	12.3	39	42	45	78	13	55	457.51	0.0033	17.3
1594930	LAUREL RN AT DOBBIN RD NR W	8.23	1981	1987	7	41.3	39	14	37	79	25	43	99999.99	0.0040	29.7
1595500	NB POTOMAC R AT KITZMILLER,	225.00	1950	1985	36	27.3	39	23	38	79	10	55	1572.26	0.0045	26.0
1595000	NB POTOMAC R AT STEYER, MD	73.00	1957	1987	31	32.4	39	18	7	79	18	26	2276.01	0.0049	25.6
1594936	NF SAND RN NR WILSON, MD	1.91	1981	1987	7	33.6	39	15	36	79	24	36	99999.99	0.0043	23.3
1595300	ABRAM CREEK AT OAKMONT, WV	42.60	1957	1982	26	21.8	39	22	0	79	10	45	99999.99	0.0044	27.4
1595800	NB POTOMAC R AT BARNUM, WV	266.00	1967	1985	19	27.2	39	26	44	79	6	39	1151.82	0.0049	32.1
3182700	ANTHONY CREEK NEAR ANTHONY,	144.00	1972	1982	11	19.6	37	54	30	80	17	30	99999.99	0.0035	22.0
3198500	BIG COAL RIVER AT ASHFORD,	391.00	1931	1986	56	18.0	38	10	47	81	42	42	622.46	0.0038	22.8
3198550	BIG COAL RIVER NEAR ALUM CR	445.00	1975	1981	7	21.5	38	15	0	81	47	54	588.25	0.0036	26.5
3184200	BIG CREEK NEAR BELLEPOINT,	8.27	1970	1977	8	18.4	37	40	28	80	48	52	1670.00	0.0038	16.4
3070500	BIG SANDY CREEK AT ROCKVILL	200.00	1922	1986	65	28.0	39	37	15	79	42	20	1310.00	0.0043	20.4
3196500	BIRCH RIVER AT HEROLD, WV	124.00	1975	1984	7	26.8	38	34	29	80	48	4	934.46	0.0037	18.2
3066000	BLACKWATER R AT DAVIS, WV	86.20	1922	1986	65	31.6	39	7	35	79	28	10	3058.87	0.0041	22.7
3178000	BLUESTONE R NR SPANISHBURG,	199.00	1945	1952	8	14.9	37	26	0	81	6	40	99999.99	0.0038	28.1
3179500	BLUESTONE RIVER AT LILLY, W	438.00	1930	1947	18	14.4	37	35	5	80	57	55	1433.70	0.0034	21.6
3179000	BLUESTONE RIVER NEAR PIPEST	394.00	1951	1986	36	16.1	37	32	38	81	0	38	1527.35	0.0038	26.0
3202480	BRIER CREEK AT FANROCK, WV	7.20	1970	1977	8	19.7	37	33	48	81	39	9	1220.00	0.0038	20.1
3152200	BUCK RUN NEAR LEOPOLD, WV	2.91	1970	1977	8	19.9	39	7	26	80	41	26	840.00	0.0037	15.1
3053500	BUCKHANNOH RIVER AT HALL, W	277.00	1920	1986	67	29.2	39	3	5	80	6	50	1369.15	0.0043	20.2
3061500	BUFFALO CREEK AT BARRACKVIL	115.00	1920	1986	58	19.8	39	30	15	80	10	20	884.40	0.0034	16.4
1608400	BUFFALO CREEK NEAR ROMNEY,	4.37	1970	1977	8	11.2	39	22	18	78	43	51	680.00	0.0035	17.3
3069880	BUFFALO CREEK NEAR ROWLESBU	12.20	1968	1977	10	33.5	39	17	19	79	42	16	1640.00	0.0048	18.5
3178500	CAMP CREEK NEAR CAMP CREEK,	32.00	1947	1971	25	18.4	37	30	15	81	7	40	0.00	0.0041	19.9
3189000	CHERRY RIVER AT FENWICK, WV	150.00	1930	1982	43	37.3	38	13	45	80	35	0	2088.94	0.0047	17.9
3202750	CLEAR FORK AT CLEAR FORK, W	126.00	1975	1986	12	21.5	37	37	23	81	42	27	99999.99	0.0033	22.3
3189650	COLLISON CREEK NEAR WALLEN,	2.78	1967	1977	11	23.0	38	10	35	80	52	7	1830.00	0.0045	16.4

3187500	CRANBERRY RIVER NEAR RICHWO	80.40	1945	1986	27	40.4	38	17	43	80	31	36	0.00	0.0051	21.2
3062500	DECKERS CREEK AT MORGANTOWN	63.20	1947	1969	23	21.3	39	37	45	79	57	10	820.00	0.0042	22.5
3059000	WEST FORK RIVER AT CLARKSBU	384.00	1924	1983	60	20.7	39	16	15	80	21	20	921.82	0.0035	15.4
3152500	LEADING CREEK NEAR GLENVILL	144.00	1938	1951	14	20.7	38	57	45	80	52	0	700.23	0.0030	14.1
3065000	DRY FORK AT HENDRICKS, WV	345.00	1941	1986	46	30.4	39	4	20	79	37	20	1698.76	0.0042	21.9
9999910	WEST FORK RIVER AT BROWNSVI	102.00	1947	1984	38	22.3	39	0	10	80	28	35	1009.97	0.0034	14.7
9999911	TAYLOR RUN AT BOWDEN, WV	5.06	1974	1982	9	41.1	38	54	27	79	41	49	99999.99	0.0052	23.9
9999915	TYGART VALLEY RIVER AT BELI	408.00	1908	1986	79	27.2	39	1	45	79	56	10	1679.49	0.0042	19.5
9999916	TYGART VALLEY RIVER NEAR DA	187.00	1916	1975	60	25.4	38	48	35	79	52	55	1940.09	0.0039	19.2
9999917	TYGART VALLEY RIVER NEAR EL	272.00	1945	1986	42	25.9	38	55	30	79	52	45	1893.95	0.0041	19.3
3186500	WILLIAMS RIVER AT DYER, WV	128.00	1930	1986	57	35.4	38	22	44	80	29	3	2193.46	0.0046	20.3
3177000	RICH CREEK NR PETERSTOWN, W	50.60	1942	1950	9	9.9	37	24	0	80	48	20	1565.94	0.0027	26.0
3195100	RIGHT FORK HOLLY RIVER AT G	51.90	1975	1986	5	25.1	38	38	7	80	27	58	1078.00	0.0040	21.8
3050800	ROARING CREEK AT NORTON, WV	29.20	1965	1969	5	24.1	38	56	5	79	57	0	99999.99	0.0045	20.9
3199300	ROCK CREEK NEAR DANVILLE, W	12.20	1980	1984	5	15.9	38	6	1	81	49	48	99999.99	0.0038	20.3
3060500	SALEM FORK AT SALEM, WV	8.32	1952	1969	18	17.5	39	17	10	80	32	35	1026.04	0.0031	11.3
3052500	SAND RUN NEAR BUCKHANNOON, W	14.50	1947	1986	40	25.4	38	57	50	80	9	10	1530.00	0.0043	18.8
3183000	SECOND CREEK NEAR SECOND CR	80.80	1946	1973	28	13.2	37	41	5	80	27	25	1811.36	0.0034	25.6
3068000	SHIVERS FORK AT BEMIS, WV	115.00	1925	1979	7	40.4	38	48	27	79	44	16	2574.06	0.0052	27.4
3068500	SHIVERS FORK AT FLINT, WV	124.00	1925	1932	8	34.9	38	51	0	79	43	50	99999.99	0.0041	24.1
3069000	SHIVERS FORK AT PARSONS, WV	214.00	1925	1986	48	34.3	39	5	45	79	40	40	1634.87	0.0043	23.6
3068800	SHIVERS FORK BELOW BOWDEN,	151.00	1974	1981	8	39.3	38	54	47	79	46	14	99999.99	0.0055	26.8
3057500	SKIN CREEK NEAR BROWNSVILLE	25.70	1946	1960	15	21.9	38	58	30	80	26	40	0.00	0.0032	13.0
1607500	SO FK SO BR POTOMAC R AT BR	102.00	1944	1986	43	13.5	38	37	53	79	14	38	1558.35	0.0031	24.4
1608000	SO FK SOUTH BRANCH POTOMAC	283.00	1929	1986	55	10.8	39	0	44	78	57	23	861.51	0.0028	29.5
1605500	SOUTH BRANCH POTOMAC RIVER	182.00	1941	1986	39	12.9	38	38	14	79	20	14	1692.50	0.0030	36.8
3155200	SOUTH FORK HUGHES RIVER AT	210.00	1938	1951	14	19.7	39	4	40	81	11	25	635.28	0.0032	13.3
3153000	STEER CREEK NEAR GRANTSVILL	166.00	1938	1975	38	18.1	38	51	45	81	2	5	678.00	0.0031	14.7
1595200	STONY RIVER NEAR MOUNT STOR	48.80	1962	1986	25	28.1	39	16	10	79	15	45	2554.54	0.0042	24.4
3059500	ELK CREEK AT QUIET DELL, WV	84.60	1944	1970	27	18.9	39	13	40	80	17	50	960.72	0.0034	17.8
3194500	ELK R B BACK F AT WEBST. SP	242.00	1930	1934	5	32.1	38	28	50	80	25	15	99999.99	0.0047	20.6
3195000	ELK RIVER AT CENTRALIA, WV	281.00	1935	1963	29	32.1	38	37	0	80	33	20	931.89	0.0046	20.7
3194700	ELK RIVER BELOW WEBSTER SPR	266.00	1960	1986	25	35.9	38	35	50	80	29	26	1020.00	0.0048	22.2
1608050	FORT RUN NEAR MOOREFIELD, W	4.92	1970	1977	8	13.0	39	3	56	78	54	49	1050.00	0.0035	18.4
1605600	FRIENDS RUN NEAR FRANKLIN,	4.55	1970	1977	8	10.6	38	39	23	79	23	31	2200.00	0.0038	23.0
3187000	GAULEY RIVER AT CAMDEN ON G	236.00	1930	1975	46	33.5	38	21	57	80	36	4	2003.28	0.0047	20.2
3193830	GILMER RUN NEAR MARLINTON,	1.80	1969	1977	9	29.9	38	19	12	80	5	52	3120.00	0.0038	11.9
3195600	GRANNY CREEK AT SUTTON, WV	6.98	1968	1977	10	18.7	38	40	36	80	42	47	840.00	0.0035	16.3
3050900	GRASSY RUN AT NORTON, WV	2.86	1965	1969	5	33.9	38	56	10	79	57	40	99999.99	0.0042	30.6
3180500	GREENBRIER RIVER AT DURBIN,	133.00	1944	1986	43	26.8	38	32	37	79	50	0	2699.71	0.0040	21.9
3202400	GUYANDOTTE RIVER NEAR BAILE	306.00	1969	1986	18	19.2	37	36	14	81	38	43	99999.99	0.0040	34.2
3063600	HORSECAMP RUN AT HARMAN, WV	6.57	1970	1977	8	20.7	38	54	51	79	30	32	2510.93	0.0044	18.5
3182950	HOWARD CREEK AT CALDWELL, W	84.40	1972	1978	7	19.9	37	46	54	80	23	15	1681.01	0.0034	23.5
3155500	HUGHES RIVER AT CISCO, WV	452.00	1929	1986	51	17.3	39	7	10	81	16	40	607.92	0.0031	14.1
3202490	INDIAN CREEK AT FANROCK, WV	41.30	1975	1981	7	19.8	37	34	1	81	39	8	99999.99	0.0035	18.9
3177500	INDIAN CREEK AT INDIAN MILL	189.00	1942	1950	9	9.2	37	31	55	80	49	10	1472.54	0.0027	24.7
3181200	INDIAN DRAFT NEAR MARLINTON	3.06	1969	1977	9	23.8	38	16	48	80	4	31	99999.99	0.0038	15.6
3182000	KNAPP CREEK AT MARLINTON, W	108.00	1946	1958	13	18.7	38	12	40	80	4	30	0.00	0.0031	21.9
3151500	L KANAWHA R NR BURNSVILLE,	155.00	1938	1974	37	24.9	38	49	25	80	35	35	754.00	0.0041	18.7
3151400	L KANAWHA RIVER NR WILDCAT,	112.00	1975	1986	10	28.6	38	44	35	80	31	36	850.00	0.0043	18.6
3195250	LEFT FORK HOLLY RIVER NEAR	46.50	1975	1986	5	33.2	38	41	19	80	25	57	99999.99	0.0043	21.2
1609800	LITTLE CACAPON RIVER NEAR L	108.00	1967	1977	11	11.3	39	29	55	78	29	20	540.00	0.0029	20.3
3199000	LITTLE COAL RIVER AT DANVIL	269.00	1931	1984	54	18.0	38	4	47	81	50	11	661.12	0.0039	22.9
3199400	LITTLE COAL RIVER AT JULIAN	318.00	1975	1984	10	20.9	38	9	17	81	51	10	634.13	0.0037	24.5
3151600	LITTLE KANAWHA RIVER AT BUR	248.00	1975	1978	4	21.3	38	51	55	80	40	32	99999.99	0.0030	17.9
3152000	LITTLE KANAWHA RIVER AT GLE	386.00	1920	1986	58	21.6	38	56	0	80	50	20	697.79	0.0034	16.5
3151520	LITTLE KANAWHA RIVER BELOW	163.00	1977	1982	6	25.4	38	50	41	80	37	45	99999.99	0.0040	19.6
3202245	MARSH FORK AT MABEN, WV	4.85	1978	1980	3	26.6	37	38	19	81	23	38	99999.99	0.0038	16.4
3190000	MEADOW RIVER AT MALLIN, WV	287.00	1930	1971	42	24.9	38	6	45	80	52	35	1869.47	0.0043	20.4
3190400	MEADOW RIVER NEAR MT. LOOKO	365.00	1967	1986	18	28.2	38	11	23	80	56	49	99999.99	0.0044	21.5
3052000	MIDDLE FORK RIVER AT AUDRA,	149.00	1943	1979	37	31.6	39	2	25	80	4	10	0.00	0.0048	20.6
3051500	MIDDLE FORK RIVER AT MIDVAL	122.00	1920	1942	23	31.3	38	56	20	80	5	25	1812.59	0.0046	20.8
3114500	MIDDLE ISLAND CREEK AT LITT	458.00	1920	1986	62	19.3	39	28	30	80	59	50	631.32	0.0031	13.8
1606000	N F SOUTH BR POTOMAC R AT C	314.00	1941	1980	23	17.2	38	59	5	79	14	10	1051.13	0.0034	25.2
1596000	NB POTOMAC R AT BLOOMINGTON	287.00	1925	1950	24	23.3	39	28	48	79	4	8	951.98	0.0041	27.6

1598500	NB POTOMAC R AT LUKE, MD	404.00	1950	1987	38	24.2	39	28	45	79	3	55	946.25	0.0046	32.7
1599500	NEW CREEK NEAR KEYSER, WV	45.70	1931	1963	17	13.1	39	24	35	79	0	5	0.00	0.0035	25.8
3187300	NORTH FORK CRANBERRY RIVER	9.78	1969	1982	14	43.7	38	15	29	80	19	27	99999.99	0.0049	24.8
3213500	PANTHER CREEK NEAR PANTHER,	31.00	1947	1986	40	15.2	37	26	42	81	52	15	0.00	0.0036	20.3
1604500	PATTERSON CREEK NEAR HEADSV	219.00	1939	1986	48	10.5	39	26	35	78	49	20	624.09	0.0029	25.5
3191500	PETERS CREEK NEAR LOCKWOOD,	40.20	1946	1982	29	21.3	38	15	45	81	1	24	1059.52	0.0039	20.1
3185000	PINEY CREEK AT RALEIGH, WV	52.20	1952	1982	31	16.3	37	45	40	81	9	50	2087.24	0.0037	25.2
3201000	POCATALICO RIVER AT SISSONV	238.00	1931	1980	43	17.1	38	31	34	81	37	53	594.56	0.0030	12.8
3201410	POPLAR FORK AT TEAYS, WV	8.71	1968	1978	11	20.4	38	27	23	81	55	54	640.00	0.0036	15.7
3007800	ALLEGHENY RIVER AT PORT ALL	248.00	1975	1986	12	26.1	41	49	7	78	17	35	99999.99	0.0041	27.3
1547200	BALD EAGLE CR BLW SPRING CR	265.00	1956	1986	31	20.8	40	56	35	77	47	12	682.49	0.0039	48.5
1547500	BALD EAGLE CREEK AT BLANCHA	339.00	1955	1986	32	18.5	41	3	6	77	36	17	579.79	0.0040	45.9
1547950	BEECH CREEK AT MONUMENT, PA	152.00	1969	1986	18	25.0	41	6	42	77	42	9	850.00	0.0043	33.2
1549300	BLOCKHOUSE CR AT BUTTONWOOD	22.30	1973	1977	5	21.6	41	29	43	77	9	2	99999.99	0.0055	27.3
1549100	BLOCKHOUSE CR TRIB AT LIBER	1.08	1973	1977	5	21.6	41	34	4	77	6	6	99999.99	0.0049	27.7
1549500	BLOCKHOUSE CREEK NEAR ENGLI	37.70	1941	1986	46	21.1	41	28	25	77	13	52	1041.85	0.0039	23.5
1566500	COCOLAMUS CREEK NEAR MILLER	57.20	1931	1958	28	18.2	40	33	55	77	7	5	425.50	0.0040	24.4
1516500	COREY CREEK NEAR MAINESBURG	12.20	1955	1986	32	13.9	41	47	27	77	0	54	1337.50	0.0037	21.1
1520000	COWANESQUE RIVER NR. LAWREN	298.00	1952	1986	35	13.4	41	59	48	77	8	25	983.96	0.0036	20.8
1518500	CROOKED CREEK AT TIOGA, PA.	122.00	1954	1974	21	12.4	41	54	8	77	8	55	1051.28	0.0038	22.5
1517000	ELK RUN NEAR MAINESBURG, PA	10.20	1955	1978	24	14.7	41	48	54	76	57	55	1385.05	0.0040	18.6
1551000	GRAFIUS RUN AT WILLIAMSPORT	3.14	1941	1953	13	17.7	41	15	15	77	0	40	553.66	0.0047	18.6
1544500	KETTLE CREEK AT CROSS FORK,	136.00	1941	1986	46	22.6	41	28	33	77	49	34	1027.12	0.0037	23.9
1545000	KETTLE CREEK NEAR WESTPORT,	233.00	1955	1986	32	21.7	41	19	12	77	52	27	728.24	0.0039	23.5
3011800	KINZUA CREEK NR GUFFEY PA	46.40	1966	1986	21	23.0	41	45	59	78	43	8	1540.00	0.0043	32.0
1565000	KISHACOQUILLAS CREEK AT REE	164.00	1940	1985	33	17.0	40	39	17	77	35	0	551.23	0.0042	38.1
1549780	LARRYS CREEK AT COGAN HOUSE	6.80	1961	1978	18	21.6	41	25	4	77	9	46	1370.00	0.0039	25.9
1565700	LITTLE LOST CREEK NEAR OAKL	6.52	1964	1980	17	15.9	40	36	19	77	18	42	551.17	0.0040	34.2
1550000	LYCOMING CREEK NEAR TROUT R	173.00	1915	1986	72	22.3	41	25	6	77	1	59	693.95	0.0043	25.9
1547700	MARSH CREEK AT BLANCHARD, P	44.10	1956	1986	31	18.2	41	3	34	77	36	22	586.16	0.0041	23.8
3008000	NEWELL CREEK NEAR PORT ALLE	7.79	1966	1978	13	21.2	41	53	40	78	20	57	1450.00	0.0051	21.4
1546000	NORTH BALD EAGLE CREEK AT M	119.00	1912	1934	18	24.1	40	56	30	77	47	40	690.00	0.0045	21.5
3010655	OSWAYO CR AT SHINGLEHOUSE,	98.70	1975	1986	12	22.4	41	57	42	78	11	54	99999.99	0.0038	28.3
1555000	PENNS CREEK AT PENNS CREEK,	301.00	1930	1986	57	19.8	40	52	0	77	2	55	506.72	0.0043	36.4
3009680	POTATO CREEK AT SMETHPORT,	160.00	1975	1986	12	26.2	41	48	35	78	25	50	99999.99	0.0039	27.1
1553130	SAND SPRING RUN NEAR WHITE	4.93	1969	1980	12	25.6	41	3	31	77	4	37	1037.16	0.0054	43.4
1547800	SOUTH FORK BEECH CREEK NEAR	12.20	1970	1980	11	26.7	41	1	30	77	54	15	1560.00	0.0052	35.6
1547000	SPRING CR NR BELLEFONTE, PA	136.00	1912	1919	8	22.8	40	55	20	77	47	10	714.25	0.0036	71.7
1547100	SPRING CREEK AT MILESBURG,	142.00	1968	1986	19	22.6	40	55	54	77	47	13	700.00	0.0039	70.3
1546500	SPRING CREEK NEAR AXEMANN,	87.20	1941	1986	46	14.3	40	53	23	77	47	40	788.81	0.0038	66.0
1559500	STANDING STONE CREEK NEAR H	128.00	1930	1958	29	15.7	40	31	25	77	58	15	617.81	0.0042	33.0
1518700	TIOGA RIVER AT TIOGA JUNCTI	446.00	1977	1986	10	16.2	41	57	27	77	6	58	990.42	0.0034	24.6
1518000	TIOGA RIVER AT TIOGA, PA.	282.00	1939	1986	48	17.2	41	54	30	77	7	47	1021.00	0.0035	23.4
1516350	TIOGA RIVER NEAR MANSFIELD,	153.00	1977	1986	10	18.9	41	47	34	77	4	44	1121.28	0.0037	27.0
3017500	TIONESTA CREEK AT LYNCH, PA	233.00	1939	1979	41	25.0	41	36	7	79	3	1	1252.43	0.0045	27.8
1566000	TUSCARORA CREEK NEAR PORT R	214.00	1912	1958	47	16.4	40	30	55	77	25	10	420.27	0.0037	26.8
1553120	WHITE DEER CR AB SAND SPR R	17.80	1969	1973	5	25.6	41	3	17	77	4	31	1046.15	0.0042	34.7
1553140	WHITE DEER CREEK NEAR WHITE	40.00	1969	1973	5	24.8	41	4	18	76	56	3	586.28	0.0047	33.2
1545600	YOUNG WOMANS CREEK NEAR REN	46.20	1966	1986	21	22.1	41	23	22	77	41	28	780.00	0.0043	28.0

Region 2. Pocono/Catskills

I.D.	Station Description	Area	From	To	P.	R.O	Latitude	Longitude	Ele.	Slope	BF
1450500	AQUASHICOLA CREEK AT PALMER	76.70	1940	1986	47	27.0	40 48 22	75 35 54	389.08	0.0044	39.7
1442500	BRODHEAD CREEK AT MINISINK	259.00	1951	1986	36	29.5	40 59 55	75 8 35	301.84	0.0046	34.5
1440400	BRODHEAD CREEK NEAR ANALOMI	65.90	1958	1986	29	28.0	41 5 5	75 12 54	586.50	0.0046	33.5
1439500	BUSH KILL AT SHOEMAKERS, PA	117.00	1909	1986	78	27.3	41 5 17	75 2 17	421.13	0.0048	33.5
1533800	BUTLER CREEK AT GIBSON, PA.	7.38	1974	1979	6	26.6	41 48 10	75 38 45	1196.29	0.0046	26.9
1553700	CHILLISQUAKE CR NR WASHING	51.30	1980	1986	7	20.0	41 3 42	76 40 50	503.70	0.0036	34.5
1448500	DILLDOWN CREEK NEAR LONG PO	2.39	1949	1986	38	27.7	41 2 8	75 32 37	1665.07	0.0046	39.2

1429500	DYBERRY CREEK NEAR HONESDAL	64.60	1944	1985	42	23.7	41	36	26	75	16	3	970.70	0.0038	25.1
1553600	E BR CHILLISQUAKE CR NR WA	9.48	1961	1978	18	17.7	41	4	57	76	39	17	530.00	0.0036	14.6
1452300	EAST BR MONOCACY CR NR BATH	5.35	1963	1968	6	9.4	40	43	10	75	22	10	372.06	0.0036	17.7
1555500	EAST MAHANTANGO CREEK NEAR	162.00	1930	1986	57	18.8	40	36	40	76	54	43	400.50	0.0038	29.8
1517000	ELK RUN NEAR MAINESBURG, PA	10.20	1955	1978	24	14.7	41	48	54	76	57	55	1385.05	0.0037	18.2
1540000	FISHING CREEK AT BLOOMSBURG	355.00	1915	1928	14	26.6	41	0	10	76	27	50	462.46	0.0039	27.7
1539000	FISHING CREEK NEAR BLOOMSBURG	274.00	1939	1986	48	23.8	41	4	41	76	25	53	540.68	0.0041	28.6
1452000	JORDAN CREEK AT ALLENTOWN,	75.80	1945	1986	42	20.3	40	37	23	75	28	58	259.82	0.0040	27.4
1451800	JORDAN CREEK NEAR SCHNECKSV	53.00	1967	1986	20	23.7	40	39	42	75	37	38	400.00	0.0037	27.2
1534300	LACKAWANNA R NR FOREST CITY	38.80	1959	1986	28	25.1	41	40	47	75	28	20	1551.28	0.0045	29.1
1534500	LACKAWANNA RIVER AT ARCHBAL	108.00	1941	1986	46	25.5	41	30	16	75	32	33	889.33	0.0042	34.5
1535500	LACKAWANNA RIVER AT MOOSIC,	264.00	1914	1928	15	25.3	41	21	30	75	43	50	619.46	0.0040	40.1
1536000	LACKAWANNA RIVER AT OLD FOR	332.00	1939	1986	48	20.2	41	21	33	75	44	41	595.26	0.0036	35.0
1431500	LACKAWAXEN RIVER AT HAWLEY	290.00	1909	1986	57	22.7	41	28	34	75	10	21	869.00	0.0038	28.1
1430500	LACKAWAXEN RIVER AT WEST HA	206.00	1922	1938	17	23.2	41	28	10	75	11	15	885.50	0.0036	29.9
1430000	LACKAWAXEN RIVER NEAR HONES	164.00	1949	1986	22	22.9	41	33	43	75	14	54	946.34	0.0042	28.2
1441000	MCMICHAELS CREEK AT STROUDS	65.30	1912	1938	27	25.1	40	58	45	75	12	5	403.93	0.0039	39.0
1441500	POCONO CREEK NEAR STROUDSBU	41.00	1912	1919	8	31.9	40	59	10	75	13	35	99999.99	0.0048	35.7
1446600	MARTINS CREEK NEAR EAST BAN	10.40	1962	1978	17	22.0	40	54	0	75	12	8	663.92	0.0037	22.1
1447500	LEHIGH RIVER AT STODDARTSVI	91.70	1944	1986	43	28.0	41	7	49	75	37	33	1463.81	0.0046	36.6
1447800	LEHIGH R BLW FRNCS E. WLTR	290.00	1958	1985	28	28.8	41	6	17	75	43	57	1212.95	0.0044	32.9
1448000	LEHIGH RIVER AT TANNERY, PA	322.00	1917	1959	43	28.2	41	2	25	75	45	45	1042.06	0.0044	36.0
1449360	POHOPOCO CREEK AT KRESGEVIL	49.90	1967	1986	20	28.6	40	53	51	75	30	10	659.72	0.0044	45.7
1449800	POHOPOCO CR BLW BELTZVILLE	96.40	1968	1986	19	23.9	40	50	44	75	38	46	492.05	0.0040	37.5
1470000	LITTLE SCHUYLKILL RIVER AT	122.00	1948	1965	5	22.2	40	38	40	76	0	50	99999.99	0.0044	44.4
1470720	MAIDEN CR TRIBUTARY AT LENH	7.46	1966	1980	15	23.0	40	34	23	75	52	34	368.78	0.0038	25.7
1470756	MAIDEN CREEK AT VIRGINVILLE	159.00	1974	1986	13	22.9	40	30	51	75	53	0	310.00	0.0042	33.6
1531250	N BR SUGAR CR TRIB NR COLUM	8.83	1963	1968	6	10.0	41	50	25	76	49	38	1137.56	0.0028	17.7
1532850	M BR WYALUSING CR TRIB NR B	5.67	1966	1979	14	24.6	41	51	45	76	0	26	1077.51	0.0041	20.3
1533500	NORTH BRANCH MEHOOPANY CR N	35.20	1962	1958	17	18.5	41	31	50	76	9	20	842.67	0.0035	21.8
1538500	MESCOPECK CR NR ST JOHNS, P	49.00	1920	1926	7	26.0	41	1	15	76	0	40	99999.99	0.0046	26.3
1539500	LITTLE FISHING CREEK AT EYE	56.50	1941	1958	18	20.5	41	4	50	76	30	40	558.48	0.0040	21.0
1552000	LOYALSOCK CR AT LOYALSOCKVI	443.00	1926	1986	60	23.3	41	19	31	76	54	43	585.63	0.0041	26.4
1552500	MUNCY CREEK NEAR SONESTOWN,	23.80	1941	1986	46	27.8	41	21	25	76	32	6	1025.01	0.0045	25.1
1572000	LOWER LITTLE SWATARA CR AT	34.30	1920	1984	16	23.0	40	32	15	76	22	40	500.00	0.0037	27.7
1427650	N BR CALKINS CREEK NEAR DAM	7.02	1965	1973	9	25.3	41	41	57	75	9	58	740.00	0.0042	14.4
1431000	MIDDLE CREEK NEAR HAWLEY, P	78.40	1945	1960	16	23.3	41	29	5	75	13	20	1017.73	0.0036	23.6
1450000	POHOPOCO CREEK NEAR PARRYVI	109.00	1941	1970	30	22.2	40	49	54	75	40	53	454.61	0.0040	43.2
1451500	LITTLE LEHIGH CREEK NEAR AL	80.80	1946	1986	41	16.7	40	34	56	75	29	0	253.41	0.0035	67.4
1452500	MONOCACY CREEK AT BETHLEHEM	44.50	1949	1986	38	16.2	40	38	28	75	22	47	247.24	0.0035	63.3
1469500	LITTLE SCHUYLKILL RIVER AT	42.90	1920	1985	66	26.9	40	48	25	75	58	20	817.48	0.0042	34.2
1533950	S. BR. TUNKHANNOCK CREEK NE	12.60	1961	1978	18	18.6	41	34	29	75	38	32	1090.00	0.0034	23.9
1454500	SAUCON CR AT FRIEDENSVILLE,	26.60	1949	1953	5	21.8	40	33	22	75	23	6	99999.99	0.0038	45.1
1453500	SAUCON CREEK AT LANARK, PA.	12.00	1949	1953	5	15.3	40	32	52	75	25	28	99999.99	0.0038	42.3
1468500	SCHUYLKILL R AT LANDINGVILL	133.00	1948	1986	20	29.1	40	37	35	76	7	30	470.64	0.0046	43.4
1470500	SCHUYLKILL RIVER AT BERNE,	355.00	1948	1985	38	27.4	40	31	21	75	59	55	310.65	0.0045	39.1
1467470	SCHUYLKILL RIVER AT PORT CA	27.10	1950	1977	3	26.4	40	41	40	76	9	55	99999.99	0.0050	47.2
1467500	SCHUYLKILL RIVER AT POTTSVI	53.40	1944	1969	26	25.3	40	41	1	76	11	12	599.24	0.0039	42.1
1554500	SHAMOKIN CR NR SHAMOKIN (SH	54.20	1941	1986	46	21.4	40	48	37	76	35	4	608.28	0.0041	56.5
1432500	SHOHOLA CREEK NEAR SHOHOLA,	83.60	1920	1928	9	28.5	41	27	20	74	55	25	695.00	0.0053	31.5
1537500	SOLOMON CREEK AT WILKES-BAR	15.70	1941	1986	46	16.4	41	13	39	75	54	17	548.31	0.0039	32.0
1454000	SOUTH BR SAUCON CR AT FRIED	10.60	1949	1953	5	27.0	40	32	56	75	23	20	99999.99	0.0051	42.5
1537000	TOBY CREEK AT LUZERNE, PA.	32.40	1942	1986	45	17.1	41	16	51	75	53	46	574.60	0.0035	29.6
1447720	TOBYHANNA CREEK NEAR BLAKES	118.00	1962	1986	25	30.7	41	5	5	75	36	21	1511.23	0.0043	38.5
1532000	TOWANDA CREEK NEAR MONROETO	215.00	1915	1986	72	18.2	41	42	27	76	28	20	753.70	0.0035	21.4
1540200	TREXLER RUN NEAR RINGTOWN,	1.77	1964	1980	17	17.3	40	51	10	76	16	48	1110.00	0.0040	36.0
1447680	TUNKHANNOCK CREEK NEAR LONG	18.00	1966	1986	21	34.5	41	3	55	75	31	14	1804.83	0.0049	40.4
1534000	TUNKHANNOCK CREEK NEAR TUNK	383.00	1915	1986	72	19.2	41	33	29	75	53	42	610.50	0.0037	25.4
1429000	W BR LACKAWAXEN RIVER AT PR	59.70	1945	1986	42	24.8	41	35	14	75	19	38	1083.78	0.0042	30.4
1432000	WALLENPAUPACK CREEK AT WILS	228.00	1910	1986	77	21.8	41	27	33	75	11	8	99999.99	0.0062	10.0
1538000	WAPWALLOPEN CREEK NEAR WAPW	43.80	1920	1986	67	20.1	41	3	33	76	5	38	752.41	0.0041	34.2
1553140	WHITE DEER CREEK NEAR WHITE	40.00	1969	1973	5	24.8	41	4	18	76	56	3	586.28	0.0044	32.3
1449500	WILD CREEK AT HATCHERY, PA.	16.80	1941	1979	39	28.9	40	55	22	75	33	32	842.71	0.0049	42.2
1420500	BEAVER KILL AT COOKS FALLS	241.00	1915	1986	72	31.4	41	56	47	74	58	48	1151.70	0.0044	29.3
1508500	ALBRIGHT CREEK AT EAST HOME	6.81	1939	1968	30	23.2	42	40	9	76	6	12	1154.49	0.0038	23.0

1418500	BEAVER KILL AT CRAIGIE CLAI	81.90	1938	1970	33	31.7	41	57	47	74	52	2	1399.69	0.0046	29.9
1413500	EAST BR DELAWARE R AT MARGA	163.00	1938	1986	49	25.5	42	8	41	74	39	14	1302.38	0.0044	27.7
1418000	BEAVER KILL NEAR TURNWOOD N	40.80	1949	1959	11	37.1	42	2	3	74	43	55	1751.90	0.0054	29.2
1502000	BUTTERNUT CREEK AT MORRIS N	59.70	1939	1986	48	22.7	42	32	43	75	14	22	1096.21	0.0039	28.1
4245200	BUTTERNUT CREEK NEAR JAMESV	32.20	1959	1986	28	21.0	42	56	2	76	3	44	717.93	0.0041	36.9
1427500	CALLICOON CREEK AT CALLICOO	110.00	1941	1982	42	21.8	41	45	39	75	2	55	759.84	0.0040	27.4
1505500	CANASAWACTA CREEK NEAR SOUT	57.90	1946	1975	30	23.3	42	33	50	75	33	10	1077.80	0.0041	22.4
1372065	CASPER CREEK NEAR WAPPINGER	10.10	1970	1975	6	24.4	41	37	54	73	55	40	99999.99	0.0039	34.3
1361500	CATSKILL CREEK AT OAK HILL	98.00	1930	1977	48	17.2	42	24	16	74	9	7	610.65	0.0037	19.7
4233000	CAYUGA INLET NEAR ITHACA NY	35.20	1938	1986	49	14.9	42	23	35	76	32	43	437.16	0.0036	33.4
1374440	CEDAR POND BK AT STONY POIN	17.30	1961	1962	2	23.2	41	13	36	73	59	4	99999.99	0.0043	28.5
1498500	CHARLOTTE CREEK AT W. DAVEN	167.00	1939	1975	37	20.4	42	26	42	74	57	50	1170.69	0.0038	27.6
1505000	CHENANGO RIVER AT SHERBURNE	263.00	1939	1986	48	20.7	42	40	43	75	30	39	1037.16	0.0037	32.1
1365500	CHESTNUT CREEK AT GRAHAMSVI	20.90	1940	1986	47	25.4	41	50	42	74	32	27	880.96	0.0040	33.6
1417500	EAST BR DELAWARE RIVER AT H	458.00	1935	1986	41	17.8	42	1	28	75	7	10	1007.41	0.0042	33.3
1417000	EAST BRANCH DELAWARE RIVER	372.00	1942	1986	45	12.9	42	4	30	74	58	36	1094.92	0.0026	24.3
1425500	COLD SPRING BROOK AT CHINA	1.49	1935	1968	34	23.3	42	9	40	75	23	35	1490.76	0.0037	17.1
1416500	COLES CLOVE KILL NEAR PEPAC	28.00	1945	1953	9	27.0	42	6	20	74	54	10	1193.61	0.0051	25.3
1514500	DEAN CREEK AT SPENCER NY	8.03	1955	1960	6	15.6	42	12	10	76	29	50	979.74	0.0036	10.6
1422599	DELHI, 01422000 + 01422500	192.00	1938	1970	33	22.5	42	16	15	74	55	6	99999.99	0.0038	26.0
1423500	DRYDEN BROOK NEAR GRANTON N	8.10	1953	1966	14	22.9	42	7	19	75	14	50	1187.95	0.0039	23.3
1372100	EAST BRANCH WAPPINGER CR NE	33.60	1957	1963	7	16.9	41	48	45	73	45	35	99999.99	0.0038	36.0
1362500	ESOPUS CREEK AT COLD BROOK N	192.00	1933	1986	54	53.7	42	0	51	74	16	16	621.54	0.0053	28.2
1364500	ESOPUS CREEK AT MOUNT MARIO	419.00	1916	1986	17	16.7	42	2	16	73	58	21	40.16	0.0033	24.5
1362198	ESOPUS CREEK AT SHANDAKEN N	59.50	1964	1986	23	31.4	42	6	59	74	23	20	1017.27	0.0044	27.8
4234000	FALL CREEK NEAR ITHACA NY	126.00	1926	1986	61	20.0	42	27	12	76	28	23	795.13	0.0038	29.2
1373500	FISHKILL CREEK AT BEACON NY	190.00	1945	1968	24	19.6	41	30	40	73	56	55	131.17	0.0047	34.6
1372800	FISHKILL CREEK AT HOPEWELL	57.30	1964	1975	12	20.6	41	34	22	73	48	25	229.53	0.0042	35.1
1351000	FOX CREEK AT WEST BERNE NY	67.20	1925	1968	14	18.5	42	37	42	74	11	1	912.47	0.0033	16.5
1507500	GENEGANTSLET CR AT SMITHVIL	82.30	1939	1970	32	22.2	42	23	34	75	48	15	995.67	0.0037	22.3
1372400	GREAT SPRING CREEK AT PLEAS	15.50	1961	1965	5	11.4	41	45	22	73	49	29	203.18	0.0035	27.9
1509150	GRIDLEY CREEK ABOVE EAST VI	10.36	1975	1981	7	29.4	42	30	4	76	7	38	1270.00	0.0048	24.5
1501500	SAGE BROOK NEAR SOUTH NEW B	0.70	1934	1968	35	20.0	42	31	52	75	25	32	1430.17	0.0035	19.8
1437500	NEVERSINK RIVER AT GODEFFRO	307.00	1938	1986	49	21.7	41	26	28	74	36	7	459.66	0.0038	37.6
1366650	SANDBURG CREEK AT ELLENVILL	56.70	1958	1977	20	24.3	41	42	54	74	23	21	303.22	0.0037	33.0
1364800	SAW KILL AT RED HOOK NY	20.90	1961	1965	5	12.4	42	0	14	73	52	50	172.67	0.0036	38.8
1350355	SCHOHARIE CREEK AT BREAKABE	443.00	1976	1986	11	17.0	42	32	10	74	24	40	686.79	0.0040	17.7
1350101	SCHOHARIE CREEK AT GILBOA N	314.00	1976	1984	9	18.7	42	23	50	74	27	3	939.56	0.0053	7.2
1350180	SCHOHARIE CREEK AT NORTH BL	359.00	1971	1986	16	16.9	42	27	57	74	27	45	99999.99	0.0037	11.9
1350000	SCHOHARIE CREEK AT PRATTSVI	236.00	1915	1986	72	26.4	42	19	15	74	26	10	1134.98	0.0039	22.7
1508000	SHACKHAM BROOK NEAR TRUXTON	2.95	1934	1968	35	24.5	42	46	2	76	1	8	1281.52	0.0040	20.9
1371000	SHAWANGUNK KILL AT PINE BUS	102.00	1925	1971	22	18.5	41	37	7	74	17	38	302.06	0.0032	25.6
1497500	SUSQUEHANNA R AT COLLIERSVI	349.00	1925	1968	44	21.5	42	29	59	74	58	52	1110.80	0.0041	26.7
1361570	TENMILE CREEK AT OAK HILL N	35.30	1969	1978	10	21.8	42	24	26	74	8	6	588.19	0.0043	22.9
1200000	TENMILE R NR GAYLORDSVILLE,	203.00	1931	1986	56	20.4	41	39	32	73	31	44	304.40	0.0043	36.5
1428000	TENMILE RIVER AT TUSTEN NY	45.60	1947	1973	27	19.5	41	33	51	75	0	56	99999.99	0.0038	28.2
1415500	TERRY CLOVE KILL NEAR PEPAC	13.60	1938	1962	25	26.3	42	7	50	74	54	2	1329.38	0.0042	22.1
1509000	TIOUGHNIAGA RIVER AT CORTLA	292.00	1939	1986	48	23.1	42	36	10	76	9	35	1084.92	0.0040	33.4
1415000	TREMPER KILL NEAR ANDES NY	33.20	1938	1986	49	24.2	42	7	12	74	49	8	1285.87	0.0042	25.8
1424500	TROUT CREEK AT CANNONVILLE	49.50	1941	1963	23	23.2	42	5	45	75	19	25	1041.54	0.0037	25.3
1424000	TROUT CREEK NEAR MOUNT ROYA	20.00	1953	1966	14	20.5	42	10	40	75	16	45	1165.70	0.0035	20.2
1501000	UNADILLA RIVER NEAR NEW BER	199.00	1925	1968	44	21.6	42	38	37	75	19	24	1089.90	0.0035	28.0
1422700	W B DELAWARE R NR HAMDEN NY	256.00	1960	1966	7	19.1	42	10	32	75	1	4	1244.53	0.0036	25.9
1370000	WALLKILL RIVER AT PELLETS I	385.00	1921	1968	48	19.4	41	22	50	74	24	50	356.43	0.0038	28.6
1370500	WALLKILL RIVER NEAR PHILLIP	419.00	1937	1959	23	21.1	41	25	57	74	22	29	352.61	0.0039	28.3
1372200	WAPPINGER CREEK NEAR CLINTO	92.40	1958	1975	18	18.6	41	48	55	73	45	50	234.10	0.0039	34.7
1372500	WAPPINGER CREEK NEAR WAPPIN	181.00	1929	1986	58	19.0	41	39	11	73	52	23	114.37	0.0042	33.0
1425000	WEST BR DELAWARE RIVER AT S	456.00	1953	1986	34	19.5	42	4	29	75	23	47	992.23	0.0039	24.1
1508803	WEST BR TIOUGHNIAGA RIVER A	71.50	1968	1986	15	24.2	42	38	18	76	10	36	1114.81	0.0049	44.4
1422000	WEST BRANCH DELAWARE RIVER	142.00	1938	1970	33	22.0	42	16	18	74	55	6	1345.29	0.0035	26.1
1423000	WEST BRANCH DELAWARE RIVER	332.00	1951	1986	36	23.9	42	9	58	75	8	26	1190.30	0.0040	27.2
1350200	WEST KILL AT NORTH BLENHEIM	44.60	1976	1987	12	18.5	42	28	7	74	27	34	99999.99	0.0043	26.5
1372850	WHORTLEKILL CREEK AT HOPEWE	7.37	1960	1968	9	13.7	41	34	37	73	48	57	228.25	0.0038	60.4
1419500	WILLOWemoc CREEK NR LIVINGS	62.60	1938	1970	33	31.1	41	54	12	74	48	47	1435.85	0.0041	31.0
1435500	NEVERSINK RIVER AT HALLS MT	68.70	1938	1948	11	38.7	41	52	44	74	36	20	99999.99	0.0035	32.2

1436000	NEVERSINK RIVER AT NEVERSIN	92.60	1942	1986	45	15.6	41	49	12	74	38	9	1255.24	0.0024	40.7
1437000	NEVERSINK RIVER AT OAKLAND	223.00	1929	1973	45	23.7	41	29	45	74	38	48	632.00	0.0039	35.5
1436500	NEVERSINK RIVER AT WOODBOUR	113.00	1939	1986	44	19.2	41	45	24	74	35	52	99999.99	0.0033	38.6
1435000	NEVERSINK RIVER NEAR CLARYV	66.60	1952	1986	35	38.3	41	53	24	74	35	25	1522.37	0.0050	34.4
1530500	NEWTOWN CREEK AT ELMIRA NY	77.50	1939	1986	48	15.3	42	6	16	76	47	54	838.35	0.0030	30.1
4240180	NINEMILE CREEK NEAR MARIETT	45.10	1965	1986	22	12.0	42	55	15	76	19	47	748.25	0.0037	36.5
1496500	OAKS CREEK AT INDEX NY	102.00	1931	1986	51	22.7	42	39	56	74	57	36	1174.47	0.0043	32.7
4239000	ONONDAGA CR AT DORWIN AVE.,	88.50	1952	1986	35	19.2	42	59	0	76	9	4	414.19	0.0037	40.0
1426000	OQUAGA CREEK AT DEPOSIT NY	67.60	1941	1973	33	22.0	42	3	31	75	25	42	984.46	0.0034	19.8
1425675	OQUAGA CREEK NEAR NORTH SAN	4.69	1970	1981	12	26.0	42	10	28	75	26	25	99999.00	0.0040	23.5
1499000	OTEGO CREEK NEAR ONEONTA, N	108.00	1941	1968	28	20.8	42	27	3	75	6	54	1047.99	0.0037	28.7
1510000	OTSELIC RIVER AT CINCINNATU	147.00	1939	1986	43	24.6	42	32	28	75	54	0	1031.67	0.0041	26.6
1510500	OTSELIC RIVER NEAR UPPER LI	217.00	1938	1969	32	23.7	42	25	18	75	56	59	985.75	0.0037	25.3
1349000	OTSQUAGO CREEK AT FORT PLAI	59.20	1950	1986	37	19.6	42	55	46	74	37	35	302.16	0.0029	17.4
1500000	OULEOUT CREEK AT EAST SIDNE	103.00	1941	1986	46	22.6	42	20	0	75	14	7	1086.23	0.0039	21.5
4235300	OWASCO INLET AT MORAVIA, N.	106.00	1961	1968	8	18.9	42	43	5	76	26	18	711.64	0.0029	24.8
4235500	OWASCO OUTLET NEAR AUBURN N	206.00	1925	1986	62	19.1	42	56	48	76	35	56	533.92	0.0048	39.5
1514000	OWEGO CREEK NEAR OWEGO NY	185.00	1931	1978	48	20.5	42	7	45	76	16	15	819.82	0.0035	22.9
1414000	PLATTE KILL AT DUNRAVEN NY	35.00	1942	1962	21	24.9	42	7	59	74	41	45	1296.23	0.0046	25.3
1350120	PLATTER KILL AT GILBOA NY	11.10	1976	1986	11	18.6	42	24	18	74	26	36	99999.99	0.0041	33.0
1369000	POCHUCK CREEK NEAR PINE ISL	98.00	1938	1977	40	22.7	41	16	32	74	28	19	382.39	0.0045	31.9
1369500	QUAKER CREEK AT FLORIDA NY	9.74	1938	1979	42	17.7	41	20	21	74	21	45	393.32	0.0039	21.3
1387400	RAMAPO RIVER AT RAMAPO NY	86.70	1980	1986	7	26.2	41	8	25	74	10	14	297.00	0.0051	28.9
1387250	RAMAPO RIVER AT SLOATSBURG	60.10	1961	1963	3	19.4	41	10	5	74	11	27	99999.99	0.0030	28.0
1387420	RAMAPO RIVER AT SUFFERN NY	93.00	1980	1986	7	25.2	41	7	6	74	9	38	264.44	0.0050	25.0
1367500	RONDOUT CREEK AT ROSENDALE	378.00	1927	1986	59	22.8	41	50	35	74	5	11	32.83	0.0039	28.5
1366500	RONDOUT CREEK NEAR LACKAWAC	100.00	1926	1966	41	18.1	41	46	25	74	24	1	601.07	0.0031	34.2
1365000	RONDOUT CREEK NEAR LOWES CO	38.50	1938	1986	49	34.5	41	52	0	74	29	12	874.44	0.0044	31.3
1368500	RUTGERS CREEK AT GARDNERVIL	59.70	1944	1968	25	18.9	41	20	40	74	29	10	404.48	0.0038	19.3
1420000	LITTLE BEAVER KILL NR LIVIN	20.10	1925	1981	57	30.4	41	52	22	74	47	51	1496.69	0.0040	25.2
1422500	LITTLE DELAWARE RIVER NEAR	49.70	1938	1970	33	24.0	42	15	8	74	54	7	1385.35	0.0038	24.0
1372300	LITTLE WAPPINGER CREEK AT S	32.90	1957	1975	19	18.3	41	48	18	73	47	38	99999.99	0.0043	30.7
1387450	MAHWAH RIVER NEAR SUFFERN N	12.30	1959	1986	28	27.4	41	8	27	74	7	1	321.57	0.0050	31.2
1501015	MILL BROOK AT NEW BERLIN NY	4.64	1975	1976	2	23.1	42	37	32	75	19	43	1088.89	0.0043	36.0
1414500	MILL BROOK NEAR DUNRAVEN NY	25.20	1938	1986	49	29.9	42	6	22	74	43	51	1298.54	0.0047	27.6
1350140	MINE KILL NEAR NORTH BLENHE	16.30	1976	1986	11	20.9	42	25	44	74	28	24	99999.99	0.0048	23.2
1374480	MINISCEONGO CREEK AT THIELL	15.10	1961	1963	3	20.8	41	12	37	74	1	16	99999.99	0.0038	31.4
1433500	MONGAUP RIVER NEAR MONGAUP	200.00	1940	1986	47	23.4	41	27	41	74	45	33	625.05	0.0036	20.9
4232482	KEUKA LAKE OUTLET AT DRESDE	207.00	1966	1987	22	13.1	42	40	49	76	57	15	444.67	0.0047	42.1
1399525	AXLE BROOK NR POTTERSVILLE	1.22	1978	1986	9	24.8	40	41	40	74	43	5	172.74	0.0037	15.9
1446000	BEAVER BK NR BELVIDERE NJ	36.70	1923	1961	39	19.4	40	50	40	75	2	48	303.36	0.0043	36.9
1380000	BEAVER BROOK AT OUTLET OF S	5.50	1976	1986	11	26.8	40	57	38	74	27	43	790.00	0.0046	29.1
1386500	BLUE MINE BROOK NR WANAQUE	1.01	1935	1958	24	30.9	41	3	4	74	19	10	319.94	0.0054	22.4
1404000	BOUND BK AT BOUND BROOK NJ	49.00	1924	1930	7	20.5	40	33	55	74	31	30	99999.99	0.0040	47.6
1403900	BOUND BK AT MIDDLESEX NJ	48.40	1973	1977	5	21.6	40	35	6	74	30	29	99999.99	0.0037	25.7
1455160	BRASS CASTLE CREEK NEAR WAS	2.34	1975	1983	9	21.1	40	45	55	75	1	7	99999.99	0.0043	32.2
1379530	CANOE BROOK NEAR SUMMIT NJ	11.00	1966	1986	10	10.0	40	44	40	74	21	20	159.64	0.0032	17.4
1385000	CUPSAW BK NR WANAQUE NJ	4.37	1935	1958	24	24.6	41	6	32	74	15	16	304.52	0.0054	20.5
1403535	EB STONY BROOK AT BEST LAKE	1.57	1981	1986	6	22.1	40	38	25	74	26	52	193.87	0.0038	20.5
1393000	ELIZABETH R AT IRVINGTON NJ	2.90	1931	1938	8	24.5	40	44	10	74	13	46	132.00	0.0030	29.5
1393500	ELIZABETH RIVER AT ELIZABET	20.20	1922	1984	53	17.1	40	40	3	74	13	9	5.23	0.0028	26.0
1393450	ELIZABETH RIVER AT URSINO L	16.90	1922	1986	65	20.8	40	40	33	74	13	22	0.00	0.0030	25.6
1440000	FLAT BROOK NEAR FLATBROOKVI	64.00	1924	1986	63	23.2	41	6	24	74	57	9	347.73	0.0044	36.8
1403500	GREEN BROOK AT PLAINFIELD N	9.75	1939	1984	46	18.0	40	36	53	74	25	55	70.37	0.0034	18.9
1403400	GREEN BROOK AT SEELEY MILLS	6.23	1980	1986	7	21.5	40	39	58	74	24	15	99999.99	0.0037	25.9
1378500	HACKENSACK RIVER AT NEW MIL	113.00	1925	1986	62	12.2	40	56	52	74	1	34	6.25	0.0043	13.8
1391000	HONOKUS BROOK AT HO-HO-KUS	16.40	1955	1986	28	27.6	40	59	52	74	6	48	120.09	0.0042	43.3
1398107	HOLLAND BROOK AT READINGTON	9.00	1979	1986	8	23.1	40	33	30	74	43	50	77.65	0.0036	22.4
1399200	LAMINGTON (BLACK) R NR IRON	10.90	1976	1986	11	24.0	40	50	7	74	38	40	687.27	0.0041	43.2
1399500	LAMINGTON (BLACK) R NR POTT	32.80	1925	1986	62	23.3	40	43	39	74	43	50	284.14	0.0043	46.7
1399190	LAMINGTON (BLACK) RIVER AT	7.37	1977	1986	10	21.1	40	51	3	74	38	2	692.92	0.0041	50.2
1400350	MACS BROOK AT SOMERVILLE NJ	0.77	1983	1986	4	27.9	40	34	56	74	37	17	99999.99	0.0028	8.2
1396660	MULHOCKAWAY CREEK AT VAN SY	11.80	1978	1986	9	24.0	40	38	51	74	58	9	280.25	0.0040	38.8
1455500	MUSCONETCONG R AT OUT OF LA	25.30	1961	1975	15	22.4	40	55	0	74	39	55	904.99	0.0039	28.7
1456000	MUSCONETCONG R NR HACKETTST	68.90	1925	1973	49	24.0	40	53	17	74	47	53	630.93	0.0046	45.8

1457000	MUSCONETCONG RIVER NEAR BLO	141.00	1925	1986	62	23.0	40	40	20	75	3	40	274.83	0.0043	53.4
1398500	NORTH BRANCH RARITAN RIVER	26.20	1925	1986	60	24.9	40	42	30	74	38	11	224.49	0.0047	41.1
1400000	NORTH BRANCH RARITAN RIVER	190.00	1925	1986	62	21.9	40	34	10	74	40	45	50.43	0.0040	35.2
1377500	PASCACK BROOK AT WESTWOOD N	29.60	1935	1986	52	25.3	40	59	33	74	1	19	28.62	0.0041	47.0
1381900	PASSAIC RIVER AT PINE BROOK	349.00	1980	1986	7	23.3	40	51	45	74	19	18	149.26	0.0034	33.4
1379500	PASSAIC RIVER NEAR CHATHAM	100.00	1938	1986	49	23.2	40	43	31	74	23	23	193.51	0.0037	23.8
1379000	PASSAIC RIVER NEAR MILLINGT	55.40	1925	1986	62	22.2	40	40	48	74	31	45	215.60	0.0039	25.0
1378690	PASSAIC RIVER NR BERNARDSVI	8.83	1968	1976	9	28.8	40	44	3	74	32	26	238.07	0.0044	43.3
1443500	PAULINS KILL AT BLAIRSTOWN	126.00	1925	1986	61	21.2	40	58	44	74	57	15	335.86	0.0045	39.5
1382500	PEQUANNOCK R AT MACOPIN INT	63.70	1925	1986	62	9.9	41	1	0	74	23	47	570.00	0.0044	14.1
1445000	PEQUEST RIVER AT HUNTSVILLE	31.00	1940	1962	23	20.2	40	58	52	74	46	36	553.81	0.0048	41.0
1445500	PEQUEST RIVER AT PEQUEST NJ	106.00	1925	1986	62	20.1	40	49	50	74	58	43	398.78	0.0041	46.0
1400300	PETERS BROOK NEAR RARITAN N	4.19	1979	1986	8	19.9	40	35	37	74	37	51	99999.99	0.0027	8.5
1455200	POHATCONG CREEK AT NEW VILL	33.30	1960	1969	10	10.9	40	42	57	75	4	20	308.32	0.0033	42.0
1388500	POMPTON RIVER AT POMPTON PL	355.00	1941	1986	46	18.4	40	58	9	74	16	56	160.00	0.0035	35.1
1394500	RAHWAY R NR SPRINGFIELD NJ	25.50	1939	1986	48	15.3	40	41	11	74	18	44	66.17	0.0024	21.0
1395000	RAHWAY RIVER AT RAHWAY NJ	40.90	1926	1986	61	15.8	40	37	5	74	17	0	8.77	0.0028	18.7
1388000	RAMAPO RIVER AT POMPTON LAK	160.00	1926	1986	61	24.6	40	59	33	74	16	44	191.08	0.0044	30.4
1387500	RAMAPO RIVER NEAR MAHWAH NJ	120.00	1926	1986	61	25.7	41	5	51	74	9	48	253.10	0.0048	32.2
1400500	RARITAN RIVER AT MANVILLE N	490.00	1926	1986	61	21.3	40	33	18	74	35	2	20.61	0.0038	33.8
1384500	RINGWOOD C NR WANAQUE NJ	19.10	1935	1986	45	23.8	41	7	36	74	15	52	302.67	0.0048	30.3
1396001	ROBINSONS BRANCH AT MAPLE A	21.60	1980	1985	6	17.4	40	36	26	74	17	40	11.30	0.0028	17.3
1396000	ROBINSONS BRANCH AT RAHWAY	21.60	1940	1986	47	16.1	40	36	20	74	17	57	19.99	0.0031	13.4
1399700	ROCKAWAY CREEK AT WHITEHOU	37.10	1978	1984	7	32.0	40	37	49	74	44	11	99.64	0.0042	32.0
1380500	ROCKAWAY RIVER ABOVE RESERV	116.00	1938	1986	49	27.1	40	54	6	74	24	40	364.47	0.0046	37.3
1381000	ROCKAWAY RIVER BELOW RESERV	119.00	1950	1986	37	15.0	40	53	47	74	23	36	195.68	0.0047	18.5
1402590	ROYCE BK TR AT FRANKFORT NJ	0.29	1969	1974	6	23.5	40	30	21	74	40	24	100.05	0.0033	9.3
1390500	SADDLE R AT RIDGEWOOD NJ	21.60	1955	1986	29	22.2	40	59	5	74	5	30	71.74	0.0043	39.9
1391500	SADDLE RIVER AT LODI NJ	54.60	1926	1986	61	24.8	40	53	25	74	4	51	25.00	0.0042	42.7
1397000	SB RARITAN R AT STANTON NJ	147.00	1926	1986	61	22.7	40	34	21	74	52	10	125.01	0.0038	43.3
1392500	SECOND RIVER AT BELLEVILLE	11.60	1938	1964	27	21.4	40	47	17	74	10	19	62.60	0.0028	35.9
1396500	SOUTH BRANCH RARITAN RIVER	65.30	1926	1986	61	25.4	40	40	40	74	52	46	282.10	0.0043	47.6
1399690	SOUTH BRANCH ROCKAWAY CREEK	13.20	1978	1986	9	36.1	40	37	24	74	46	1	113.55	0.0038	27.7
1403150	WEST BRANCH MIDDLE BROOK NE	1.99	1980	1986	7	21.0	40	36	44	74	35	28	240.48	0.0040	14.9
H27WANJ	WANAQUE R AT WANAQUE NJ	90.40	1961	1986	26	9.3	41	2	33	74	17	36	210.00	0.0020	43.9
H11MBNJ	WB RAHWAY RIVER AT MILLBURN	7.10	1940	1950	11	13.4	40	43	51	74	18	26	173.04	0.0028	18.3
H26CLNJ	WEASEL BK AT CLIFTON NJ	4.45	1938	1962	25	18.2	40	52	12	74	8	47	68.52	0.0037	31.4
1381500	WHIPPANY RIVER AT MORRISTOW	29.40	1922	1986	65	24.4	40	48	21	74	27	22	260.01	0.0042	44.5
1443900	YARDS CREEK NEAR BLAIRSTOWN	5.34	1967	1986	20	27.6	40	58	51	75	2	25	606.81	0.0043	22.5
1396800	SPRUCE RUN AT CLINTON NJ	41.30	1961	1986	26	21.1	40	38	21	74	54	58	193.30	0.0035	23.3
1396580	SPRUCE RUN AT GLEN GARDNER	12.30	1979	1986	8	23.0	40	41	29	74	56	15	389.10	0.0038	34.6
1403540	STONY BROOK AT WATCHUNG NJ	5.51	1975	1986	12	25.3	40	38	12	74	27	6	174.00	0.0045	22.9
1392210	THIRD RIVER AT PASSAIC NJ	11.80	1978	1986	9	25.1	40	49	47	74	8	32	99999.99	0.0033	37.1
1399510	UPPER COLD BROOK NEAR POTTE	2.18	1973	1986	14	23.9	40	43	16	74	45	9	451.57	0.0048	41.4
1397500	WALNUT BROOK NR FLEMINGTON	2.24	1937	1961	25	19.6	40	30	55	74	52	52	267.33	0.0040	17.7
1383500	WANAQUE R AT AWOSTING NJ	27.10	1951	1986	36	29.4	41	9	31	74	20	0	601.32	0.0052	25.8
1384000	WANAQUE R AT MONKS NJ	40.40	1935	1984	50	28.0	41	7	14	74	17	41	303.17	0.0052	27.8

Region 3. Valley/Ridge

I.D.	Station Description	Area	From	To	P.	R.O	Latitude	Longitude	Ele.	Slope	BF
1595300	ABRAM CREEK AT OAKMONT, WV	42.60	1957	1982	26	21.8	39 22 0	79 10 45	99999.99	0.0044	27.4
1595800	NB POTOMAC R AT BARNUM, WV	266.00	1967	1985	19	27.2	39 26 44	79 6 39	1151.82	0.0049	32.1
3182700	ANTHONY CREEK NEAR ANTHONY,	144.00	1972	1982	11	19.6	37 54 30	80 17 30	99999.99	0.0035	22.0
1614000	BACK CREEK NEAR JONES SPRIN	243.00	1929	1975	40	11.0	39 30 43	78 2 15	416.42	0.0027	24.0
3184200	BIG CREEK NEAR BELLEPOINT,	8.27	1970	1977	8	18.4	37 40 28	80 48 52	1670.00	0.0038	16.4
3066000	BLACKWATER R AT DAVIS, WV	86.20	1922	1986	65	31.6	39 7 35	79 28 10	3058.87	0.0041	22.7
3179500	BLUESTONE RIVER AT LILLY, W	438.00	1930	1947	18	14.4	37 35 5	80 57 55	1433.70	0.0034	21.6
1608400	BUFFALO CREEK NEAR ROMNEY,	4.37	1970	1977	8	11.2	39 22 18	78 43 51	680.00	0.0035	17.3
1610500	CACAPON RIVER AT YELLOW SPR	306.00	1940	1951	12	11.4	39 10 56	78 30 25	858.51	0.0030	32.9

3189000	CHERRY RIVER AT FENWICK, WV	150.00	1930	1982	43	37.3	38	13	45	80	35	0	2088.94	0.0047	17.9
3189650	COLLISON CREEK NEAR MALLIN,	2.78	1967	1977	11	23.0	38	10	35	80	52	7	1830.00	0.0045	16.4
3187500	CRANBERRY RIVER NEAR RICHMO	80.40	1945	1986	27	40.4	38	17	43	80	31	36	0.00	0.0051	21.2
3065000	DRY FORK AT HENDRICKS, WV	345.00	1941	1986	46	30.4	39	4	20	79	37	20	1698.76	0.0042	21.9
9999911	TAYLOR RUN AT BOWDEN, WV	5.06	1974	1982	9	41.1	38	54	27	79	41	49	99999.99	0.0052	23.9
9999912	TUSCARORA CREEK ABOVE MARTI	11.30	1949	1977	25	13.3	39	28	10	77	58	18	445.74	0.0039	53.7
9999915	TYGART VALLEY RIVER AT BELI	408.00	1908	1986	79	27.2	39	1	45	79	56	10	1679.49	0.0042	19.5
9999916	TYGART VALLEY RIVER NEAR DA	187.00	1916	1975	60	25.4	38	48	35	79	52	55	1940.09	0.0039	19.2
9999917	TYGART VALLEY RIVER NEAR EL	272.00	1945	1986	42	25.9	38	55	30	79	52	45	1893.95	0.0041	19.3
3186500	WILLIAMS RIVER AT DYER, WV	128.00	1930	1986	57	35.4	38	22	44	80	29	3	2193.46	0.0046	20.3
3177000	RICH CREEK NR PETERSTOWN, W	50.60	1942	1950	9	9.9	37	24	0	80	48	20	1565.94	0.0027	26.0
3195100	RIGHT FORK HOLLY RIVER AT G	51.90	1975	1986	5	25.1	38	38	7	80	27	58	1078.00	0.0040	21.8
3050800	ROARING CREEK AT NORTON, WV	29.20	1965	1969	5	24.1	38	56	5	79	57	0	99999.99	0.0045	20.9
3052500	SAND RUN NEAR BUCKHANNON, W	14.50	1947	1986	40	25.4	38	57	50	80	9	10	1530.00	0.0043	18.8
3183000	SECOND CREEK NEAR SECOND CR	80.80	1946	1973	28	13.2	37	41	5	80	27	25	1811.36	0.0034	25.6
3068000	SHIVERS FORK AT BEMIS, WV	115.00	1925	1979	7	40.4	38	48	27	79	44	16	2574.06	0.0052	27.4
3068500	SHIVERS FORK AT FLINT, WV	124.00	1925	1932	8	34.9	38	51	0	79	43	50	99999.99	0.0041	24.1
3068800	SHIVERS FORK BELOW BOWDEN,	151.00	1974	1981	8	39.3	38	54	47	79	46	14	99999.99	0.0055	26.8
1607500	SO FK SO BR POTOMAC R AT BR	102.00	1944	1986	43	13.5	38	37	53	79	14	38	1558.35	0.0031	24.4
1608000	SO FK SOUTH BRANCH POTOMAC	283.00	1929	1986	55	10.8	39	0	44	78	57	23	861.51	0.0028	29.5
1605500	SOUTH BRANCH POTOMAC RIVER	182.00	1941	1986	39	12.9	38	38	14	79	20	14	1692.50	0.0030	36.8
1595200	STONY RIVER NEAR MOUNT STOR	48.80	1962	1986	25	28.1	39	16	10	79	15	45	2554.54	0.0042	24.4
3194500	ELK R B BACK F AT WEBST. SP	242.00	1930	1934	5	32.1	38	28	50	80	25	15	99999.99	0.0047	20.6
3195000	ELK RIVER AT CENTRALIA, WV	281.00	1935	1963	29	32.1	38	37	0	80	33	20	931.89	0.0046	20.7
3194700	ELK RIVER BELOW WEBSTER SPR	266.00	1960	1986	25	35.9	38	35	50	80	29	26	1020.00	0.0048	22.2
1608050	FORT RUN NEAR MOOREFIELD, W	4.92	1970	1977	8	13.0	39	3	56	78	54	49	1050.00	0.0035	18.4
1605600	FRIENDS RUN NEAR FRANKLIN,	4.55	1970	1977	8	10.6	38	39	23	79	23	31	2200.00	0.0038	23.0
3187000	GAULEY RIVER AT CAMDEN ON G	236.00	1930	1975	46	33.5	38	21	57	80	36	4	2003.28	0.0047	20.2
3193830	GILMER RUN NEAR MARLINTON,	1.80	1969	1977	9	29.9	38	19	12	80	5	52	3120.00	0.0038	11.9
3050900	GRASSY RUN AT NORTON, WV	2.86	1965	1969	5	33.9	38	56	10	79	57	40	99999.99	0.0042	30.6
3180500	GREENBRIER RIVER AT DURBIN,	133.00	1944	1986	43	26.8	38	32	37	79	50	0	2699.71	0.0040	21.9
3202400	GUYANDOTTE RIVER NEAR BAILE	306.00	1969	1986	18	19.2	37	36	14	81	38	43	99999.99	0.0040	34.2
3063600	HORSECAMP RUN AT HARMAN, WV	6.57	1970	1977	8	20.7	38	54	51	79	30	32	2510.93	0.0044	18.5
3182950	HOWARD CREEK AT CALDWELL, W	84.40	1972	1978	7	19.9	37	46	54	80	23	15	1681.01	0.0034	23.5
3177500	INDIAN CREEK AT INDIAN MILL	189.00	1942	1950	9	9.2	37	31	55	80	49	10	1472.54	0.0027	24.7
3181200	INDIAN DRAFT NEAR MARLINTON	3.06	1969	1977	9	23.8	38	16	48	80	4	31	99999.99	0.0038	15.6
3182000	KNAPP CREEK AT MARLINTON, W	108.00	1946	1958	13	18.7	38	12	40	80	4	30	0.00	0.0031	21.9
3195250	LEFT FORK HOLLY RIVER NEAR	46.50	1975	1986	5	33.2	38	41	19	80	25	57	99999.99	0.0043	21.2
1609800	LITTLE CACAPON RIVER NEAR L	108.00	1967	1977	11	11.3	39	29	55	78	29	20	540.00	0.0029	20.3
1610200	LOST RIVER AT MCCAULEY NEAR	155.00	1972	1979	8	16.5	39	3	18	78	43	31	1259.34	0.0029	20.5
3190000	MEADOW RIVER AT MALLIN, WV	287.00	1930	1971	42	24.9	38	6	45	80	52	35	1869.47	0.0043	20.4
3190400	MEADOW RIVER NEAR MT. LOOKO	365.00	1967	1986	18	28.2	38	11	23	80	56	49	99999.99	0.0044	21.5
3051500	MIDDLE FORK RIVER AT MIDVAL	122.00	1920	1942	23	31.3	38	56	20	80	5	25	1812.59	0.0046	20.8
1606000	N F SOUTH BR POTOMAC R AT C	314.00	1941	1980	23	17.2	38	59	5	79	14	10	1051.13	0.0034	25.2
1596000	NB POTOMAC R AT BLOOMINGTON	287.00	1925	1950	24	23.3	39	28	48	79	4	8	951.98	0.0041	27.6
1598500	NB POTOMAC R AT LUKE, MD	404.00	1950	1987	38	24.2	39	28	45	79	3	55	946.25	0.0046	32.7
1599500	NEW CREEK NEAR KEYSER, WV	45.70	1931	1963	17	13.1	39	24	35	79	0	5	0.00	0.0035	25.8
3187300	NORTH FORK CRANBERRY RIVER	9.78	1969	1982	14	43.7	38	15	29	80	19	27	99999.99	0.0049	24.8
1616500	OPEQUON CREEK NEAR MARTINSB	272.00	1948	1986	39	11.6	39	25	25	77	56	20	354.89	0.0029	47.0
1604500	PATTERSON CREEK NEAR HEADSV	219.00	1939	1986	48	10.5	39	26	35	78	49	20	624.09	0.0029	25.5
1619000	ANTIETAM C NR WAYNESBORO, P	93.50	1949	1981	19	17.1	39	42	59	77	36	28	550.64	0.0037	55.7
1564500	AUGHWICK CREEK NEAR THREE S	205.00	1939	1986	48	16.3	40	12	45	77	55	32	618.65	0.0033	23.1
1564000	AUGHWICK CREEK NR ORBISONIA	174.00	1931	1938	8	15.7	40	12	35	77	55	30	619.51	0.0033	23.3
1567500	BIXLER RUN NR LOYSVILLE, PA	15.00	1955	1986	32	17.0	40	22	15	77	24	9	601.22	0.0034	36.7
1541308	BRADLEY RUN NEAR ASHVILLE,	6.77	1968	1979	12	25.9	40	30	33	78	35	2	1770.00	0.0042	36.0
1561000	BRUSH CREEK AT GAPSVILLE, P	36.80	1932	1958	27	17.0	39	57	20	78	15	15	1122.39	0.0039	25.6
1559700	BUFFALO RUN TRIBUTARY NEAR	5.28	1962	1978	17	14.1	39	58	40	78	37	8	1230.00	0.0036	23.8
1568500	CLARK CREEK NEAR CARSONVILL	22.50	1938	1986	49	12.4	40	27	37	76	45	6	552.32	0.0026	39.6
3039200	CLEAR RUN NEAR BUCKSTOWN, P	3.68	1965	1978	14	23.2	40	2	49	78	50	0	2339.24	0.0044	25.5
1566500	COCOLAMUS CREEK NEAR MILLER	57.20	1931	1958	28	18.2	40	33	55	77	7	5	425.50	0.0037	23.9
1614090	CONOCOCHIEAGUE CREEK NEAR FA	5.05	1961	1980	20	19.8	39	55	48	77	26	23	1132.76	0.0047	39.6
1570200	CONODOGUINET CR. TRIB. NO.	0.76	1971	1976	6	21.5	40	17	21	76	58	35	99999.99	0.0035	22.2
1570230	CONODOGUINET CR. TRIB. NO.	0.70	1971	1976	6	21.6	40	17	44	76	57	55	99999.99	0.0032	21.0
1570260	CONODOGUINET CR. TRIB. NO.	0.65	1971	1976	6	21.7	40	17	47	76	57	51	99999.99	0.0042	23.6
1570000	CONODOGUINET CREEK NR HOGES	470.00	1912	1986	54	17.0	40	15	8	77	1	17	351.00	0.0034	38.1

1570100 CONODOGUINET CREEK TRIB NO.	0.77	1970	1976	7	19.5	40	17	27	76	59	38	418.56	0.0035	23.6
1570300 CONODOGUINET CREEK TRIB NO.	0.38	1970	1976	7	21.9	40	18	5	76	56	57	416.56	0.0035	17.4
1560000 DUNNING CREEK AT BELDEN, PA	172.00	1940	1986	47	18.1	40	4	18	78	29	34	1051.16	0.0036	25.3
1560500 DUNNING CREEK AT YOUNT, PA.	191.00	1930	1939	10	15.9	40	3	30	78	28	30	99999.99	0.0033	24.3
1555500 EAST MAHANTANGO CREEK NEAR	162.00	1930	1986	57	18.8	40	36	40	76	54	43	400.50	0.0038	29.8
1603500 EVITTS C NR CENTERVILLE, PA	30.20	1933	1982	50	14.6	39	47	23	78	38	48	1027.59	0.0036	31.8
1556000 FRANKSTOWN BR JUNIATA RIVER	291.00	1917	1986	70	18.4	40	27	47	78	12	0	831.78	0.0036	34.2
1562500 GREAT TROUGH CREEK NEAR MAR	84.60	1930	1957	28	15.3	40	21	0	78	7	50	714.48	0.0037	24.9
1451800 JORDAN CREEK NEAR SCHNECKSV	53.00	1967	1986	20	23.7	40	39	42	75	37	38	400.00	0.0037	27.2
1565000 KISHACOQUILLAS CREEK AT REE	164.00	1940	1985	33	17.0	40	39	17	77	35	0	551.23	0.0038	37.0
1470000 LITTLE SCHUYLKILL RIVER AT	122.00	1948	1965	5	22.2	40	38	40	76	0	50	99999.99	0.0044	44.4
1470720 MAIDEN CR TRIBUTARY AT LENH	7.46	1966	1980	15	23.0	40	34	23	75	52	34	368.78	0.0038	25.7
1470756 MAIDEN CREEK AT VIRGINVILLE	159.00	1974	1986	13	22.9	40	30	51	75	53	0	310.00	0.0042	33.6
1472198 PERKIOMEN CR AT EAST GREENV	38.00	1982	1986	5	22.4	40	23	38	75	30	57	288.50	0.0038	38.8
1472199 NW BR PERKIOMEN CR AT HILLE	23.00	1982	1986	5	23.3	40	22	26	75	31	22	290.00	0.0037	34.9
3041000 LITTLE COMEMAUGH RIVER AT E	183.00	1940	1986	47	22.7	40	20	37	78	53	7	1207.94	0.0039	27.6
3042200 LITTLE YELLOW CREEK NEAR ST	7.36	1961	1978	18	25.0	40	33	45	78	56	44	1600.00	0.0040	22.3
1556500 LITTLE JUNIATA RIVER AT TIP	93.70	1946	1962	17	21.5	40	37	40	78	17	38	946.76	0.0038	29.4
1557000 LITTLE JUNIATA RIVER NR TYR	101.00	1940	1945	6	19.3	40	39	20	78	15	25	99999.99	0.0042	28.2
1558000 LITTLE JUNIATA RIVER AT SPR	220.00	1939	1986	48	23.1	40	36	45	78	8	27	751.15	0.0039	37.8
1565700 LITTLE LOST CREEK NEAR OAKL	6.52	1964	1980	17	15.9	40	36	19	77	18	42	551.17	0.0035	33.2
1569800 LETORT SPR. RUN NR CARLISLE	21.60	1977	1986	10	28.2	40	14	5	77	8	23	99999.99	0.0038	72.7
1571000 PAXTON CREEK NEAR PENBROOK,	11.20	1941	1986	12	17.7	40	18	30	76	51	0	350.00	0.0031	22.7
1572000 LOWER LITTLE SWATARA CR AT	34.30	1920	1984	16	23.0	40	32	15	76	22	40	500.00	0.0037	27.7
1573500 MANADA CREEK AT MANADA GAP,	13.50	1938	1958	21	23.6	40	23	50	76	42	35	516.07	0.0045	32.0
1451500 LITTLE LEHIGH CREEK NEAR AL	80.80	1946	1986	41	16.7	40	34	56	75	29	0	253.41	0.0035	67.4
1452500 MONOCACY CREEK AT BETHLEHEM	44.50	1949	1986	38	16.2	40	38	28	75	22	47	247.24	0.0035	63.3
1573160 QUITTAPAHILLA CREEK NEAR BE	74.20	1976	1986	11	19.8	40	20	34	76	33	46	99999.99	0.0036	66.1
1454500 SAUCON CR AT FRIEDENSVILLE,	26.60	1949	1953	5	21.8	40	33	22	75	23	6	99999.99	0.0038	45.1
1453500 SAUCON CREEK AT LANARK, PA.	12.00	1949	1953	5	15.3	40	32	52	75	25	28	99999.99	0.0038	42.3
1468500 SCHUYLKILL R AT LANDINGVILL	133.00	1948	1986	20	29.1	40	37	35	76	7	30	470.64	0.0046	43.4
1470500 SCHUYLKILL RIVER AT BERNE,	355.00	1948	1985	38	27.4	40	31	21	75	59	55	310.65	0.0045	39.1
1558500 SHAVER C NR PETERSBURG PA	46.40	1930	1937	8	15.5	40	36	40	78	0	25	691.38	0.0038	27.3
1568000 SHERMAN CREEK AT SHERMANS D	200.00	1930	1986	57	19.5	40	19	24	77	10	9	422.63	0.0038	29.1
1454000 SOUTH BR SAUCON CR AT FRIED	10.60	1949	1953	5	27.0	40	32	56	75	23	20	99999.99	0.0051	42.5
1559500 STANDING STONE CREEK NEAR H	128.00	1930	1958	29	15.7	40	31	25	77	58	15	617.81	0.0038	31.9
1568700 STONY CR ABV PUMP-STOR RES	11.50	1975	1980	6	39.0	40	27	30	76	39	53	99999.99	0.0053	32.5
1568750 STONY CREEK AT WATER TANK T	21.90	1975	1986	4	25.4	40	24	51	76	46	50	99999.99	0.0048	43.1
1569000 STONY CREEK NEAR DAUPHIN, P	33.20	1938	1974	15	24.8	40	22	46	76	54	31	353.75	0.0042	35.0
3040000 STONYCREEK RIVER AT FERNDAL	451.00	1914	1986	69	20.2	40	17	37	78	55	8	1184.20	0.0039	24.9
1573000 SWATARA CREEK AT HARPER TAV	337.00	1920	1986	67	23.0	40	24	9	76	34	39	356.68	0.0040	28.3
1573560 SWATARA CREEK NEAR HERSHEY,	483.00	1976	1986	11	22.4	40	17	54	76	40	5	99999.99	0.0039	32.2
1460000 TOHICKON CREEK AT POINT PLE	107.00	1902	1913	12	24.3	40	25	25	75	4	0	70.00	0.0038	12.5
1459500 TOHICKON CREEK NEAR PIPERSV	97.40	1936	1986	51	20.4	40	26	1	75	7	1	258.96	0.0030	13.9
1613050 TOWOLOWAY CREEK NEAR NEEDMO	10.70	1966	1986	21	15.8	39	53	54	78	7	57	688.94	0.0033	21.7
1470779 TULPEHOCKEN CR NR BERNVILLE	66.50	1976	1985	10	22.3	40	24	48	76	10	19	99999.99	0.0042	57.4
1470960 TULPEHOCKEN CR, BL MARSH DA	175.00	1966	1986	21	21.0	40	22	0	76	1	16	240.00	0.0034	41.7
1471000 TULPEHOCKEN CREEK NEAR READ	211.00	1951	1985	35	19.9	40	22	8	75	58	46	216.60	0.0040	45.7
1566000 TUSCARORA CREEK NEAR PORT R	214.00	1912	1958	47	16.4	40	30	55	77	25	10	420.27	0.0035	26.3
1601000 WILLS C BL HYNDMAN, PA	146.00	1952	1967	16	17.1	39	48	43	78	43	0	891.37	0.0044	21.9
1571500 YELLOW BREECHES CREEK NEAR	216.00	1911	1986	41	18.4	40	13	29	76	53	54	307.49	0.0037	58.5
3167500 BIG REED ISLAND CREEK NEAR	278.00	1940	1986	48	19.1	36	53	20	80	43	40	1902.74	0.0038	55.6
2056900 BLACKWATER RIVER NEAR ROCKY	115.00	1977	1986	11	15.4	37	2	42	79	45	40	876.44	0.0032	46.7
3177700 BLUESTONE RIVER AT BLUEFIEL	39.80	1966	1980	15	19.1	37	15	21	81	16	55	2350.00	0.0040	39.9
3177710 BLUESTONE RIVER AT FALLS MI	44.20	1981	1986	7	17.3	37	16	17	81	18	18	2310.41	0.0038	33.3
1656500 BROAD RUN AT BUCKLAND, VA	50.50	1951	1986	36	13.7	38	46	50	77	40	22	284.58	0.0033	31.5
1656650 BROAD RUN NEAR BRISTOW, VA	89.60	1975	1986	13	13.9	38	44	56	77	33	50	185.00	0.0032	26.4
2032400 BUCK MOUNTAIN CREEK NEAR FR	37.00	1980	1986	8	15.6	38	9	16	78	32	22	410.00	0.0030	32.9
2028000 BUFFALO RIVER NEAR MORWOOD,	360.00	1941	1960	20	17.9	37	37	40	78	52	50	400.78	0.0034	43.8
2027800 BUFFALO RIVER NEAR TYE RIVE	147.00	1961	1986	27	15.6	37	36	20	78	55	25	444.39	0.0034	47.4
1656725 BULL RUN NEAR CATHARPIN, VA	25.80	1970	1986	18	16.9	38	53	21	77	34	14	237.78	0.0032	18.9
2015700 BULLPASTURE RIVER AT WILLIA	110.00	1961	1986	27	18.3	38	11	43	79	34	14	1610.14	0.0035	38.9
1671500 BUNCH CREEK NEAR BOSWELLS T	4.37	1949	1979	31	14.8	38	1	54	78	11	30	377.14	0.0031	28.6
2020500 CALFPASTURE RIVER ABOVE MIL	144.00	1939	1986	49	15.6	37	59	16	79	29	38	1384.84	0.0034	22.2
2021000 CALFPASTURE RIVER AT GOSHEN	190.00	1926	1938	13	15.2	37	59	10	79	29	38	1381.69	0.0031	24.9

1661900	CARTER RUN NEAR MARSHALL, V	19.50	1977	1982	6	17.0	38	47	58	77	52	9	390.00	0.0034	37.3
2018500	CATAWBA CREEK NEAR CATAWBA,	34.30	1944	1986	44	14.2	37	28	5	80	0	20	1299.96	0.0032	31.9
2019000	CATAWBA CREEK NEAR FINCASTL	104.00	1929	1937	9	13.9	37	33	0	79	50	5	994.05	0.0032	32.5
1638480	CATOCTIN CREEK AT TAYLORSTO	89.60	1972	1986	16	15.3	39	15	16	77	34	36	249.15	0.0032	32.2
1634500	CEDAR CREEK NEAR WINCHESTER	103.00	1938	1986	50	12.5	39	4	52	78	19	47	647.09	0.0030	31.4
1656100	CEDAR RUN NEAR ADEN, VA	155.00	1973	1986	15	15.7	38	36	58	77	33	16	99999.99	0.0029	16.7
1656000	CEDAR RUN NEAR CATLETT, VA	93.40	1951	1986	37	12.6	38	38	12	77	37	31	199.15	0.0028	19.5
1655500	CEDAR RUN NEAR WARRENTON, V	12.30	1951	1986	37	13.8	38	44	25	77	47	16	419.40	0.0034	27.3
1624800	CHRISTIANS CREEK NEAR FISHE	70.10	1968	1986	20	13.9	38	7	42	78	59	41	1230.00	0.0030	48.0
1670300	CONTRARY CREEK NEAR MINERAL	5.53	1976	1986	12	12.4	38	3	53	77	52	45	275.00	0.0030	36.7
3526000	COPPER CREEK NEAR GATE CITY	106.00	1948	1972	25	18.1	36	40	26	82	33	57	1301.95	0.0039	36.2
2016000	COMPASTURE RIVER NEAR CLIFT	461.00	1926	1986	62	15.5	37	47	30	79	45	35	1006.93	0.0031	32.7
2018000	CRAIG CREEK AT PARR, VA	329.00	1926	1986	62	15.9	37	39	57	79	54	42	992.50	0.0033	31.5
3208950	CRANES NEST RIVER NEAR CLIN	66.50	1964	1986	24	15.9	37	7	26	82	26	20	1440.30	0.0035	25.8
2013000	DUNLAP CREEK NEAR COVINGTON	164.00	1929	1986	59	13.8	37	48	10	80	2	50	1294.70	0.0031	28.5
3166800	GLADE CREEK AT GRAHAMS FORG	7.15	1977	1986	11	1.9	36	55	51	80	54	2	99999.99	0.0008	31.3
1643700	GOOSE CREEK NEAR MIDDLEBURG	123.00	1966	1986	20	14.7	38	59	11	77	47	49	329.80	0.0037	32.2
3524500	GUEST RIVER AT COEBURN, VA	87.30	1950	1981	13	21.9	36	55	45	82	27	23	1925.80	0.0042	24.4
1636210	HAPPY CREEK AT FRONT ROYAL,	14.00	1949	1977	29	13.6	38	54	20	78	11	10	610.12	0.0036	29.6
2030000	HARDWARE RIVER BL BRIERY RU	116.00	1939	1986	49	14.9	37	48	45	78	27	20	294.96	0.0031	46.1
2029500	HARDWARE RIVER NEAR SCOTTSV	104.00	1927	1938	12	15.7	37	50	24	78	28	28	308.50	0.0031	40.1
1663500	HAZEL RIVER AT RIXEYVILLE,	287.00	1943	1986	45	16.2	38	35	30	77	57	55	288.30	0.0037	39.7
1613900	HOGUE CREEK NEAR HAYFIELD,	15.00	1961	1986	27	13.4	39	12	52	78	17	18	668.60	0.0031	26.5
2012500	JACKSON RIVER AT FALLING SP	411.00	1926	1983	58	16.2	37	52	36	79	58	39	1333.49	0.0033	36.4
2011800	JACKSON RIVER BL GATHRIGHT	345.00	1974	1986	14	17.8	37	56	54	79	56	58	1400.00	0.0026	36.9
2011400	JACKSON RIVER NEAR BACOVA,	158.00	1975	1986	13	14.8	38	2	32	79	52	54	1639.20	0.0031	35.2
2017500	JOHNS CREEK AT NEW CASTLE,	104.00	1927	1986	61	16.5	37	30	22	80	6	25	1254.30	0.0034	29.2
2022500	KERRS CREEK NEAR LEXINGTON,	35.00	1928	1986	59	13.9	37	49	32	79	26	36	980.32	0.0032	39.0
3207800	LEVISA FORK AT BIG ROCK, VA	297.00	1968	1986	20	16.8	37	21	13	82	11	45	866.37	0.0035	26.7
3207500	LEVISA FORK NEAR GRUNDY, VA	235.00	1942	1986	35	16.4	37	17	52	82	7	34	988.50	0.0036	21.2
3170000	LITTLE RIVER AT GRAYSONTON,	300.00	1929	1986	59	16.3	37	2	15	80	33	25	1816.04	0.0036	53.0
3474500	M F HOLSTON RIVER AT CHILHO	155.00	1921	1931	11	17.7	36	47	45	81	40	50	1930.00	0.0033	39.5
3473500	M F HOLSTON RIVER AT GROSEC	7.39	1948	1957	10	16.6	36	53	19	81	20	51	2442.86	0.0036	54.8
3474000	M F HOLSTON RIVER AT SEVEN	132.00	1943	1981	39	17.1	36	48	26	81	37	20	1960.00	0.0034	39.6
3475000	M F HOLSTON RIVER NEAR MEAD	211.00	1932	1986	33	15.4	36	42	47	81	49	8	1820.22	0.0035	40.0
2021500	MAURY RIVER AT ROCKBRIDGE B	329.00	1929	1986	59	15.6	37	54	26	79	25	20	1100.33	0.0033	25.5
2023000	MAURY RIVER NEAR LEXINGTON,	487.00	1927	1960	34	14.2	37	48	49	79	26	42	906.56	0.0032	32.9
2017000	MEADOW CREEK AT NEWCASTLE,	13.80	1930	1952	23	16.3	37	29	35	80	6	35	1337.38	0.0036	42.1
2031000	MECHUMS RIVER NEAR WHITE HA	95.40	1943	1986	17	15.5	38	6	9	78	35	35	429.75	0.0034	44.0
1625000	MIDDLE RIVER NEAR GROTTUES,	375.00	1928	1986	60	11.3	38	15	42	78	51	44	1061.51	0.0026	47.8
1624300	MIDDLE RIVER NEAR VERONA, V	178.00	1968	1986	20	14.3	38	14	36	79	2	8	1260.78	0.0030	45.6
2032250	MOORMANS RIVER NEAR FREE UN	74.60	1980	1986	8	18.9	38	8	26	78	33	22	403.11	0.0036	27.7
1665000	MOUNT RUN NEAR CULPEPER, VA	15.90	1950	1986	38	14.2	38	28	50	78	3	10	389.46	0.0033	41.3
3527500	N F CLINCH RIVER AT DUFFIEL	23.10	1953	1958	6	21.7	36	42	40	82	47	45	1314.14	0.0048	21.4
3488500	N F HOLSTON RIVER AT HOLSTO	402.00	1952	1959	8	17.7	36	46	29	82	4	22	1437.11	0.0037	29.9
3489500	N F HOLSTON RIVER AT MENDOT	493.00	1921	1931	11	18.9	36	42	5	82	18	26	1329.67	0.0035	31.7
3488000	N F HOLSTON RIVER NEAR SALT	222.00	1921	1986	67	18.1	36	53	48	81	44	47	1703.53	0.0036	31.4
2031500	N F MOORMANS RIVER NEAR WHI	11.40	1953	1984	13	20.6	38	8	25	78	45	5	999.00	0.0041	21.7
3208700	N F POUND RIVER AT POUND, V	18.50	1962	1986	26	20.4	37	7	32	82	37	36	1500.00	0.0041	22.7
3530500	N F POWELL RIVER AT PENNING	71.40	1945	1981	10	24.7	36	46	26	83	1	59	1363.02	0.0041	18.9
2032680	N F RIVANNA RIVER NEAR PROF	176.00	1971	1986	17	19.0	38	5	16	78	24	44	323.43	0.0035	36.9
1632000	N F SHENANDOAH RIVER AT COO	210.00	1926	1986	62	12.5	38	38	13	78	51	11	1051.80	0.0030	20.3
1622000	NORTH RIVER NEAR BURKETOWN,	379.00	1927	1986	58	13.4	38	20	25	78	54	50	1103.49	0.0031	38.4
1620500	NORTH RIVER NEAR STOKESVILL	17.20	1947	1986	41	20.6	38	20	15	79	14	25	2054.57	0.0041	23.9
1615000	OPEQUON CREEK NEAR BERRYVIL	57.40	1944	1986	44	10.0	39	10	40	78	4	20	503.24	0.0025	28.9
1635500	PASSAGE CREEK NEAR BUCKTON,	87.80	1933	1986	55	10.6	38	57	29	78	16	1	525.14	0.0032	28.1
3168500	PEAK CREEK AT PULASKI, VA	60.90	1928	1957	11	11.6	37	2	50	80	46	35	1897.79	0.0027	21.2
2025000	PEDLAR RIVER NEAR PEDLAR MI	91.00	1943	1956	14	15.5	37	32	25	79	15	10	656.00	0.0035	36.9
2058500	PIGG RIVER NEAR TOSHES, VA	394.00	1931	1962	32	13.8	36	59	1	79	30	52	602.55	0.0025	53.3
2027500	PINEY RIVER AT PINEY RIVER,	47.60	1950	1986	38	27.1	37	42	8	79	1	40	633.58	0.0047	36.0
1673800	PO RIVER NEAR SPOTSYLVANIA,	77.40	1963	1986	25	13.2	38	10	17	77	35	42	183.76	0.0031	30.0
2014000	POTTS CREEK NEAR COVINGTON,	153.00	1929	1986	50	15.9	37	43	44	80	2	33	1273.93	0.0032	33.3
3208800	POUND RIVER ABOVE INDIAN CR	36.70	1966	1986	15	21.4	37	7	26	82	36	29	1535.64	0.0038	25.7
3208850	POUND RIVER BELOW BOLD CAMP	61.20	1966	1986	15	20.4	37	7	19	82	35	55	1527.36	0.0037	27.1
3209000	POUND RIVER BELOW FLANNAGAN	221.00	1927	1986	60	16.7	37	14	13	82	20	36	1200.00	0.0035	21.7

3208900	POUND RIVER NEAR GEORGES FO	82.50	1964	1986	21	19.9	37	9	51	82	31	30	1470.39	0.0039	26.3
3529500	POWELL RIVER AT BIG STONE G	112.00	1945	1981	18	24.4	36	52	8	82	46	32	1459.07	0.0046	25.8
3531500	POWELL RIVER NEAR JONESVILL	319.00	1932	1986	56	22.6	36	39	43	83	5	42	1259.08	0.0040	25.5
3531000	POWELL RIVER NEAR PENNINGTO	290.00	1925	1931	7	25.7	36	44	4	82	59	56	1320.00	0.0037	22.3
1667500	RAPIDAN RIVER NEAR CULPEPER	472.00	1931	1986	57	15.2	38	21	1	77	58	31	241.36	0.0034	40.9
1662000	RAPPAHANNOCK RIVER NEAR WAR	195.00	1943	1986	45	13.5	38	41	5	77	54	15	312.57	0.0034	39.4
3167000	REED CREEK AT GRAHAMS FORGE	247.00	1928	1986	60	14.5	36	56	22	80	53	13	1924.65	0.0033	44.8
2054500	ROANOKE RIVER AT LAFAYETTE,	257.00	1944	1986	43	12.5	37	14	11	80	12	34	1174.47	0.0032	41.2
2055000	ROANOKE RIVER AT ROANOKE, V	395.00	1925	1986	62	11.9	37	15	30	79	56	20	906.84	0.0031	41.8
1666500	ROBINSON RIVER NEAR LOCUST	179.00	1944	1986	44	16.8	38	19	30	78	5	45	283.70	0.0036	43.1
2028500	ROCKFISH RIVER NEAR GREENFI	94.60	1944	1986	44	20.2	37	52	10	78	49	25	530.29	0.0040	39.4
1662500	RUSH RIVER AT WASHINGTON, V	14.70	1954	1977	24	15.1	38	42	50	78	9	5	597.97	0.0038	33.0
3208500	RUSSELL FORK AT HAYSI, VA	286.00	1927	1986	61	15.5	37	12	25	82	17	45	1237.61	0.0033	20.6
3471500	S F HOLSTON RIVER AT RIVERS	76.10	1925	1986	52	19.5	36	45	37	81	37	53	2106.77	0.0037	42.9
3473000	S F HOLSTON RIVER NEAR DAMA	301.00	1932	1986	56	21.4	36	39	6	81	50	39	1792.30	0.0039	40.7
2032515	S F RIVANNA RIVER NEAR CHAR	260.00	1980	1986	8	15.3	38	6	6	78	27	39	330.00	0.0038	38.2
2032500	S F RIVANNA RIVER NEAR EARL	216.00	1953	1966	14	11.9	38	7	27	78	31	3	367.64	0.0031	36.3
2053800	S F ROANOKE RIVER NEAR SHAW	110.00	1961	1986	27	13.3	37	8	24	80	16	0	1361.87	0.0032	45.8
1662156	SF BROKENBACK RN NR NETHERS	1.02	1983	1984	2	20.7	38	34	0	78	19	2	99999.99	0.0050	30.9
1635365	SHELTER RN NR DETRICK, VA	0.14	1984	1984	1	19.6	38	52	13	78	21	37	99999.99	0.0040	26.0
2030500	SLATE RIVER NEAR ARVONIA, V	226.00	1927	1986	60	13.6	37	42	10	78	22	40	238.78	0.0025	40.5
2014500	SMITH CREEK ABOVE OLD DAM N	12.40	1948	1956	9	20.1	37	51	5	79	50	48	1406.00	0.0041	31.3
1632900	SMITH CREEK NEAR NEW MARKET	93.20	1961	1986	27	10.6	38	41	36	78	38	35	881.50	0.0032	47.5
1627500	SOUTH RIVER AT HARRISTON, V	212.00	1926	1986	45	16.5	38	13	7	78	50	13	1129.87	0.0034	47.2
1626500	SOUTH RIVER AT WAYNESBORO,	144.00	1929	1952	24	13.9	38	3	40	78	53	50	1277.13	0.0033	48.6
1626850	SOUTH RIVER NEAR DOOMS, VA	149.00	1975	1986	13	19.0	38	5	19	78	52	38	1247.04	0.0035	48.1
2023500	SOUTH RIVER NEAR RIVERSIDE,	111.00	1950	1961	11	15.4	37	47	0	79	21	35	910.00	0.0041	41.2
1626000	SOUTH RIVER NEAR WAYNESBORO	127.00	1953	1986	35	15.3	38	3	27	78	54	30	1296.20	0.0036	46.5
1633500	STONY CREEK AT COLUMBIA FUR	79.40	1948	1956	9	12.0	38	51	55	78	37	45	895.29	0.0033	32.2
1663000	THORNTON RIVER NEAR LAUREL	142.00	1944	1956	13	15.2	38	37	41	78	3	47	342.43	0.0037	37.7
2055100	TINKER CREEK NEAR DALEVILLE	11.70	1957	1986	31	13.9	37	25	3	79	56	8	1217.47	0.0035	46.2
2026500	TYE RIVER AT ROSELAND, VA	68.00	1928	1937	10	26.1	37	45	13	78	59	12	643.30	0.0048	33.6
2027000	TYE RIVER NEAR LOVINGSTON,	92.80	1939	1986	49	22.6	37	42	55	78	58	55	578.39	0.0044	39.0
3173000	WALKER CREEK AT BANE, VA	305.00	1939	1986	49	14.3	37	16	5	80	42	35	1665.92	0.0032	34.3
1628060	WHITE OAK RUN NEAR GROTTOS	1.94	1980	1986	8	17.2	38	15	1	78	44	57	99999.99	0.0033	15.7
3175500	WOLF CREEK NEAR NARROWS, VA	223.00	1939	1986	49	18.0	37	18	20	80	51	0	1583.83	0.0036	31.3
2056650	BACK CREEK NEAR DUNDEE, VA	56.80	1975	1986	13	14.3	37	13	39	79	52	6	822.67	0.0030	36.5
2011500	BACK CREEK NEAR MOUNTAIN GR	134.00	1952	1986	36	18.5	38	4	10	79	53	50	1701.45	0.0035	23.4
2011460	BACK CREEK NEAR SUNRISE, VA	60.10	1975	1986	13	21.4	38	14	43	79	46	8	2150.00	0.0033	22.5
2011480	BACK CREEK ON RT 600 NEAR M	88.40	1974	1984	11	22.0	38	8	5	79	51	57	1830.00	0.0036	22.3
1662800	BATTLE RUN NEAR LAUREL MILL	27.60	1959	1986	29	13.0	38	39	20	78	4	27	374.62	0.0035	39.5
3478400	BEAVER CREEK AT BRISTOL, VA	27.70	1958	1986	30	17.0	36	37	54	82	8	2	1780.98	0.0036	57.5
3477500	BEAVER CREEK NEAR WALLACE,	13.70	1946	1956	11	14.0	36	38	25	82	6	42	1808.93	0.0040	57.5
3472500	BEAVERDAM CREEK AT DAMASCUS	56.00	1948	1959	12	24.3	36	37	40	81	47	28	1946.66	0.0045	30.6
1624000	BELL CREEK AT FRANKS MILL N	9.60	1949	1956	8	2.7	38	13	10	79	6	35	1350.00	0.0017	43.2
1623000	BELL CREEK AT ST PAULS CHAP	0.61	1949	1955	7	2.2	38	10	0	79	7	35	1520.00	0.0027	17.5
1623500	BELL CREEK NEAR STAUNTON, V	3.80	1949	1955	7	0.8	38	11	0	79	7	5	1470.00	0.0039	23.2
3523000	BIG CEDAR CREEK NEAR LEBANO	51.50	1953	1959	7	19.5	36	54	29	82	2	20	1928.96	0.0044	27.5
3489900	BIG MOCCASIN CREEK NEAR GAT	79.60	1953	1968	9	18.1	36	38	47	82	33	12	1267.64	0.0041	30.6
2062000	BIG OTTER RIVER NEAR ALTAVI	372.00	1930	1936	7	12.4	37	11	5	79	16	45	540.00	0.0029	41.4
2061000	BIG OTTER RIVER NEAR BEDFOR	116.00	1944	1960	17	15.6	37	21	50	79	25	10	647.16	0.0036	44.3
1619500	ANTIETAM C NR SHARPSBURG, M	281.00	1929	1987	59	13.4	39	27	1	77	43	52	311.00	0.0035	60.4
1637500	CATOCTIN C NR MIDDLETOWN, M	66.90	1948	1987	40	15.3	39	25	35	77	33	25	385.00	0.0036	30.6
1614500	CONOCOCHIEGUE C AT FAIRVIEW	494.00	1929	1987	59	16.2	39	42	29	77	50	0	391.77	0.0036	37.4
1619500	ANTIETAM C NR SHARPSBURG, M	281.00	1929	1987	59	13.4	39	27	1	77	43	52	311.00	0.0035	60.4
1619000	ANTIETAM C NR WAYNESBORO, P	93.50	1949	1981	19	17.1	39	42	59	77	36	28	550.64	0.0037	55.7
1637500	CATOCTIN C NR MIDDLETOWN, M	66.90	1948	1987	40	15.3	39	25	35	77	33	25	385.00	0.0036	30.6
1614500	CONOCOCHIEGUE C AT FAIRVIEW	494.00	1929	1987	59	16.2	39	42	29	77	50	0	391.77	0.0036	37.4
1609500	SAWPIT RN NR OLDTOWN, MD	5.08	1948	1958	11	11.2	39	32	50	78	33	20	574.06	0.0029	12.9
1610155	SIDELING HILL C NR BELLEGRO	102.00	1968	1977	10	16.2	39	38	58	78	20	40	440.41	0.0035	18.9
1609000	TOWN C NR OLDTOWN, MD	148.00	1929	1981	21	14.6	39	33	12	78	33	19	550.00	0.0038	25.7
1601500	WILLS C NR CUMBERLAND, MD	247.00	1930	1987	58	18.1	39	40	7	78	47	18	640.89	0.0038	26.7
1637000	L CATOCTIN C AT HARMONY, MD	8.83	1948	1968	12	15.4	39	28	55	77	32	20	540.00	0.0040	35.8
1612500	L TONOLOWAY C NR HANCOCK, M	16.90	1948	1963	16	12.3	39	42	45	78	13	55	457.51	0.0033	17.3
1617800	MARSH RUN AT GRIMES, MD	18.90	1964	1987	24	9.0	39	30	53	77	46	38	360.00	0.0030	63.0

Region 4. Mid-Atlantic Coastal Plains

I.D.	Station Description	Area	From	To	P.	R.O	Latitude	Longitude	Ele.	Slope	BF
1573086	BECK CREEK NEAR CLEONA, PA.	7.87	1964	1980	17	14.9	40 19 24	76 29 0	414.77	0.0040	58.1
1578400	BOWERY RUN NEAR QUARRYVILLE	5.98	1963	1980	18	18.5	39 53 41	76 6 50	468.08	0.0031	52.4
1481000	BRANDYWINE CREEK AT CHADDS	287.00	1912	1983	63	18.8	39 52 9	75 35 35	150.45	0.0037	51.6
1465790	BYBERRY CREEK AT CHALFONT R	5.34	1966	1978	13	22.1	40 5 1	74 58 57	46.84	0.0025	26.9
1465795	BYBERRY CREEK AT GRANT AVE.	7.13	1965	1970	6	16.1	40 3 45	74 59 47	26.17	0.0030	27.4
1477000	CHESTER CREEK NEAR CHESTER,	61.10	1932	1986	55	19.7	39 52 3	75 24 31	23.41	0.0037	49.9
1475530	COBBS CR AT U.S. HGHWY NO.	4.78	1965	1981	17	20.7	39 59 29	75 16 49	121.76	0.0030	42.8
1475540	COBBS CR BLW INDIAN CR NR U	9.65	1965	1972	8	18.9	39 57 52	75 15 31	73.69	0.0028	39.1
1475550	COBBS CREEK AT DARBY, PA.	22.00	1965	1986	22	19.0	39 55 2	75 14 52	11.93	0.0032	27.7
1574500	CODORUS CREEK AT SPRING GRO	75.50	1930	1986	56	13.8	39 52 43	76 51 13	436.50	0.0031	43.1
1575500	CODORUS CREEK NEAR YORK, PA	222.00	1941	1986	46	13.5	39 56 46	76 45 20	356.39	0.0032	40.7
1576500	CONESTOGA RIVER AT LANCASTE	324.00	1929	1986	56	16.3	40 3 0	76 16 39	245.63	0.0037	43.7
1614090	CONOCOCHIEGUE CREEK NEAR FA	5.05	1961	1980	20	19.8	39 55 48	77 26 23	1132.76	0.0047	39.6
1570200	CONODOGUINET CR. TRIB. NO.	0.76	1971	1976	6	21.5	40 17 21	76 58 35	99999.99	0.0035	22.2
1570230	CONODOGUINET CR. TRIB. NO.	0.70	1971	1976	6	21.6	40 17 44	76 57 55	99999.99	0.0032	21.0
1570260	CONODOGUINET CR. TRIB. NO.	0.65	1971	1976	6	21.7	40 17 47	76 57 51	99999.99	0.0042	23.6
1570100	CONODOGUINET CREEK TRIB NO.	0.77	1970	1976	7	19.5	40 17 27	76 59 38	418.56	0.0035	23.6
1570300	CONODOGUINET CREEK TRIB NO.	0.38	1970	1976	7	21.9	40 18 5	76 56 57	416.56	0.0035	17.4
1476000	CRUM CR AT WOODLYN, PA.	33.30	1932	1937	6	12.6	39 52 45	75 21 0	99999.99	0.0032	29.5
1475850	CRUM CR NR NEWTOWN SQUARE,	15.80	1982	1986	5	18.9	39 58 37	75 26 10	225.75	0.0034	47.7
1475300	DARBY CREEK AT WATERLOO MIL	5.15	1973	1986	14	24.2	40 1 21	75 25 20	310.00	0.0040	46.7
1475510	DARBY CREEK NEAR DARBY, PA.	37.40	1965	1986	22	23.9	39 55 44	75 16 22	19.41	0.0035	48.6
1574800	E BR CODORUS CR TRIBUTARY N	5.17	1969	1975	7	23.1	39 48 57	76 37 59	680.00	0.0042	49.5
1480800	EAST BR BRANDYWINE CR AT DO	81.60	1959	1968	10	14.4	40 0 20	75 42 20	226.18	0.0031	45.7
1480700	EAST BR BRANDYWINE CR NR DO	60.60	1966	1985	20	20.6	40 2 5	75 42 32	270.00	0.0040	46.1
1480870	EAST BR BRANDYWINE CREEK BE	89.90	1973	1985	13	23.6	39 58 7	75 40 25	99999.99	0.0040	46.2
1467089	FRANKFORD CREEK AT TORRESDA	33.80	1966	1981	16	23.0	40 0 25	75 5 33	1.08	0.0033	27.5
1472157	FRENCH CREEK NEAR PHOENIXVI	59.10	1969	1985	17	21.2	40 9 5	75 36 6	160.00	0.0036	42.5
1471980	MANATAWNY CREEK NEAR POTTST	85.50	1975	1985	11	21.7	40 16 22	75 40 49	150.00	0.0040	44.3
1472174	PICKERING CREEK NEAR CHESTE	5.98	1968	1983	16	23.9	40 5 22	75 37 50	280.00	0.0044	46.2
1472198	PERKIDOMEN CR AT EAST GREENV	38.00	1982	1986	5	22.4	40 23 38	75 30 57	288.50	0.0038	38.8
1472199	NW BR PERKIDOMEN CR AT HILLE	23.00	1982	1986	5	23.3	40 22 26	75 31 22	290.00	0.0037	34.9
1472500	PERKIDOMEN CREEK NEAR FREDER	152.00	1900	1913	14	21.6	40 16 30	75 27 20	140.00	0.0034	25.1
1473000	PERKIDOMEN CREEK AT GRATERFO	279.00	1915	1986	72	19.0	40 13 46	75 27 7	112.66	0.0033	25.7
1473870	PINE RUN TR NR AMBLER PA	1.18	1974	1978	5	17.6	40 8 56	75 10 50	99999.99	0.0038	25.8
1475545	NAYLOR CREEK AT WEST CHESTE	1.10	1973	1978	6	21.8	39 58 13	75 18 11	99999.99	0.0027	32.5
1476030	LITTLE CRUM CREEK AT MICH.	1.15	1972	1978	7	16.8	39 53 42	75 20 19	40.00	0.0029	33.9
1571000	PAXTON CREEK NEAR PENBROOK,	11.20	1941	1986	12	17.7	40 18 30	76 51 0	350.00	0.0031	22.7
1576788	PEQUEA CREEK TRIBUTARY NEAR	0.20	1980	1985	5	22.5	39 53 27	76 18 13	99999.99	0.0048	36.9
1577500	MUDDY CREEK AT CASTLE FIN,	133.00	1929	1971	13	16.0	39 46 21	76 18 58	175.42	0.0033	54.7
1467042	PENNYPACK CREEK AT PINE RD.	37.90	1965	1981	17	24.1	40 5 23	75 4 10	80.41	0.0039	42.5
1467045	PENNYPACK CREEK BELOW VEREE	42.80	1965	1970	6	17.6	40 5 4	75 3 34	67.26	0.0028	41.9
1467048	PENNYPACK CR AT LOWER RHAWN	49.80	1966	1985	20	25.3	40 3 0	75 1 59	21.27	0.0036	37.5
1480675	MARSH CREEK NEAR GLENMOORE,	8.57	1967	1985	19	20.4	40 5 52	75 44 31	450.00	0.0039	36.1
1480680	MARSH CREEK NR LYNDLELL, PA.	17.80	1961	1969	9	15.0	40 3 58	75 43 38	320.00	0.0036	33.2
1480685	MARSH CREEK NEAR DOWNINGTOW	20.30	1974	1985	12	20.9	40 3 19	75 43 0	280.00	0.0042	34.1
1465798	POQUESSING C AT GRANT AVE,	21.40	1966	1985	20	21.2	40 3 25	74 59 8	2.68	0.0028	24.4
1465780	POQUESSING CR ABOVE BYBERRY	13.20	1965	1970	6	14.6	40 4 10	74 58 33	17.26	0.0023	27.2
1465770	POQUESSING CREEK AT TREVOSE	5.08	1965	1981	17	19.7	40 7 55	74 59 40	120.00	0.0030	31.6
1476500	RIDLEY CREEK AT MOYLAN, PA.	31.90	1932	1954	23	18.4	39 54 10	75 23 35	87.36	0.0037	50.0
1467084	ROCK CR ABV CURTIS ARBORETU	1.15	1972	1978	7	29.2	40 4 54	75 9 3	99999.99	0.0031	31.3
1473120	SKIPPACK CREEK NEAR COLLEGE	53.70	1967	1985	19	20.2	40 9 52	75 26 1	99.03	0.0034	19.9
1575000	SOUTH BRANCH CODORUS CREEK	117.00	1928	1986	59	13.1	39 55 14	76 44 57	373.03	0.0035	36.0
1573560	SWATARA CREEK NEAR HERSHEY,	483.00	1976	1986	11	22.4	40 17 54	76 40 5	99999.99	0.0039	32.2
1467083	TACONY CR NR JENKINTOWN, PA	5.25	1974	1978	5	25.2	40 5 8	75 8 8	99999.99	0.0037	41.9

1467086	TACONY CREEK AT COUNTY LINE	16.60	1966	1985	20	22.1	40	2	33	75	6	47	61.11	0.0037	40.3
1460000	TOHICKON CREEK AT POINT PLE	107.00	1902	1913	12	24.3	40	25	25	75	4	0	70.00	0.0038	12.5
1459500	TOHICKON CREEK NEAR PIPERSV	97.40	1936	1986	51	20.4	40	26	1	75	7	1	258.96	0.0030	13.9
1471000	TULPEHOCKEN CREEK NEAR READ	211.00	1951	1985	35	19.9	40	22	8	75	58	46	216.60	0.0040	45.7
1480500	W BR BRANDYWINE CR AT COATE	45.80	1944	1985	23	19.9	39	59	8	75	49	40	305.00	0.0036	45.3
1465785	WALTON RUN AT PHILADELPHIA,	2.17	1965	1978	14	21.2	40	5	22	74	59	37	75.49	0.0027	19.3
1480300	WEST BR BRANDYWINE CREEK NE	18.70	1961	1986	26	18.9	40	4	22	75	51	40	591.20	0.0031	43.4
1480617	WEST BRANCH BRANDYWINE CREE	55.00	1971	1986	16	22.7	39	57	42	75	48	6	265.00	0.0041	49.0
1473950	WISSAHICKON CR AT BELLS MIL	53.60	1966	1981	16	21.1	40	4	50	75	13	35	108.58	0.0037	39.8
1473900	WISSAHICKON CR AT FORT WASH	40.80	1962	1968	7	15.0	40	7	26	75	13	13	140.70	0.0026	35.3
1473980	WISSAHICKON CR AT LIVEZEY L	59.20	1966	1970	5	15.7	40	2	59	75	12	52	78.55	0.0028	39.4
1474000	WISSAHICKON CREEK AT MOUTH,	64.00	1966	1986	21	21.7	40	4	45	75	13	43	26.41	0.0035	40.0
1467049	WOODEN BRIDGE RUN AT GRANT	1.06	1974	1978	5	20.7	40	4	36	75	1	19	99999.99	0.0018	17.5
1467050	WOODEN BRIDGE RUN AT PHILA.	3.35	1966	1981	16	23.6	40	3	19	75	1	22	29.69	0.0028	20.5
1571500	YELLOW BREECHES CREEK NEAR	216.00	1911	1986	41	18.4	40	13	29	76	53	54	307.49	0.0037	58.5
1484270	BEAVERDAM C NR MILTON DE	6.10	1972	1980	9	27.3	38	45	41	75	16	3	0.91	0.0038	75.2
1483200	BLACKBIRD C AT BLACKBIRD DE	3.85	1957	1987	31	16.5	39	21	58	75	40	10	18.89	0.0039	39.1
1481500	BRANDYWINE C AT WILMINGTON	314.00	1967	1987	41	20.7	39	46	9	75	34	25	68.23	0.0041	49.4
1478000	CHRISTINA R AT COOCHS BRIDG	20.50	1944	1987	44	18.7	39	38	16	75	43	46	25.60	0.0030	26.7
1478040	CHRISTINA R NR BEAR DE	40.60	1979	1982	4	17.0	39	38	12	75	40	53	99999.99	0.0033	25.3
1480100	L MILL C AT ELSMERE DE	6.70	1964	1980	17	20.5	39	44	5	75	35	14	48.62	0.0031	26.0
1483500	LEIPSIC R NR CHESWOLD DE	9.35	1932	1957	16	15.5	39	13	58	75	37	57	18.00	0.0034	52.8
1484000	MURDERKILL R NR FELTON DE	13.60	1961	1985	25	18.3	38	58	33	75	34	3	21.87	0.0039	42.6
1487000	NANTICOKE R NR BRIDGEVILLE,	75.40	1944	1987	44	16.3	38	43	45	75	33	41	13.64	0.0043	57.1
1480000	RED CLAY C AT WOODDALE DE	47.00	1944	1987	44	18.4	39	45	52	75	38	8	81.46	0.0035	51.0
1477800	SHELLPOT C AT WILMINGTON DE	7.46	1947	1987	41	17.5	39	45	39	75	31	10	15.16	0.0025	17.4
1484300	SOWBRIDGE B NR MILTON DE	7.08	1957	1978	22	19.4	38	48	51	75	19	39	3.43	0.0046	62.4
1483700	ST JONES R AT DOVER DE	31.90	1959	1987	29	15.6	39	9	49	75	31	10	0.50	0.0040	34.2
1484500	STOCKLEY B AT STOCKLEY DE	5.24	1944	1987	44	17.8	38	38	19	75	20	31	24.54	0.0044	52.7
1487500	TRAP P OUTLET NR LAUREL DE	16.70	1952	1971	20	13.0	38	31	40	75	28	58	20.00	0.0043	38.5
1478500	WHITE CLAY C AB NEWARK DE	66.70	1953	1979	24	17.7	39	42	50	75	45	35	78.60	0.0033	51.7
1479000	WHITE CLAY C NR NEWARK DE	89.10	1932	1987	47	17.3	39	42	0	75	41	10	11.60	0.0034	49.8
1484100	BEAVERDAM B AT HOUSTON DE	2.83	1959	1987	29	17.4	38	54	20	75	30	49	35.67	0.0046	57.3
1410500	ABSECON CREEK AT ABSECON NJ	17.90	1947	1984	38	14.2	39	25	45	74	31	16	123.45	0.0040	43.6
1483000	ALLOWAY CREEK AT ALLOWAY NJ	20.30	1953	1972	20	15.8	39	33	55	75	21	35	13.96	0.0037	36.1
1464000	ASSUNPINK CREEK AT TRENTON	90.60	1924	1986	63	19.3	40	13	27	74	44	58	24.76	0.0037	40.6
1463620	ASSUNPINK CREEK NEAR CLARKS	34.30	1973	1981	9	21.2	40	16	11	74	40	20	49.28	0.0048	49.3
1398045	BACK BROOK TRIBUTARY NEAR R	1.98	1978	1986	9	29.8	40	25	41	74	49	52	99999.99	0.0038	11.7
1400932	BALDWIN CREEK AT BALDWIN LA	2.52	1963	1970	8	14.7	40	20	26	74	46	48	150.00	0.0029	14.5
1409500	BATSTO RIVER AT BATSTO NJ	67.80	1928	1986	58	24.6	39	38	33	74	39	0	1.40	0.0040	62.2
1409000	CEDAR CREEK AT LANOKA HARBO	55.30	1933	1971	27	26.4	39	52	3	74	10	10	0.00	0.0056	44.5
1412800	COHANSEY RIVER AT SEELEY NJ	28.00	1978	1986	9	17.9	39	28	21	75	15	21	26.90	0.0032	66.3
1467150	COOPER RIVER AT HADDONFIELD	17.00	1964	1986	23	28.6	39	54	11	75	1	19	9.29	0.0042	51.7
1464500	CROSSWICKS CREEK AT EXTONVI	81.50	1941	1986	45	22.4	40	8	15	74	36	2	24.94	0.0036	47.0
1406000	DEEP RUN NR BROWNTOWN NJ	8.00	1933	1940	8	23.7	40	22	32	74	18	8	50.00	0.0051	36.9
1410150	EAST BRANCH BASS RIVER NEAR	8.11	1979	1986	8	25.2	39	37	23	74	26	30	99999.99	0.0044	72.0
1410810	FOURMILE BRANCH AT NEW BROO	7.74	1973	1979	7	23.6	39	41	47	74	56	25	101.04	0.0036	58.3
1410787	GREAT EGG HARBOR R TR AT SI	1.64	1973	1979	7	16.6	39	43	31	74	57	39	121.00	0.0036	30.9
1398000	NESHANIC R AT REAVILLE NJ	25.70	1931	1986	56	19.2	40	28	18	74	49	42	109.46	0.0033	17.0
1411000	GREAT EGG HARBOR RIVER AT F	57.10	1926	1986	61	20.5	39	35	42	74	51	6	53.32	0.0039	64.3
1400953	HONEY BRANCH NR PENNINGTON	0.70	1968	1974	7	24.3	40	21	27	74	45	58	92.57	0.0046	9.4
1407760	JUMPING BROOK NEAR NEPTUNE	6.46	1967	1986	20	21.4	40	12	13	74	3	58	13.76	0.0036	31.6
1405000	LAWRENCE BROOK AT FARRINGTO	34.40	1928	1986	59	15.3	40	27	0	74	27	5	25.73	0.0035	34.1
1405400	MANALAPAN BROOK AT SPOTSWO	40.70	1958	1986	29	21.5	40	23	22	74	23	27	0.00	0.0043	46.8
1408000	MANASQUAN RIVER AT SQUANKUM	44.00	1932	1986	55	23.2	40	9	47	74	9	21	18.82	0.0038	54.0
1475000	MANTUA C AT PITMAN NJ	6.05	1942	1976	35	25.9	39	44	14	75	6	53	68.51	0.0038	72.4
1407000	MATAWAN C AT MATAWAN NJ	6.11	1933	1955	22	22.5	40	24	56	74	13	58	13.98	0.0045	20.8
1405300	MATCHAPONIX BROOK AT SPOTSW	43.90	1958	1967	10	19.3	40	22	52	74	22	51	12.00	0.0033	41.0
1411500	MAURICE RIVER AT NORMA NJ	112.00	1933	1986	54	20.2	39	29	42	75	4	38	46.94	0.0044	63.2
1466000	MB MT MISERY BK IN LEBANON	2.82	1953	1965	13	9.3	39	55	0	74	30	30	99.71	0.0042	47.4
1466500	MCDONALDS BRANCH IN LEBANON	2.35	1954	1986	33	13.1	39	53	5	74	30	20	117.73	0.0029	76.5
1412000	MENANTICO CREEK NEAR MILLVI	23.20	1932	1984	33	21.9	39	25	12	74	58	0	36.63	0.0050	55.4
1401500	MILLSTONE R NR KINGSTON NJ	171.00	1934	1949	16	19.0	40	23	5	74	37	29	38.00	0.0037	32.4
1402000	MILLSTONE RIVER AT BLACKWEL	258.00	1925	1986	62	19.7	40	28	30	74	34	34	26.97	0.0037	30.2
1400730	MILLSTONE RIVER AT PLAINSB	65.80	1965	1975	11	20.5	40	19	27	74	36	51	53.41	0.0038	38.2

1409400	MULLICA RIVER NEAR BATSTO N	46.70	1958	1986	29	31.4	39	40	28	74	39	55	14.00	0.0050	51.5
1408120	NORTH BRANCH METEDECONK RIV	34.90	1973	1986	14	24.5	40	5	30	74	9	10	10.00	0.0039	55.7
1467000	NORTH BRANCH RANOCAS CREEK	118.00	1925	1986	62	19.8	39	58	10	74	41	5	31.19	0.0042	56.4
1477500	OLDMANS C NR WOODSTOWN NJ	18.50	1932	1940	9	21.3	39	41	27	75	19	9	13.00	0.0043	50.3
1410000	OSWEGO RIVER AT HARRISVILLE	72.50	1931	1986	56	16.3	39	39	47	74	31	26	4.62	0.0037	60.9
1409095	OYSTER CREEK NEAR BROOKVILL	7.43	1966	1984	19	52.4	39	47	54	74	15	2	24.74	0.0046	75.6
1401650	PIKE RUN AT BELLE MEAD NJ	5.36	1981	1986	6	21.4	40	28	5	74	38	57	58.86	0.0033	11.4
1410820	GREAT EGG HARBOR R NR BLUE	37.30	1973	1979	7	24.1	39	40	9	74	54	49	92.00	0.0036	56.8
1477120	RACCOON CREEK NEAR SWEDSBO	26.90	1967	1986	20	20.8	39	44	28	75	15	33	0.00	0.0037	55.9
1402600	ROYCE BROOK TRIBUTARY NEAR	1.20	1967	1986	14	27.7	40	29	56	74	39	5	67.66	0.0036	9.3
1482500	SALEM RIVER AT WOODSTOWN NJ	14.60	1943	1984	42	17.9	39	38	36	75	19	52	19.49	0.0037	58.6
1465850	SB RANOCAS C AT VINCENTOWN	64.50	1962	1975	14	20.2	39	56	22	74	45	50	13.17	0.0040	43.3
1407705	SHARK RIVER NEAR NEPTUNE CI	9.96	1967	1986	20	19.5	40	11	56	74	4	14	7.05	0.0038	29.5
1467081	SOUTH BRANCH PENNSAUKEN CRE	8.98	1968	1986	18	27.6	39	56	30	75	0	5	8.12	0.0036	38.2
1409810	WEST BRANCH WADING RIVER HE	84.10	1975	1986	12	22.9	39	41	17	74	32	54	10.17	0.0040	53.6
H165ENJ	WB COHANSEY RIVER AT SEELEY	2.58	1952	1967	16	9.5	39	29	6	75	15	33	42.23	0.0028	72.9
1409280	WESTCUNK CREEK AT STAFFORD	15.80	1974	1986	13	27.5	39	39	55	74	19	11	6.36	0.0040	72.1
1405500	SOUTH RIVER AT OLD BRIDGE N	94.60	1940	1986	47	20.3	40	24	22	74	22	8	0.00	0.0037	42.4
1476600	STILL RN NR MICKLETON NJ	3.98	1958	1966	9	17.6	39	47	19	75	15	27	99999.99	0.0042	55.2
1401000	STONY BROOK AT PRINCETON NJ	44.50	1954	1986	33	19.5	40	19	59	74	40	56	62.23	0.0034	16.9
1407500	SWIMMING RIVER NR RED BANK	49.20	1924	1986	63	18.3	40	19	10	74	6	55	30.00	0.0043	42.8
1406500	TENNENT BK NR BROWNTOWN NJ	5.25	1933	1941	9	11.8	40	24	57	74	19	8	10.00	0.0035	22.7
1408500	TOMS RIVER NEAR TOMS RIVER	123.00	1929	1986	58	23.7	39	59	10	74	13	29	8.10	0.0040	65.0
1411300	TUCKAHOE RIVER AT HEAD OF R	30.80	1971	1986	16	19.6	39	18	25	74	49	15	99999.99	0.0036	57.3
1639500	B PIPE C AT BRUCEVILLE, MD	102.00	1948	1987	40	14.7	39	36	45	77	14	10	340.00	0.0032	41.9
1590500	BACON RIDGE B AT CHESTERFIE	6.92	1943	1987	23	17.7	39	0	7	76	36	53	15.00	0.0033	55.0
1583580	BAISMAN RN AT BROADMOOR, MD	1.47	1965	1969	5	9.5	39	28	45	76	40	42	330.00	0.0029	62.9
1579000	BASIN RN AT LIBERTY GROVE,	5.31	1949	1958	10	17.3	39	39	30	76	6	10	220.00	0.0039	50.4
1492000	BEAVERDAM B AT MATTHEWS, MD	5.85	1951	1981	31	15.8	38	48	40	75	58	15	2.33	0.0035	24.9
1486500	BEAVERDAM C NR SALISBURY, M	19.50	1930	1975	40	16.7	38	21	5	75	34	11	8.93	0.0043	46.9
1650450	BEL PRE C AT LAYHILL, MD	1.69	1967	1974	8	17.4	39	5	27	77	3	11	350.00	0.0021	17.5
1643500	BENNETT C AT PARK MILLS, MD	62.80	1949	1987	31	15.0	39	17	40	77	24	30	240.00	0.0033	44.2
1495000	BIG ELK C AT ELK MILLS, MD	52.60	1933	1987	55	17.8	39	39	26	75	49	20	68.50	0.0036	50.2
1585400	BRIEN RN AT STEMMERS RUN, M	1.97	1959	1987	29	17.6	39	20	1	76	28	23	10.00	0.0022	22.4
1581500	BYNUM RN AT BEL AIR, MD	8.52	1945	1970	21	16.3	39	32	30	76	19	50	251.94	0.0028	31.5
1591500	CATTAIL C AT ROXBURY MILLS,	27.70	1945	1956	12	14.0	39	15	17	77	2	43	370.00	0.0028	54.8
1591400	CATTAIL C NR GLENWOOD, MD	22.90	1979	1987	9	14.8	39	15	27	77	3	13	400.00	0.0030	51.3
1661000	CHAPTICO C AT CHAPTICO, MD	10.40	1948	1972	25	13.0	38	22	45	76	46	56	15.00	0.0037	40.3
1490000	CHICAMACOMICO R NR SALEM, M	15.00	1952	1980	29	17.0	38	30	45	75	52	50	10.00	0.0038	50.4
1491000	CHOPTANK R NR GREENSBORO, M	113.00	1949	1987	39	15.6	38	59	50	75	47	10	3.51	0.0038	37.4
1594600	COCKTOWN C NR HUNTINGTOWN,	3.85	1958	1976	19	14.9	38	38	27	76	38	7	40.00	0.0044	44.9
1585500	CRANBERRY B NR WESTMINSTER,	3.29	1950	1987	38	14.2	39	35	35	76	58	5	670.00	0.0034	46.6
1589330	DEAD RN AT FRANKLINTOWN, MD	5.52	1960	1987	28	19.5	39	18	40	76	43	2	310.00	0.0024	17.0
1580000	DEER C AT ROCKS, MD	94.40	1927	1987	61	17.8	39	37	49	76	24	13	250.40	0.0034	58.7
1580200	DEER C NR KALMIA, MD	125.00	1968	1977	10	20.9	39	37	16	76	17	57	145.00	0.0036	59.9
1594400	DORSEY RN NR JESSUP, MD	11.60	1949	1958	10	17.0	39	7	15	76	47	0	120.00	0.0034	39.3
1589100	EB HERBERT RN AT ARBUTUS, M	2.47	1958	1987	30	18.0	39	14	24	76	41	33	45.00	0.0028	32.7
1489000	FAULKNER B AT FEDERALSBURG,	7.10	1951	1987	37	17.3	38	42	44	75	47	34	16.70	0.0044	43.1
1641500	FISHING C NR LEWISTOWN, MD	7.29	1948	1984	37	22.0	39	31	35	77	28	0	735.00	0.0051	41.4
1584000	GUNPOWDER FALLS NR CARNEY,	314.00	1950	1963	14	6.3	39	25	28	76	30	42	135.00	0.0034	28.0
1589300	GWYNNS FALLS AT VILLA NOVA,	32.50	1958	1987	30	16.1	39	20	45	76	44	1	361.32	0.0029	43.0
1589200	GWYNNS FALLS NR OWINGS MILL	4.90	1959	1975	17	14.6	39	26	16	76	46	57	520.00	0.0024	52.5
1591700	HAWLINGS R NR SANDY SPRING,	27.00	1979	1987	9	14.8	39	10	29	77	1	22	99999.99	0.0032	44.8
1653500	HENSON C AT OXON HILL, MD	16.70	1949	1978	30	16.1	38	47	16	76	58	42	62.00	0.0032	31.2
1641000	HUNTING C AT JIMTOWN, MD	18.40	1950	1987	38	19.8	39	35	40	77	23	50	355.00	0.0042	34.2
1640965	HUNTING C NR FOXVILLE, MD	2.14	1982	1987	6	20.9	39	37	10	77	28	0	1030.00	0.0038	23.2
1583100	PINEY RN AT DOVER MD	12.30	1983	1987	5	15.6	39	31	15	76	46	2	99999.99	0.0032	60.1
1588000	PINEY RN NR SYKESVILLE, MD	11.40	1932	1958	27	15.3	39	22	55	76	58	0	450.00	0.0033	51.1
1653600	PISCATAWAY C AT PISCATAWAY,	39.50	1966	1987	22	15.6	38	42	20	76	58	0	10.00	0.0038	31.4
1496200	PRINCIPIO C NR PRINCIPIO FU	9.03	1968	1987	20	18.7	39	37	34	76	2	27	215.00	0.0030	43.0
1489500	REWASTICO C NR HEBRON, MD	12.20	1951	1956	6	9.9	38	24	40	75	45	15	1.80	0.0035	54.7
1589500	SAWMILL C AT GLEN BURNIE, M	4.97	1945	1987	12	16.4	39	10	12	76	37	51	26.07	0.0026	64.5
1587500	SB PATAPSCO R AT HENRYTON,	64.40	1949	1980	32	15.8	39	21	5	76	54	50	289.15	0.0034	51.9
1645000	SENECA C AT DAWSONVILLE, MD	101.00	1931	1987	57	13.8	39	7	41	77	20	13	214.15	0.0029	47.9
1583000	SLADE RN NR GLYNDON, MD	2.09	1948	1981	34	15.6	39	29	40	76	47	45	420.00	0.0035	58.7

1494000	SOUTHEAST C AT CHURCH HILL,	12.50	1952	1956	5	13.7	39	7	57	75	58	51	20.00	0.0034	44.6
1661050	ST CLEMENT C NR CLEMENTS, M	18.50	1969	1987	19	15.0	38	20	0	76	43	31	8.00	0.0034	35.5
1594800	ST LEONARD C NR ST LEONARD,	6.73	1958	1968	11	14.8	38	26	57	76	29	43	5.00	0.0031	50.4
1661500	ST MARYS R AT GREAT MILLS,	24.00	1947	1987	41	13.5	38	14	36	76	30	13	10.00	0.0026	33.6
1585300	STEMMERS RN AT ROSSVILLE, M	4.46	1960	1987	27	19.8	39	20	28	76	29	17	21.64	0.0023	17.4
1491500	TUCKAHOE C NR RUTHSBURG, MD	85.20	1952	1956	5	15.0	38	58	0	75	56	35	99999.99	0.0041	44.9
1493000	UNICORN B NR MILLINGTON, MD	22.30	1949	1987	39	15.0	39	14	59	75	51	40	3.57	0.0038	49.0
1585200	WB HERRING RN AT IDLEWYLDE,	2.13	1958	1987	28	16.5	39	22	25	76	35	35	285.00	0.0024	27.4
1594500	WESTERN B NR LARGO, MD	30.20	1950	1975	26	14.5	38	52	34	76	47	54	46.50	0.0030	29.9
1583500	WESTERN RN AT WESTERN RUN,	59.80	1945	1987	43	15.6	39	30	38	76	40	37	262.78	0.0032	60.8
1585100	WHITEMARSH RN AT WHITE MARS	7.61	1960	1987	28	20.2	39	22	15	76	26	46	38.96	0.0026	23.5
1647685	WILLIAMSBURG RN NR OLNEY, M	2.25	1967	1974	8	16.9	39	8	32	77	5	48	390.00	0.0024	36.3
1581700	WINTERS C NR BEHSON, MD	34.80	1968	1987	20	20.4	39	31	12	76	22	24	195.00	0.0035	55.5
1640970	HUNTING C TR NR FOXVILLE, M	4.01	1982	1987	6	22.6	39	37	42	77	27	44	99999.99	0.0043	31.5
1494500	JACOBS C NR SASSAFRAS, MD	5.39	1952	1956	5	12.6	39	21	50	75	49	13	99999.99	0.0026	69.6
1589440	JONES FALLS AT SORRENTO, MD	25.20	1967	1987	21	17.5	39	23	30	76	39	42	240.00	0.0032	55.6
1495500	L ELK C AT CHILDS, MD	26.80	1949	1958	10	19.4	39	38	30	75	52	0	66.72	0.0034	42.8
1646550	L FALLS B NR BETHESDA, MD	4.10	1945	1978	31	11.1	38	57	27	77	6	31	169.32	0.0016	23.2
1584500	L GUNPOWDER FALLS AT LAUREL	36.10	1927	1970	44	16.7	39	30	18	76	25	56	261.43	0.0032	57.4
1593500	L PATUXENT R AT GUILFORD, M	38.00	1933	1987	55	15.2	39	10	4	76	51	7	260.00	0.0030	44.5
1594000	L PATUXENT R AT SAVAGE, MD	98.40	1940	1987	26	14.8	39	8	0	76	48	58	125.00	0.0031	48.0
1640000	L PIPE C AT AVONDALE, MD	8.10	1948	1956	9	16.8	39	33	40	77	2	38	525.00	0.0034	61.5
1642500	LINGANORE C NR FREDERICK, M	82.30	1935	1982	48	14.1	39	24	55	77	20	0	270.00	0.0033	43.0
1582000	LITTLE FALLS AT BLUE MOUNT,	52.90	1945	1987	43	17.4	39	36	16	76	37	16	305.00	0.0034	61.1
1584050	LONG GREEN C AT GLEN ARM, M	9.40	1976	1987	12	16.3	39	27	17	76	28	45	230.00	0.0035	58.3
1486000	MANOKIN B NR PRINCESS ANNE,	4.80	1952	1987	33	13.1	38	12	50	75	40	18	15.00	0.0038	30.7
1647725	MANOR RN NR NORBECK, MD	1.01	1967	1974	8	18.4	39	6	36	77	6	0	330.00	0.0022	32.8
1658000	MATTAWOMAN C NR POMONKEY, M	54.80	1951	1972	22	13.4	38	35	45	77	3	25	40.00	0.0036	24.5
1639000	MONOCACY R AT BRIDGEPORT, M	173.00	1943	1987	45	16.0	39	40	43	77	14	6	340.83	0.0028	17.0
1493500	MORGAN C NR KENNEDYVILLE, M	12.70	1952	1987	36	11.2	39	16	48	76	0	54	15.00	0.0021	47.3
1485500	NASSAWANGO C NR SNOW HILL,	44.90	1951	1987	37	16.3	38	13	44	75	28	19	12.29	0.0041	31.4
1586000	NB PATAPSCO R AT CEDARHURST	56.60	1946	1987	42	15.3	39	30	0	76	53	0	425.00	0.0034	51.9
1587000	NB PATAPSCO R NR MARRIOTTSV	165.00	1930	1960	31	12.6	39	21	56	76	53	6	269.78	0.0033	53.0
1586500	NB PATAPSCO R NR REISTERSTO	91.00	1928	1953	26	15.4	39	26	31	76	53	14	344.35	0.0034	54.8
1647720	NB ROCK C NR NORBECK, MD	9.73	1967	1977	11	16.5	39	6	59	77	6	9	320.00	0.0030	41.1
1647740	NB ROCK C NR ROCKVILLE, MD	12.50	1968	1977	10	17.5	39	6	9	77	7	12	270.00	0.0034	46.4
1649500	NE B ANACOSTIA R AT RIVERDA	72.80	1939	1987	49	15.7	38	57	37	76	55	34	12.68	0.0028	35.1
1590000	NORTH R NR ANNAPOLIS, MD	8.50	1933	1974	42	16.2	38	59	9	76	37	21	6.73	0.0035	58.4
1496000	NORTHEAST C AT LESLIE, MD	24.30	1949	1984	36	20.2	39	37	40	75	56	40	115.00	0.0031	34.6
1650085	NURSERY RN AT CLOVERLY, MD	0.35	1967	1974	8	18.3	39	7	5	77	0	24	400.00	0.0028	52.1
1650050	NW B ANACOSTIA R AT NORWOOD	2.45	1967	1974	8	16.3	39	7	36	77	1	15	360.00	0.0023	37.6
1650500	NW B ANACOSTIA R NR COLESVI	21.10	1924	1983	60	14.6	39	3	55	77	1	48	264.85	0.0028	42.8
1651000	NW B ANACOSTIA R NR HYATTSV	49.40	1939	1987	49	12.7	38	57	9	76	58	0	17.30	0.0024	31.0
1578500	OCTORARO C NR RISING SUN, M	193.00	1933	1977	34	17.9	39	41	24	76	7	43	73.77	0.0037	50.2
1640500	OWENS C AT LANTZ, MD	5.93	1932	1984	53	21.7	39	40	36	77	27	50	965.00	0.0046	32.1
1589000	PATAPSCO R AT HOLLOFIELD, M	285.00	1945	1987	43	9.8	39	18	36	76	47	34	190.00	0.0024	51.0
1594440	PATUXENT R NR BOWIE, MD	348.00	1978	1987	10	14.3	38	57	21	76	41	36	13.10	0.0027	46.4
1592000	PATUXENT R NR BURTONSVILLE,	127.00	1920	1944	25	13.2	39	7	47	76	55	4	232.79	0.0028	50.2
1592500	PATUXENT R NR LAUREL, MD	132.00	1945	1987	43	9.0	39	6	56	76	52	27	153.50	0.0028	40.6
1591000	PATUXENT R NR UNITY, MD	34.80	1945	1987	43	15.2	39	14	18	77	3	23	364.76	0.0033	49.0
2048000	BLACKWATER RIVER AT ZUNI, V	456.00	1943	1986	45	14.8	36	52	5	76	50	7	8.56	0.0049	33.7
2039000	BUFFALO CREEK NEAR HAMPDEN	69.70	1947	1986	41	13.1	37	15	25	78	29	12	339.19	0.0027	49.9
1657415	BULL RUN NEAR CLIFTON, VA	185.00	1973	1984	12	17.1	38	45	59	77	24	52	120.24	0.0030	22.8
1657000	BULL RUN NEAR MANASSAS, VA	148.00	1951	1981	31	14.4	38	47	52	77	27	28	138.76	0.0024	15.4
1661800	BUSH MILL STREAM NEAR HEATH	6.82	1964	1986	23	14.4	37	52	36	76	29	42	23.78	0.0041	43.8
2063000	CALDWELLS CREEK NEAR APPOMA	5.10	1955	1960	6	10.3	37	19	40	78	51	20	740.00	0.0023	50.6
1653000	CAMERON RUN AT ALEXANDRIA,	33.70	1956	1987	25	14.8	38	48	20	77	6	8	36.51	0.0028	24.7
1668500	CAT POINT CREEK NEAR MONTRO	45.60	1944	1986	44	13.3	38	2	23	76	49	38	2.93	0.0034	41.5
1655000	ACCOTINK CREEK NEAR ACCOTIN	37.00	1950	1956	7	14.2	38	45	15	77	12	9	121.00	0.0031	32.8
2042500	CHICKAHOMINY RIVER NEAR PRO	248.00	1943	1986	45	14.4	37	26	10	77	3	40	6.07	0.0041	37.4
2065500	CUB CREEK AT PHENIX, VA	98.00	1947	1986	41	13.5	37	4	45	78	45	50	370.19	0.0027	50.0
1656960	CUB RUN NEAR BULL RUN, VA	49.90	1973	1986	15	15.0	38	49	16	77	27	57	99999.99	0.0029	17.4
2043500	CYPRESS SWAMP AT CYPRESS CH	23.80	1954	1986	27	15.3	36	37	24	76	36	7	28.65	0.0040	14.4
1646000	DIFFICULT RUN NEAR GREAT FA	57.90	1936	1986	52	13.8	38	58	33	77	14	46	151.30	0.0028	45.8
1669520	DRAGON SWAMP AT MASCOT, VA	108.00	1982	1986	6	14.2	37	38	1	76	41	48	99999.99	0.0037	37.9

1669500	DRAGON SWAMP NEAR CHURCH VI	84.90	1944	1981	38	13.7	37	41	5	76	43	37	34.00	0.0040	42.5
2038000	FALLING CREEK NEAR CHESTERF	32.80	1956	1986	32	14.0	37	26	37	77	31	21	126.39	0.0036	34.0
2038500	FALLING CREEK NEAR DREWRY	54.00	1943	1963	20	14.3	37	27	40	77	28	0	60.00	0.0036	31.6
2063500	FALLING RIVER AT SPRING MIL	52.20	1955	1960	6	10.2	37	14	40	78	55	0	470.00	0.0021	50.6
2065000	FALLING RIVER NEAR BROOKNEA	228.00	1936	1941	6	17.0	37	4	54	78	56	7	378.69	0.0024	39.8
2064000	FALLING RIVER NEAR MARUNA,	173.00	1930	1986	51	11.6	37	7	36	78	57	36	412.32	0.0023	47.6
2036500	FINE CREEK AT FINE CREEK MI	22.10	1945	1986	43	12.5	37	35	52	77	49	12	156.59	0.0028	38.9
2052500	FOUNTAINS CREEK NEAR BRINK,	65.20	1954	1986	34	14.4	36	36	55	77	42	0	152.59	0.0033	25.4
2053000	FOUNTAINS CREEK NEAR EMPORI	96.00	1944	1953	10	14.0	36	38	10	77	35	10	98.00	0.0037	30.4
1652500	FOURMILE RUN AT ALEXANDRIA,	13.80	1952	1982	23	15.1	38	50	36	77	4	46	22.55	0.0024	26.5
2029500	HARDWARE RIVER NEAR SCOTTSV	104.00	1927	1938	12	15.7	37	50	24	78	28	28	308.50	0.0031	40.1
2038850	HOLIDAY CREEK NEAR ANDERSON	8.53	1967	1986	21	14.0	37	24	55	78	38	10	472.97	0.0028	46.5
1657655	HOES RUN NEAR OCCOQUAN, VA	3.97	1976	1982	7	15.6	38	40	48	77	17	25	125.00	0.0041	26.7
1668800	HOSKINS CREEK NEAR TAPPAHAN	15.50	1965	1986	22	14.5	37	55	38	76	57	16	34.30	0.0034	51.8
2077500	HYCO RIVER NEAR DENNISTON,	289.00	1930	1986	40	11.5	36	35	16	78	53	56	315.24	0.0026	26.0
2078000	HYCO RIVER NEAR OMEGA, VA	413.00	1935	1950	16	13.3	36	38	9	78	48	20	294.45	0.0027	22.1
1654500	LONG BRANCH NEAR ANNANDALE,	3.71	1948	1956	9	17.7	38	48	39	77	14	7	198.15	0.0033	37.7
1674000	MATTAPONI RIVER NEAR BOWLIN	257.00	1943	1986	45	12.6	38	3	42	77	23	10	85.14	0.0035	33.6
1671020	NORTH ANNA RIVER AT HART CO	463.00	1980	1986	8	11.2	37	51	0	77	25	41	99999.99	0.0025	36.5
1671000	NORTH ANNA RIVER NEAR DOSWE	441.00	1930	1986	58	11.8	37	53	15	77	29	15	55.66	0.0025	35.2
2050500	NORTH MEHERRIN RIVER NEAR K	9.20	1949	1961	13	13.9	37	3	5	78	25	20	475.00	0.0026	30.9
2051000	NORTH MEHERRIN RIVER NEAR L	55.60	1947	1986	40	13.0	36	59	50	78	21	0	333.70	0.0023	26.9
2044000	NOTTOWAY RIVER NEAR BURKEVI	38.70	1947	1986	41	13.5	37	4	40	78	11	50	354.58	0.0027	26.4
1656700	OCCOQUAN RIVER NEAR MANASSA	343.00	1969	1980	12	17.1	38	42	19	77	26	46	119.53	0.0031	19.1
1669000	PISCATAWAY CREEK NEAR TAPPA	28.00	1952	1986	36	15.5	37	52	37	76	54	3	2.50	0.0041	49.6
2066500	ROANOKE CREEK AT SAXE, VA	135.00	1947	1972	26	10.9	36	55	49	78	39	56	322.36	0.0023	35.9
1658500	S F QUANTICO CREEK NEAR IND	7.64	1952	1986	36	12.1	38	35	14	77	25	44	238.88	0.0031	25.2
2048500	SEACOCK CREEK AT UNITY, VA	102.00	1943	1949	7	12.6	36	49	15	76	53	0	9.22	0.0041	25.9
2030500	SLATE RIVER NEAR ARVONIA, V	226.00	1927	1986	60	13.6	37	42	10	78	22	40	238.78	0.0025	40.5
1644295	SMILAX BRANCH AT RESTON, VA	0.32	1968	1978	11	18.0	38	57	10	77	22	4	356.59	0.0038	20.1
1645784	SHAKEDEN BRANCH AT RESTON,	0.79	1974	1978	5	24.1	38	55	48	77	20	43	99999.99	0.0034	27.1
1672500	SOUTH ANNA RIVER NEAR ASHLA	394.00	1931	1986	57	12.6	37	47	48	77	32	57	83.74	0.0030	36.1
1644290	STAVE RUN AT RESTON, VA	0.05	1968	1971	4	10.8	38	56	57	77	22	18	380.87	0.0036	15.2
1644291	STAVE RUN NEAR RESTON, VA	0.08	1972	1981	10	20.2	38	56	56	77	22	16	367.25	0.0042	7.3
2046000	STONY CREEK NEAR DINWIDDIE,	112.00	1947	1986	41	13.7	37	4	1	77	36	10	129.94	0.0032	30.3
2042000	SWIFT CREEK NEAR CHESTER, V	143.00	1944	1949	6	14.8	37	18	55	77	29	40	65.00	0.0033	27.0
1673550	TOTOPOTOMY CREEK NEAR STUD	26.20	1978	1986	10	15.4	37	39	45	77	15	29	38.36	0.0037	45.0
1677000	WARE CREEK NEAR TOANO, VA	6.20	1980	1986	7	14.3	37	26	17	76	47	12	0.00	0.0047	51.7
2034500	WILLIS RIVER AT LAKESIDE VI	262.00	1927	1986	57	13.0	37	40	0	78	10	0	178.98	0.0026	35.8
1654000	ACCOTINK CREEK NEAR ANNANDA	23.50	1948	1986	40	15.8	38	48	46	77	13	43	190.91	0.0027	31.2
2046500	ANDERSON BRANCH AT SUSSEX,	5.35	1949	1956	8	8.9	36	55	10	77	15	45	96.00	0.0038	19.0
2039500	APPOMATTOX RIVER AT FARMVIL	303.00	1927	1986	61	12.8	37	18	25	78	23	20	281.93	0.0026	43.1
2047100	ASSAMOOSICK SWAMP NEAR SEBR	86.40	1983	1986	5	13.7	36	46	22	77	5	57	99999.99	0.0050	24.5
1670000	BEAVERDAM SWAMP NEAR ARK, V	6.63	1950	1986	37	14.7	37	28	14	76	33	48	36.43	0.0037	40.8

Region 5. Adirondacks

I.D.	Station Description	Area	From	To	P.	R.O	Latitude	Longitude	Ele.	Slope	BF
4262001	04262000 MINUS 50 CFS FOR E	263.00	1925	1968	44	23.8	44 13 25	75 4 35	99999.99	0.0047	25.2
4275000	E BR AUSABLE RIVER AT AU SA	198.00	1925	1986	62	21.5	44 26 20	73 40 55	545.37	0.0042	30.2
4275500	AUSABLE RIVER NEAR AU SABLE	448.00	1926	1968	43	19.6	44 27 5	73 38 35	505.65	0.0045	37.9
1329500	BATTEN KILL AT BATTENVILLE	394.00	1923	1968	46	23.8	43 6 5	73 25 55	369.09	0.0038	36.4
4268600	E BR ST. REGIS R NR MEACHAM	52.20	1959	1968	10	19.4	44 33 13	74 18 33	1547.86	0.0041	53.9
4257000	BEAVER R BLW STILLWATER DAM	171.00	1919	1986	67	31.0	43 53 56	75 3 8	99999.99	0.0046	18.6
4274500	BLACK BROOK AT BLACK BROOK	49.40	1925	1961	37	13.4	44 26 53	73 44 48	888.48	0.0040	38.8
1328000	BOND CREEK AT DUNHAM BASIN	14.70	1948	1982	35	16.5	43 18 25	73 32 55	140.30	0.0031	20.3
4276500	BOUQUET RIVER AT WILLSBORO	275.00	1924	1968	45	14.3	44 21 30	73 23 50	150.88	0.0037	36.9
1313500	CEDAR R BELOW CHAIN LAKES N	160.00	1931	1961	31	26.6	43 51 20	74 14 20	1540.00	0.0042	31.5
4269043	DEER RIVER AT NORTH LAURENC	78.00	1974	1978	5	31.0	44 47 57	74 40 24	99999.99	0.0045	37.6
1319000	EAST BRANCH SACANDAGA RIVER	114.00	1934	1977	44	25.7	43 28 25	74 13 25	1254.32	0.0040	21.4

1347500	EAST CANADA CREEK AT DOLGEV	258.00	1928	1946	19	34.1	43	6	5	74	46	12	750.00	0.0042	27.3
1348000	EAST CANADA CREEK AT EAST C	289.00	1947	1986	40	32.0	43	1	0	74	44	28	335.70	0.0045	11.0
4265100	ELM CREEK NEAR HERMON NY	32.60	1959	1968	10	17.5	44	26	15	75	12	49	539.41	0.0036	29.4
1330000	GLOWEGEE CREEK AT WEST MILT	26.00	1949	1962	14	18.7	43	1	50	73	55	40	407.22	0.0041	27.2
4265000	GRASS RIVER AT PYRITES NY	333.00	1925	1977	53	24.8	44	31	28	75	11	48	350.61	0.0041	38.9
1314000	HUDSON R AT GOOLEY, NEAR IN	419.00	1917	1968	52	26.4	43	49	55	74	11	45	1433.02	0.0043	30.7
1312000	HUDSON RIVER NEAR NEWCOMB N	192.00	1926	1986	60	28.2	43	58	0	74	7	55	1550.38	0.0044	30.1
1321000	SACANDAGA RIVER NEAR HOPE N	491.00	1915	1986	72	30.4	43	21	10	74	16	15	881.31	0.0042	27.6
4270000	SALMON RIVER AT CHASM FALLS	132.00	1926	1982	57	23.4	44	45	22	74	13	9	1011.52	0.0039	53.7
4273700	SALMON RIVER AT SOUTH PLATT	61.90	1966	1968	3	8.0	44	38	24	73	29	43	220.53	0.0037	47.4
4268700	ST. REGIS RIVER AT ST. REGI	234.00	1959	1968	10	21.5	44	40	21	74	32	54	1219.93	0.0043	50.7
4274000	W BR AUSABLE R NR LAKE PLAC	116.00	1920	1968	49	24.8	44	18	40	73	55	0	1620.76	0.0038	34.1
4268800	W BR ST. REGIS R NR PARISHV	171.00	1959	1968	10	22.5	44	35	55	74	44	15	971.64	0.0041	42.7
1344000	WEST CANADA CREEK AT HINCKL	375.00	1920	1958	39	35.7	43	18	20	75	7	10	1134.00	0.0049	59.0
4256485	WOODS LAKE OUTLET NR BIG MO	0.80	1978	1986	7	30.6	43	51	56	74	57	19	99999.99	0.0052	28.2
4264500	NORTH BRANCH GRASS RIVER NE	28.10	1925	1932	8	26.5	44	27	30	74	56	50	99999.99	0.0054	30.8
1316000	NORTH CREEK AT NORTH CREEK	21.90	1925	1932	8	24.7	43	41	52	73	59	4	99999.99	0.0032	24.8
4278300	NORTHWEST BAY BROOK NEAR BO	23.40	1966	1986	18	21.4	43	39	48	73	36	14	423.60	0.0043	26.3
4261000	OSWEGATCHIE RIVER AT CRANBE	140.00	1925	1982	58	28.5	44	13	15	74	51	0	1458.23	0.0050	59.3
4262000	OSWEGATCHIE RIVER NEAR OSWE	259.00	1925	1968	44	26.8	44	13	25	75	4	35	1016.52	0.0047	32.8
4253500	MIDDLE BRANCH MOOSE RIVER A	55.00	1925	1973	49	25.6	43	42	50	74	58	10	1690.63	0.0041	29.8
4254000	MIDDLE BRANCH MOOSE RIVER N	151.00	1926	1968	43	28.3	43	37	40	75	4	55	1530.29	0.0050	49.9
4254500	MOOSE RIVER AT MCKEEVER NY	363.00	1925	1970	46	29.9	43	36	36	75	6	35	1479.92	0.0048	42.2
1330500	KAYDEROSSERAS CREEK NR WEST	90.00	1928	1986	59	20.6	43	2	18	73	54	35	376.06	0.0038	39.0
9999995	INDIAN RIVER NEAR INDIAN LA	132.00	1925	1986	62	30.3	43	45	30	74	16	5	1604.23	0.0035	23.6
1323000	KENNYETTO CREEK NEAR BROADA	28.30	1940	1946	7	24.8	43	3	57	74	9	48	99999.99	0.0032	28.2
4279000	LA CHUTE AT TICONDEROGA NY	234.00	1943	1979	37	18.2	43	50	38	73	25	57	190.41	0.0045	38.3

Region 6. State of Maine

I.D.	Station Description	Area	From	To	P.	R.O	Latitude	Longitude	Ele.	Slope	BF				
1046000	AUSTIN STREAM AT BINGHAM, M	90.30	1932	1969	38	26.3	45	3	55	69	52	55	350.14	0.0041	22.0
1047000	CARRABASSETT RIVER NEAR NOR	353.00	1903	1987	66	28.2	44	52	9	69	57	20	303.30	0.0038	25.6
1059800	COLLYER BROOK NEAR GRAY, ME	13.80	1965	1982	18	27.0	43	55	3	70	19	2	180.00	0.0040	54.5
1021200	DENNYS RIVER AT DENNYSVILLE	92.90	1956	1986	31	28.4	44	54	3	67	14	56	54.78	0.0047	38.5
1022000	EAST MACHIAS RIVER NEAR EAS	251.00	1928	1958	31	27.5	44	46	5	67	24	30	34.90	0.0049	38.5
1054300	ELLIS RIVER AT SOUTH ANDOVE	130.00	1964	1982	19	26.1	44	35	37	70	44	1	620.00	0.0042	29.3
1024200	GARLAND BROOK NEAR MARIAVIL	9.79	1965	1982	18	31.0	44	43	17	68	24	40	125.00	0.0045	26.4
1049396	JOCK STREAM AT SOUTH MONMOU	13.70	1978	1983	6	26.2	44	11	4	69	59	48	169.00	0.0045	26.0
1049130	JOHNSON BROOK AT SOUTH ALBI	2.92	1981	1985	5	23.0	44	29	53	69	29	12	225.00	0.0038	18.5
1037000	KENDUSKEAG STREAM NEAR BANG	195.00	1909	1919	11	37.5	44	51	40	68	49	55	79.00	0.0052	23.9
1036500	KENDUSKEAG STREAM NEAR KEND	178.00	1942	1979	38	24.9	44	53	48	68	53	4	91.94	0.0040	20.0
1058500	LITTLE ANDROSCOGGIN RIVER N	328.00	1941	1982	42	23.6	44	3	49	70	16	28	215.00	0.0043	34.9
1057000	LITTLE ANDROSCOGGIN RIVER N	75.80	1914	1986	65	24.9	44	17	8	70	32	16	390.00	0.0039	25.9
1066500	LITTLE OSSIPEE RIVER NEAR S	168.00	1941	1982	42	23.5	43	41	22	70	40	15	273.84	0.0049	31.8
1021500	MACHIAS RIVER AT WHITNEYVIL	457.00	1906	1977	63	27.8	44	43	23	67	31	15	37.22	0.0042	32.7
1016500	MACHIAS RIVER NEAR ASHLAND,	329.00	1952	1983	32	23.7	46	37	42	68	26	7	535.00	0.0044	25.8
1017900	MARLEY BROOK NEAR LUDLOW, M	1.47	1965	1982	18	26.4	46	8	42	68	3	42	610.00	0.0044	20.6
1018000	MEDUXNEKEAG RIVER NEAR HOUL	175.00	1942	1982	41	23.3	46	6	17	67	52	0	333.92	0.0041	25.2
1049373	MILL STREAM AT WINTHROP, ME	32.70	1978	1987	10	23.0	44	18	24	69	58	18	176.42	0.0042	29.5
1031600	MORRISON BROOK NEAR SEBEC C	4.37	1965	1977	13	23.9	45	14	17	69	3	6	408.41	0.0038	25.5
1069500	MOUSAM RIVER NEAR WEST KENN	99.00	1940	1984	45	25.4	43	25	4	70	39	32	170.00	0.0048	21.1
1022500	NARRAGUAGUS RIVER AT CHERRY	227.00	1949	1987	39	29.9	44	36	29	67	56	10	44.20	0.0045	34.0
1055500	NEZINSCOT RIVER AT TURNER C	169.00	1942	1987	45	24.2	44	16	10	70	13	49	276.29	0.0041	30.4
1049300	NORTH BRANCH TANNING BROOK	0.93	1965	1983	19	29.5	44	21	0	69	51	7	210.00	0.0039	20.8
1065500	OSSIPEE RIVER AT CORNISH, M	452.00	1917	1987	70	26.5	43	48	26	70	47	55	276.10	0.0044	43.6
1035000	PASSADUMKEAG RIVER AT LOWEL	299.00	1916	1979	64	23.0	45	11	4	68	28	29	151.30	0.0039	41.3
1031500	PISCATAQUIS RIVER NEAR DOVE	298.00	1903	1985	83	27.6	45	10	31	69	18	55	358.06	0.0041	21.3
1022260	PLEASANT RIVER NEAR EPPING,	60.60	1981	1987	7	32.7	44	41	52	67	47	16	127.02	0.0042	39.7
1033500	PLEASANT RIVER NEAR NILO, M	324.00	1921	1979	59	29.8	45	16	58	69	0	13	302.00	0.0043	28.9

1064000	PRESUMSCOT RIVER AT OUTLET	441.00	1902	1987	86	19.8	43	49	3	70	27	1	0.00	0.0052	38.6
1060000	ROYAL RIVER AT YARMOUTH, ME	141.00	1950	1987	38	26.5	43	47	57	70	10	45	10.00	0.0036	28.9
1072500	SALMON FALLS RIVER NEAR SOU	147.00	1930	1969	40	21.8	43	19	40	70	55	40	179.60	0.0043	28.3
1033000	SEBEC RIVER AT SEBEC, ME	326.00	1925	1987	61	26.3	45	16	12	69	6	44	296.30	0.0042	34.1
1038000	SHEEPSHOT RIVER AT NORTH WH	145.00	1939	1986	48	23.4	44	13	23	69	35	38	101.05	0.0041	30.1
1018500	ST. CROIX RIVER AT VANCEBOR	413.00	1929	1987	59	23.7	45	34	8	67	25	47	367.75	0.0041	45.1
1055000	SWIFT RIVER NEAR ROXBURY, M	96.90	1930	1986	57	27.9	44	38	32	70	35	17	615.67	0.0042	23.3
1058005	THOMPSON LAKE OUTLET AT OXF	47.70	1977	1982	3	26.8	44	8	7	70	29	28	320.00	0.0048	41.0
1049550	TOGUS STREAM AT TOGUS, ME	23.70	1982	1987	5	24.7	44	15	57	69	41	55	131.00	0.0046	25.5
1023000	WEST BRANCH UNION RIVER AT	148.00	1910	1979	60	24.9	44	50	25	68	22	22	160.00	0.0042	30.0
1054200	WILD RIVER AT GILEAD, ME	69.60	1965	1987	23	36.1	44	23	26	70	58	46	683.10	0.0040	23.0
1047730	WILSON STREAM AT EAST WILTO	45.80	1978	1984	7	28.3	44	36	55	70	11	42	400.00	0.0046	25.0

Region 7. Ozark/Ouachitas

I.D.	Station Description	Area	From	To	P.	R.O	Latitude	Longitude	Ele.	Slope	BF
7361500	ANTOINE RIVER AT ANTOINE, A	178.00	1955	1986	32	20.9	34 2 20	93 25 5	229.33	0.0033	12.8
7196900	BARON FK AT DUTCH MILLS ARK	46.00	1959	1986	28	11.7	35 52 48	94 29 11	986.47	0.0021	19.1
7257000	BIG PINEY CREEK NEAR DOVER,	274.00	1951	1986	36	20.1	35 32 58	93 9 30	487.66	0.0037	17.6
7359910	CADDO RIVER AT DEGRAY REGUL	480.00	1968	1977	10	22.4	34 10 38	93 6 0	0.00	0.0023	21.5
7359800	CADDO RIVER NEAR ALPINE, AR	312.00	1939	1970	27	22.2	34 16 0	93 21 45	394.85	0.0032	19.2
7261000	CADRON CREEK NEAR GUY, ARK.	169.00	1955	1986	32	22.7	35 17 56	92 24 10	371.68	0.0041	17.5
7340500	COSSATOT RIVER NEAR DEQUEEN	360.00	1939	1980	42	23.3	34 2 45	94 12 42	335.48	0.0029	13.5
7340300	COSSATOT RIVER NEAR VANDERV	89.60	1968	1986	19	29.9	34 22 46	94 14 8	771.88	0.0028	17.3
7249500	COVE CREEK NEAR LEE CREEK,	35.30	1951	1970	20	14.6	35 43 20	94 24 28	850.07	0.0030	15.0
7260000	DUTCH CREEK AT WALTREAK, AR	81.40	1946	1975	30	15.8	34 59 15	93 36 45	371.48	0.0031	13.6
7261500	FOURCHE LAFAVE RIVER NR GRA	410.00	1940	1986	47	17.9	34 52 21	93 39 24	410.50	0.0030	15.1
7251500	FROG BAYOU AT RUDY, ARK.	216.00	1951	1970	20	15.1	35 31 32	94 16 18	475.08	0.0035	18.3
7251000	FROG BAYOU NEAR MOUNTAINBUR	74.20	1937	1961	25	18.0	35 39 37	94 8 56	800.00	0.0052	10.6
7256000	HURRICANE C NR CAULKSVILLE	53.00	1955	1969	15	12.5	35 20 49	93 51 44	352.60	0.0032	12.6
7363300	HURRICANE CR NR SHERIDAN, A	204.00	1962	1986	25	15.4	34 19 10	92 20 40	200.00	0.0028	15.4
7257500	ILLINOIS BAYOU NEAR SCOTTSV	241.00	1948	1970	23	20.6	35 27 58	93 2 28	447.54	0.0038	16.0
7249400	JAMES FORK NEAR HACKETT, AR	147.00	1959	1986	28	12.5	35 9 45	94 24 25	459.71	0.0029	16.3
7250000	LEE CR NR VAN BUREN ARK	426.00	1931	1986	42	16.0	35 29 40	94 26 58	408.04	0.0032	16.7
7361000	LITTLE MISSOURI RIVER NEAR	380.00	1929	1977	43	22.2	34 2 55	93 43 12	324.28	0.0027	12.0
7075000	MIDDLE FORK OF LITTLE RED R	302.00	1940	1984	45	20.9	35 39 10	92 19 10	483.12	0.0033	15.7
7362500	MORO CREEK NEAR FORDYCE, AR	240.00	1952	1983	32	13.5	33 47 32	92 19 30	160.63	0.0029	10.4
7360800	MUDDY FORK CREEK NEAR MURFR	121.00	1941	1959	15	20.3	34 4 59	93 45 7	337.29	0.0033	10.5
7252000	MULBERRY RIVER NEAR MULBERR	373.00	1939	1986	48	19.7	35 34 37	94 0 55	432.75	0.0036	18.3
7060710	NORTH SYLAMORE CREEK NR FIF	58.10	1967	1986	20	11.2	35 59 43	92 12 45	434.99	0.0017	23.4
7356000	OUACHITA RIVER NEAR MOUNT I	414.00	1942	1986	45	23.8	34 36 36	93 41 50	655.14	0.0033	18.1
7361200	OZAN CREEK NEAR MCCASKILL,	148.00	1962	1970	9	16.5	33 52 55	93 35 59	281.07	0.0023	9.1
7258500	PETIT JEAN RIVER NEAR BOONE	241.00	1939	1984	46	13.9	35 6 25	93 55 25	423.39	0.0028	11.4
7247000	POTEAU RIVER AT CAUTHRON, A	203.00	1940	1986	47	14.7	34 55 8	94 17 55	569.53	0.0024	10.4
7339500	ROLLING FORK NR. DE QUEEN,	182.00	1949	1980	32	21.8	34 2 51	94 24 47	318.24	0.0030	12.4
7341000	SALINE RIVER NEAR DIERKS, A	121.00	1939	1980	42	21.6	34 5 45	94 5 4	353.09	0.0032	12.6
7341200	SALINE RIVER NR LOCKESBURG,	256.00	1964	1986	23	21.2	33 57 43	94 3 40	300.00	0.0028	12.3
7255000	SIXMILE C AT CAULKSVILLE AR	104.00	1955	1969	15	12.4	35 18 5	93 51 15	356.16	0.0030	11.5
7254500	SIXMILE C SWS 2 NR CAULKSVI	5.81	1961	1969	9	12.1	35 15 49	93 49 52	490.00	0.0032	13.0
7255100	SIXMILE C SWS 23 NR BRANCH	4.49	1961	1969	9	10.9	35 21 22	93 59 0	400.00	0.0023	3.3
7252500	SIXMILE C SWS 6 NR CHISMVIL	4.23	1961	1970	10	12.3	35 12 30	93 52 55	576.67	0.0038	12.5
7253500	SIXMILE CREEK NR BRANCH, AR	36.70	1955	1969	15	12.3	35 14 55	93 58 28	422.77	0.0033	11.7
7254000	SIXMILE CREEK SUBWATERSHED	2.76	1961	1969	9	7.4	35 13 45	93 54 50	475.83	0.0039	10.3
7075300	SO FORK OF LITTLE RED RIV A	148.00	1962	1986	25	22.2	35 35 29	92 27 20	481.11	0.0040	18.4
7263000	SO FOURCHE LA FAVE RIV NR H	210.00	1942	1986	45	19.3	34 54 41	93 3 21	366.10	0.0029	10.6
7075500	SOUTH FORK LITTLE RED RIVER	316.00	1940	1961	22	25.0	35 34 0	92 23 0	430.02	0.0040	15.8
7356500	SOUTH FORK OUACHITA R AT MO	61.00	1950	1970	21	20.4	34 33 37	93 38 9	612.05	0.0025	15.6
7256500	SPADRA CREEK AT CLARKSVILLE	61.10	1953	1970	18	15.8	35 28 6	93 27 46	351.99	0.0031	18.0
7048000	WEST FORK WHITE RIVER AT GR	83.10	1946	1983	38	17.5	35 58 50	94 10 25	1232.00	0.0033	15.9
7197000	BARON FORK AT ELDON, OK	307.00	1949	1986	38	13.0	35 55 16	94 50 18	701.14	0.0025	28.3

7232010	BLUE CREEK NR BLOCKER, OK	12.10	1977	1982	6	10.5	35	2	26	95	34	21	99999.99	0.0012	3.9
7332400	BLUE RIVER AT MILBURN, OK	203.00	1966	1986	21	9.4	34	15	4	96	33	5	650.00	0.0021	46.6
7332500	BLUE RIVER NEAR BLUE, OK	476.00	1937	1986	50	8.5	33	59	49	96	14	27	503.36	0.0014	26.1
7249080	BRAZIL CREEK NEAR WALLS OK	69.10	1979	1985	4	13.9	35	1	21	94	56	39	99999.99	0.0023	8.6
7333500	CHICKASAW CREEK NR STRINGTO	32.70	1956	1968	13	12.6	34	27	41	96	1	36	540.26	0.0022	6.1
7332900	COAL CREEK NEAR LEHIGH OK	8.10	1978	1981	4	4.7	34	27	6	96	13	56	572.53	0.0011	2.3
7247500	FOURCHE MALINE RIVER NR RED	122.00	1939	1986	48	14.3	34	54	45	95	9	20	540.80	0.0024	9.2
7337900	GLOVER CREEK NR GLOVER, OK	315.00	1962	1986	25	19.8	34	5	51	94	54	7	378.70	0.0027	12.1
7335700	KIAMICHI RIVER NR BIG CEDAR	40.10	1966	1986	21	27.1	34	38	18	94	36	45	886.97	0.0033	12.4
7230500	LITTLE RIVER NR TECLUMSEN, O	456.00	1944	1986	43	3.7	35	10	25	96	55	55	898.52	0.0011	15.5
7333800	MCGEE CREEK NR STRINGTOWN,	86.60	1957	1968	12	14.1	34	26	33	95	52	10	623.18	0.0020	5.2
7231990	PEACEABLE CREEK NR HAILEYVI	134.00	1979	1982	4	8.3	34	51	7	95	39	15	600.66	0.0019	4.8
7245500	SALLISAW CREEK NR SALLISAW,	182.00	1943	1976	34	15.1	35	27	52	94	51	43	474.78	0.0026	16.5
7230800	SALT CREEK NR DEWRIGHT, OK	210.00	1960	1967	6	4.9	35	2	48	96	40	6	800.31	0.0018	13.7

APPENDIX 3.

LIST OF STATIONS FOR EACH PRE-CLUSTERS

(*) Remarks. I.D. : Identification for the pre-clusters
 Station I.D. : Unique station identification

I.D.	Station I.D.					
1	4269043	4265100	4265000	4268800	4264500	
2	4268600	4270000	4268700			
3	4275000	4275500	4274500	4273700	4274000	
4	4262001	4257000	4256485	4261000	4262000	
5	1313500	1314000	1312000			
6	4279000					
7	1344000	4253500	4254000	4254500		
8	1319000	1321000	9999995			
9	1328000	1316000	4278300			
10	4235500					
11	4245200	1508000	4240180	4239000		
12	1349000	1347500	1348000			
13	1323000					
14	1329500	1330000	1330500			
15	4233000	4234000	4235300	4232482		
16	1508500	1509150	1509000	1508803	1510000	1510500
17	1502000	1505500	1505000	1507500	1501500	1501000
	1500000	1501015				
18	1498500	1422599	1497500	1422000	1496500	1499000
	1422500					
19	1361500	1351000	1350355	1350101	1350180	1350000
	1361570	1350200	1350120	1350140		
20	3007800	3011800	3008000	3009680		
21	3010655					
22	1520000	1518500	1518700	1518000	1516350	
23	1517000	1531250	1514500	1530500	1516500	1517000
24	1532850	1514000				
25	1533800	1425500	1423500	1424500	1424000	1425000
	1426000	1425675				
26	1420500	1418500	1413500	1418000	1427500	1417500
	1417000	1416500	1415500	1415000	1422700	1423000
	1419500	1436000	1414000	1420000	1414500	
27	1365500	1362500	1362198	1435500	1436500	1435000
	1367500	1366500	1365000			
28	1372100	1364500	1372400	1364800	1372200	1372300
29	3017500					
30	3028500	3029000	3027500	3026500	1542810	3028000
31	1543000	1544000	1544500	1545000	1545600	
32	1549300	1549100	1549500	1549780		
33	1552000	1552500	1532000	1551000	1550000	
34	1533500	1537500	1537000	1534000		
35	1429500	1534300	1534500	1535500	1536000	1430000
	1431000	1533950	1429000			
36	1431500	1430500	1427650	1432500	1432000	1428000

	1437000	1433500				
37	1437500	1366650	1371000	1370000	1370500	1369000
	1369500	1368500	1374480			
38	1372065	1374440	1373500	1372800	1200000	1372500
	1372850					
39	3039000					
40	3031950	3034000	3034500	3035000	3036000	
41	1541500	1542000	1541303	1541200	1541000	
42	1547200	1547950	1546000	1547800	1547000	1547100
	1546500					
43	1547500	1547700	1555000	1553130	1553120	
44	1553700	1553600	1540000	1539000	1539500	1554500
	1553140	1553140				
45	1538500	1469500	1467470	1540200	1538000	
46	1450500	1448500	1452300	1441500	1447500	1447800
	1448000	1449360	1449800	1450000	1447720	1447680
	1449500					
47	1442500	1440400	1439500	1441000	1446600	1399525
	1446000	1455160	1440000	1399200	1399500	1399190
	1455500	1456000	1398500	1443500	1445000	1445500
	1455200	1443900	1399510			
48	1387400	1387250	1387420	1387450	1380000	1386500
	1379530	1385000	1393000	1378500	1391000	1377500
	1381900	1379500	1378690	1382500	1388500	1388000
	1387500	1384500	1380500	1381000	1390500	1391500
	1392500	9990002	9990003	9990004	1381500	1392210
	1383500	1384000				
49	9999919	3084500				
50	3041000	3042200	3040000	3043000	3042000	3038000
	3041000	3042200	3045000	3045500	3047000	3040000
	3042500	3042280				
51	1541308	1556500	1557000	1541308	1556500	1557000
52	1564500	1564000	1556000	1562500	1558000	1558500
	1559500	1557500	1556000	1562500	1558000	1558500
	1559500					
53	1567500	1566500	1565000	1565700	1569800	1568000
	1566000	1566500	1565000	1565700	1566000	
54	1573086	1570200	1570230	1570260	1570100	1570300
	1571000	1573560	1571500	1555500	1568500	1570200
	1570230	1570260	1570000	1570100	1570300	1555500
	1571000	1573500	1573160	1568700	1568750	1569000
	1573000	1573560	1571500			
55	1471000	1470000	1470720	1470756	1572000	1468500
	1470500	1467500	1470000	1470720	1470756	1572000
	1468500	1470500	1470779	1470960	1471000	
56	1471980	1472198	1472199	1472500	1473000	1452000
	1451800	1451500	1452500	1454500	1453500	1454000
	1451800	1472198	1472199	1451500	1452500	1454500
	1453500	1454000				
57	1460000	1459500	1464000	1463620	1398045	1400932
	1398000	1400953	1401500	1400730	1401650	1402600
	1401000	1398107	1400350	1396660	1457000	1400000

	1400300	1399700	1402590	1397000	1396500	1399690
	1396800	1396580	1397500	1460000	1459500	
58	1406000	1407760	1405000	1405400	1407000	1405300
	1402000	1407705	1405500	1407500	1406500	1404000
	1403900	1403535	1393500	1393450	1403500	1403400
	1379000	1394500	1395000	1400500	1396001	1396000
	1403150	1403540				
59	3073000					
60	3072000	3074000	3072590	3083000	3074300	3074500
	3072840					
61	3078500	3079000	3080000	3082200	3077500	3078000
	3078000					
62	1561000	1559700	3039200	1560000	1560500	1603500
	1601000	1601500	1561000	1559700	3039200	1560000
	1560500	1603500	1601000	1601500		
63	1613500	1613050	1614500	1614500	1612500	1613500
	1613050	1612500				
64	1614090	1639000	1640500	1619000	1614090	1619000
65	1574500	1575500	1574800	1575000		
66	1578400	1576500	1576788	1577500	1480500	1480300
	1578500					
67	1481000	1477000	1475530	1475540	1475550	1476000
	1475850	1475300	1475510	1480800	1480700	1480870
	1472157	1472174	1475545	1476030	1480675	1480680
	1480685	1476500	1473120	1480617	1473950	1473900
	1474000	1481500	1480100	1480000	1477800	1478500
	1479000	1477500	1477120	1476600		
68	1465790	1465795	1467089	1473870	1467042	1467045
	1467048	1465798	1465780	1465770	1467084	1467083
	1467086	1465785	1473980	1467049	1467050	1467150
	1410810	1410789	1410787	1475000	1409400	1467000
	1410820	1465850	1467081			
69	1409000	1464500	1408000	1466000	1466500	1408120
	1409095	1409810	1408500			
70	3114500					
71	3061500	3059000	3060500	3059500		
72	3070500	3069880	3062500			
73	1595300	1595800	1595200	1596000	1598500	1599500
	3076600	1597000	1599000	3076600	1597000	1599000
	1598000	1597500	1596500	1594934	3076500	3075500
	1594930	1595000	1594936	1595300	1595800	1595200
	1596000	1598500	1599500			
74	1608400	1610500	1609800	1604500	1609500	1610155
	1609000	1609500	1610155	1609000	1608400	1609800
	1604500					
75	1614000	9999912	1616500	1615000	1619500	1619500
	1617800					
76	1639500	1643500	1591500	1591400	1641500	1641000
	1640965	1639500	1643500	1591500	1591400	1641500
	1641000	1640965	1640970	1640000	1642500	1591000
	1637500	1637500	1637000			
77	1583580	1585400	1585500	1589330	1589100	1584000

	1589300	1589200	1591700	1583580	1585400	1585500
	1589330	1589100	1584000	1589300	1589200	1591700
	1583100	1588000	1589500	1587500	1583000	1585300
	1585200	1583500	1585100	1589440	1584500	1593500
	1582000	1584050	1586000	1587000	1586500	1589000
78	1579000	1495000	1581500	1580000	1580200	1579000
	1495000	1581500	1580000	1580200	1496200	1493000
	1581700	1495500	1493500	1496000		
79	1483200	1478000	1478040	1483500	1483700	1483000
	1412800	1482500	9990001	1494500		
80	1409500	1411000	1411500	1412000	1411300	
81	1410500	1410150	1410000	1409280		
82	3155500					
83	3152200	3152500	3155200	3153000	3195600	3152000
84	3052500	3195250	3051500	3053500	9999910	3052500
	3057500	3151400	3195250	3151520	3052000	3051500
85	3066000	3065000	9999911	9999915	9999916	9999917
	3050800	3068000	3068500	3068800	3050900	3063600
	3066000	3065000	9999911	9999915	9999916	9999917
	3050800	3068000	3068500	3069000	3068800	3050900
	3063600					
86	1608000	1608050	1605600	1606000	1608000	1608050
	1605600	1606000				
87	1610200	1634500	1635500	1635365	1632900	1633500
88	1656500	1661900	1643700	1636210	1662000	1662800
89	1650450	1650450	1645000	1647685	1646550	1647725
	1647720	1647740	1657415	1657000	1653000	1655000
	1656960	1646000	1652500	1657655	1654500	1656700
	1644295	1645784	1644290	1644291	1654000	1656650
	1656725					
90	1590500	1594400	1653500	1590500	1594400	1653500
	1653600	1594500	1594000	1649500	1590000	1650085
	1650050	1650500	1651000	1594440	1592000	1592500
91	1492000	1492000	1494000	1491500		
92	1484270	1484000	1487000	1484300	1484100	1491000
	1489000	1491000	1489000			
93	3201410					
94	3198500	3198550	3199400	3201000		
95	3189650	3190400	3196500	3189650	3190400	3191500
96	3189000	3187500	3186500	3195100	3194500	3195000
	3194700	3187000	3193830	3181200	3182000	3187300
	3189000	3187500	3186500	3195100	3194500	3195000
	3194700	3187000	3193830	3181200	3182000	3187300
97	3180500	3180500				
98	1607500	1605500	1625000	1624300	1632000	1622000
	1620500	1607500	1605500			
99	2032400	2032250	2031500	1662156	1627500	1628060
100	1663500	1665000	1667500	1666500		
101	1658000	1658500	1656100	1656000		
102	1661000	1594600	1661000	1594600	1661050	1594800
	1661500					
103	1490000	1490000				

104	1484500 1485500	1487500	1486500	1486500	1489500	1486000
105	3202750	3199300	3199000	3202245		
106	3184200	3190000	3184200	3190000	3185000	
107	3182700	3183000	3182950	3182700	3183000	3182950
108	2020500 2011800	2021000 2011400	2016000 2014000	2018000 2014500	2013000 2011500	2012500
109	2028000 1023500	2022500 2026500	2021500	2023000	2027500	1626500
110	2029500 2032500	2030500 2030500	2030000	2029500	2031000	2032515
111	2034500	1671500	1670300			
112	1674000	1671020	1671000	1672500	1673550	
113	1661800	1668500	1669520	1669500	1668800	1669000
114	3208700	3208800	3208850	3208900		
115	3208950	3207800	3207500	3209000	3208500	
116	3202400 3213500	3177700	3177710	3202480	3202400	3202490
117	3179500 3179000	3177000 3178500	3177500 3177000	3175500 3177500	3178000	3179500
118	2017500	2017000	2054500			
119	2018500	2019000	2055000	2055100	2056650	
120	2063000	2063500	2064000	2062000	2061000	
121	2039000	2038850	2039500			
122	2036500					
123	2042500	2038000	2038500	2042000		
124	1677000	1670000				
125	3526000 3489900	3527500	3530500	3529500	3531500	3531000
126	3524500	3488500	3489500	3478400	3477500	3523000
127	3474500 3473000	3473500 3472500	3474000	3475000	3488000	3471500
128	3167500	3166800	3168500	3167000		
129	3170000					
130	2056900	2058500				
131	2065000	2077500				
132	2065500	2078000	2050500	2051000	2066500	
133	2052500	2044000				
134	2053000	2046000	2046500	2047100		
135	2048000	2043500	2048500			
136	1016500	1017900	1018000	1018500		
137	1046000	1047000	1054300	1055000	1047730	
138	1049130 1033000	1037000	1036500	1031600	1031500	1033500
139	1021200 1022260	1022000 1023000	1024200	1021500	1022500	1035000
140	1059800 1069500 1072500	1049396 1055500 1058005	1058500 1049300 1054200	1057000 1065500	1066500 1064000	1049373 1060000
141	1038000	1049550				

APPENDIX 4.

DENDROGRAM FROM CLUSTERING

```

- - - - - TREE - - - - -
RESEMBLANCE MATRIX NAME : resm
TREE MATRIX NAME : tree
NODE COUNT OPTION :NO
COPHENETIC OPTION :NO
MINIMUM VALUE ON TREE :      0.0000
MAXIMUM VALUE ON TREE :      4.1130
- - - - - TREE - - - - -

```

```

+-----+-----+-----+-----+-----+-----+
0.000    0.623    1.246    1.870    2.493    3.116    3.739
131 --I
      -----I
132 --I      I
      -----I
128 -----I      I
      -----I
120 ----I      -----I
      ----I      I      I
121 ----I      I      I      I
      -----I      I
130 -----I      I
      -----I
118 -----I      I
      -----I      I
119 -----I      I
      -----I
87 -----I      I
      -I      I      I      I (A)
98 -----II      I      I      -----I
      -----I      I      I
108 -----I      I      I      I
      -----I      I      I
112 -----I      -----I      I      I
      I      I      I      I      I
122 -----I      I      I      I      I
      ----I      I      I      I      I
111 -----I      I      I      I      I
      -----I      I      I      I
110 -----I      I      I      I
      -----I
74 -----I      I      I
      -----I      I      I
86 -----I      I      I      I
      ----I      I      I
89 -----I      I      I      I
      ----I      I      I
101 -----I      -----I      I
      -----I
133 -----I      I
      -----I
77 ----I      I
      -----I
90 ----I      I      I
      -----I
75 -----I      I      I
      -----I
65 -----I      I      I      I

```

```

      ----I      I      I      I
76 -----I I      I      I      I
      ----I      I      I      I
100 -----I I I      I      I      I
      --I I      ----I      I      I
102 -----I ----I I I      I      I
      I I I I I I I I
88 -----I I I I I I I I
      --I I I I I I I I
91 -----I I I I I I I I
      I I I I I I I I
78 -----I ----I I I I I I
      ----I I I I I I I I
79 -----I I I I I I I I
      ----I I I I I I I I
66 -----I I I I (B) I I
      I I ----I I I I
67 -----I --I I I I I I
      ----I I I I I I I I
68 -----I I I I I I I I
      --I I I I I I I I
56 -----I I I I I I I I
      I I I I I I I I
104 -----I I I I I I I I
      --I I I I I I I I
124 -----I I I --I I I I
      --I I I I I I I I
92 -----I I I I I I I I
      ----I I I I I I I I
103 -----I I I I I I I I
      ----I I I I I I I I
113 -----I I I I I I I I
      I I I I I I I I
129 -----I I I I I I I I
      I I I I I I I I
70 ---I I I I I I I I
      ----I I I I I I I I
82 ---I I I I I I I I
      I I I I I I I I
71 ---I ----I I I I I I I I
      --I I I I I I I I
83 ---I I I I I I I I
      --I I I I I I I I
59 -----I I I I I I I I
      I I I I I I I I
107 -----I ----I I I I I I
      ----I I I I I I I I
117 -----I I I I I I I I
      I I I I I I I I
94 -----I I I I I I I I
      --I ----I I I I I I
105 -----I I I I I I I I
      --I I I I I I I I
115 -----I I I I I I I I
      --I I I I I I I I
93 -----I I I I I I I I
      I I I I I I I I
84 -----I I I I I I I I
      -I I I I I I I I
95 -----I I I I I I I I
      ----I I I I I I I I
96 -----I I I I I I I I
      ----I I I I I I I I
97 -----I I I (C) I I
      --I I I I I I I I

```

```

106 -----I      I      I      I
      -----I      I      I
72 -----I      I      I      I
      --I      I      I      I
85 -----I I      I      I      I
      -----I      I      I      I
61 -----I I      I      I      I
      --I      I      I      I
73 -----I      I      I      I
      I      I      I      I
99 -----I      I      I      I
      ----I      I      I      I
123 -----I I      I      I      I
      -----I      I      I      I
109 -----I      I      I      I
      -----I      I      I      I
134 -----I      I      I      I
      -----I      I      I      I
135 -----I      I      I      I
      I      I      I      I
126 -----I      I      I      I
      -----I      I      I      I
127 -----I      I      I      I
      I      I      I      I
114 -----I      I      I      I
      ----I      I      I      I
116 -----I I      I      I      I
      -----I      I      I      I
125 -----I      I      I      I
      I      I      I      I
45 ----I      I      I      I
      --I      I      I      I
46 ----I I      I      I      I
      ----I      I      I      I
47 -----I I      I      I      I
      ----I      I      I      I
43 -----I I      I      I      I
      --I      I      I      I
38 -----I I      I      I      I
      -----I      I      I      I
55 -----I I      I      I      I
      -----I      I      I      I
64 -----I      I      I      I
      I      I      I      I
42 -----I      I      I      I
      I      I      I      I
24 ----I      I      I      I
      ----I      I      I      I
25 ----I I      I      I      I
      ----I      I      I      I
17 -----I I I      I      I      I
      ----I I      I      I      I
18 -----I I      I      I      I
      I      I      I      I
57 -----I ----I      I      I      I
      ----I I I      I      I      I
58 -----I I I      I      I      I
      I I I      I      I      I
35 -----I --I I      I      I      I
      --I I I      I      I      I
37 -----I I I      I      I      I
      --I I      I      I      I
34 -----I I      I      I      I
      I      I      I      I
26 -----I      I      I      I

```

```

      -I      II      I      I      I
27 -----II      II      I      I      I
      ----I      II      I      I      I
48 -----I      I      II      I      I
      --I      II      I      I      I
16 -----I      I      II      I      I
      ----I-I      -----I      I      I
33 -----I      I      II      I      I      I      I      I
      ---I      II      I      I      I      I      I
36 -----I      II      I      I      I      I      I
      II      I      I      I      I      I
11 ----I      II      I      I      I      I      I
      -----I      II      I      I      I      I
15 ----I      I      II      I      I      I      I
      --I-----I      I      I      I      I      I
14 -----I      I      I      I      I      I      I
      ----I      I      I      I      I      I      I
28 -----I      I      I      I      I      I      I
      I      I      I      I      I      I      I
12 -----I      I      I      I      I      I      I
      ---I      I      -I      I      I      I      I
19 -----I      I      I      II      I      I      I
      -----I      II      I      I      I      I      I
8 -----I      II      I      I      I      I      I
      II      I      I      I      I      I
9 -----I      II      I      I      I      I      I
      -----I      I      I      I      I      I
13 -----I      I      I      I      I      I      I
      I      I      I      I      I      I
20 ----I      I      I      I      I      I      I
      ----I      I      I      I      I      I      I
29 ----I      I      I      I      I      I      I
      -----I      I      I      I      I      I      I
32 -----I      I      I      I      I      I      I
      I      I      I      I      I      I      I
53 -----I      I      I      I      I      I      I
      ---I      I      I      I      I      I      I
54 -----I      I      I      I      I      I      I
      -----I      I      I      I      I      I      I
52 -----I      I      I      I      I      I      I
      I      I      I      I      I      I      I
30 -----I      I      I      I      I      I      I
      ----I      I      I      I      I      I      I
51 -----I      I      -I      I      I      I      I
      --I      II      I      I      I      I      I
44 -----I      I      II      I      I      I      I
      I      II      I      I      I      I      I
31 -----I      --II      ---I      I      I      I      I
      --I      I      I      I      I      I      I
41 -----I      I      I      I      I      I      I
      ----I      I      I      I      I      I      I
21 -----I      I      I      I      I      I      I
      I      I      I      I      I      I      I
50 -----I      -----I      I      I      I      I      I
      -I      I      I      I      I      I      I
62 -----II      I      I      I      I      I      I
      --I      I      I      I      I      I      I
60 -----I      I      I      I      I      I      I
      -I      I      I      I      I      I      I
63 -----II      I      I      I      I      I      I
      -I      I      I      I      I      I      I
39 -----I      II      I      --I      I      I      I
      ----II      I      I      I      I      I      I
49 -----I      -----I      I      I      I      I      I
      I      I      I      I      I      I      I

```

APPENDIX 5.

CLUSTERING OUTPUT

	41	42	43	44	45	46	47	48	49	50
1	27.3000	49.5400	36.8400	31.0500	35.5800	37.3300	36.7900	30.6800	22.3500	24.9600
2	0.0039	0.0042	0.0044	0.0041	0.0044	0.0044	0.0043	0.0041	0.0038	0.0039
3147372.0000147479.0000147666.0000147717.0000147193.0000147453.0000147188.0000147448.0000145505.0000										
145605.0000										
4-282476.0000-280057.0000-278216.0000-275938.0000-273976.0000-272042.0000-269695.0000-267320.0000-28										
7063.0000-284846.0000										
	51	52	53	54	55	56	57	58	59	60
1	31.2000	29.8800	34.7600	32.4000	38.8500	42.2800	24.3300	28.3100	17.2000	26.9900
2	0.0041	0.0037	0.0038	0.0037	0.0041	0.0038	0.0037	0.0037	0.0033	0.0039
3146151.0000145724.0000145836.0000145235.0000145914.0000145802.0000145774.0000145862.0000143723.0000										
143740.0000										
4-282162.0000-281072.0000-278370.0000-276642.0000-273788.0000-271715.0000-269326.0000-267698.0000-28										
8262.0000-287304.0000										
	61	62	63	64	65	66	67	68	69	70
1	24.5700	25.6100	22.6500	39.9500	42.3300	46.6600	41.7900	37.8000	57.7000	13.8000
2	0.0045	0.0038	0.0039	0.0040	0.0035	0.0036	0.0035	0.0035	0.0041	0.0031
3143298.0000143721.0000143140.0000143189.0000143605.0000143669.0000143759.0000143897.0000143813.0000										
142110.0000										
4-285254.0000-282972.0000-281036.0000-278876.0000-276292.0000-274026.0000-271728.0000-270005.0000-26										
7646.0000-291590.0000										
	71	72	73	74	75	76	77	78	79	80
1	15.2200	20.4700	26.1600	21.0800	48.2000	41.1400	44.5200	48.3500	46.1600	60.4800
2	0.0034	0.0044	0.0043	0.0032	0.0031	0.0036	0.0030	0.0033	0.0034	0.0042
3141560.0000142246.0000141986.0000142147.0000141942.0000142028.0000141794.0000142462.0000142044.0000										
142171.0000										
4-289231.0000-287235.0000-285103.0000-282877.0000-280419.0000-278348.0000-276193.0000-274054.0000-27										
1893.0000-269544.0000										
	81	82	83	84	85	86	87	88	89	90
1	62.1500	14.1000	15.0000	19.0300	22.9300	24.0200	30.9500	34.9200	27.1100	41.9200
2	0.0040	0.0031	0.0033	0.0042	0.0045	0.0034	0.0033	0.0035	0.0029	0.0030
3142543.0000140830.0000140182.0000140052.0000140191.0000140147.0000140114.0000139687.0000140102.0000										
140389.0000										
4-268026.0000-292600.0000-291201.0000-289083.0000-287131.0000-284848.0000-282573.0000-280502.0000-27										
8169.0000-276678.0000										
	91	92	93	94	95	96	97	98	99	100
1	34.8200	50.6200	15.7000	21.6500	19.0200	19.9300	21.9000	33.1600	29.3500	41.2500
2	0.0036	0.0042	0.0036	0.0035	0.0042	0.0044	0.0040	0.0031	0.0037	0.0035
3140149.0000139842.0000138443.0000137800.0000137742.0000138200.0000138757.0000138543.0000137683.0000										
138373.0000										
4-273479.0000-272158.0000-294954.0000-294295.0000-291273.0000-289410.0000-287400.0000-284827.0000-28										
3050.0000-280880.0000										
	101	102	103	104	105	106	107	108	109	110
1	21.4800	41.4100	50.4000	43.1100	20.4800	19.7600	23.7000	30.5700	37.5800	40.7200
2	0.0031	0.0036	0.0038	0.0041	0.0037	0.0040	0.0034	0.0033	0.0038	0.0031
3138992.0000138377.0000138645.0000138200.0000136298.0000136321.0000136050.0000136391.0000136114.0000										
136452.0000										
4-278699.0000-275945.0000-273170.0000-271986.0000-294091.0000-291273.0000-289363.0000-287444.0000-28										
5058.0000-282479.0000										
	111	112	113	114	115	116	117	118	119	120
1	33.7000	37.2800	44.5200	25.4500	23.2000	28.7000	24.9900	37.5000	37.7800	46.9000
2	0.0029	0.0030	0.0038	0.0039	0.0035	0.0038	0.0033	0.0034	0.0032	0.0026
3136516.0000136266.0000136223.000013682.0000134078.0000134902.0000134935.0000134683.0000134583.0000										
134098.0000										
4-281085.0000-278718.0000-276361.0000-297323.0000-296208.0000-293684.0000-291341.0000-288511.0000-28										
7700.0000-284710.0000										
	121	122	123	124	125	126	127	128	129	130
1	46.5000	38.9000	32.5000	46.2500	25.8100	38.0800	39.9400	38.2200	53.0000	50.0000
2	0.0027	0.0028	0.0036	0.0042	0.0042	0.0039	0.0037	0.0027	0.0036	0.0028
3134375.0000135352.0000134691.0000134836.0000132208.0000132351.0000132364.0000133026.0000133335.0000										
133252.0000										
4-282614.0000-280152.0000-278590.0000-276030.0000-298192.0000-295873.0000-294067.0000-290963.0000-29										
0005.0000-286696.0000										
	131	132	133	134	135	136	137	138	139	140
1	32.9000	33.1600	25.9000	26.0500	24.6700	29.1800	25.0400	24.6000	35.1400	31.8900

2 0.0025 0.0025 0.0030 0.0039 0.0043 0.0043 0.0042 0.0042 0.0044 0.0043
 3132605.0000132980.0000132648.0000132656.0000132375.0000166002.0000161126.0000162114.0000161300.0000
 158343.0000
 4-284102.0000-282965.0000-280615.0000-278596.0000-276385.0000-244614.0000-252975.0000-248753.0000-24
 4422.0000-253521.0000
 141
 1 27.8000
 2 0.0044
 3159280.0000
 4-250727.0000

- - - - STANDARDIZED DATA MATRIX - - - -
 DATA MATRIX NAME : data
 STANDARDIZED DATA MATRIX NAME : stan
 STANDARDIZATION OPTION : 3
 STARTING ATTRIBUTE NUMB : 1
 ENDING ATTRIBUTE NUMBER : 4
 - - - - STANDARDIZED DATA MATRIX - - - -

	1	2	3	4
MIN.	13.8000	0.0025132208.0000-298192.0000		
MAX.	62.1500	0.0048166002.0000-244422.0000		
NOBS	141.0000	141.0000	141.0000	141.0000
MEAN	31.9521	0.0038144462.3901-277924.6879		
S.D.	10.0155	0.0005 8060.779210343.2623		

	1	2	3	4
1	0.3922	1.0533	1.9808	0.7823
2	2.0786	0.6497	2.0242	0.9893
3	0.5719	0.4479	1.9335	1.2198
4	0.0867	2.0623	1.7676	0.7655
5	-0.1180	1.0533	1.6776	1.0485
6	0.6338	1.4569	1.6593	1.3117
7	1.3257	1.8605	1.5345	0.7417
8	-0.7740	0.2462	1.5184	1.0258
9	-0.8139	-0.5610	1.5308	1.2144
10	0.7536	2.0623	1.2586	0.2097
11	0.1625	0.2462	1.2384	0.3692
12	-1.3361	0.2462	1.2895	0.8662
13	-0.3746	-1.1664	1.3119	1.0574
14	0.2244	0.2462	1.3078	1.1990
15	0.0427	0.0444	1.0864	0.2083
16	-0.2418	0.8515	1.0871	0.3939
17	-0.5673	0.0444	1.0766	0.6174
18	-0.4545	0.2462	1.0181	0.7782
19	-1.1804	0.6497	1.0352	0.9886
20	-0.4994	1.2551	0.7565	-0.4339
21	-0.3646	0.0444	0.8187	-0.3470
22	-0.8279	-0.3592	0.7963	0.0273
23	-1.2553	-0.5610	0.8037	0.1241
24	-1.0336	0.0444	0.8340	0.3697
25	-0.9407	0.0444	0.8731	0.6290
26	-0.3876	0.6497	0.8485	0.8105
27	0.0138	0.6497	0.7855	0.9608
28	0.0148	-0.1574	0.7785	1.1725
29	-0.4146	1.4569	0.6581	-0.6435
30	-0.2518	0.6497	0.6308	-0.4853
31	-0.8359	0.2462	0.5679	-0.2510
32	-0.5843	1.4569	0.6075	0.0138
33	-0.8459	0.8515	0.5735	0.1422
34	-0.4745	-0.1574	0.5675	0.4311
35	-0.1959	0.2462	0.6233	0.6038
36	-0.7131	1.0533	0.6170	0.7637
37	-0.3387	0.0444	0.5757	0.9822
38	0.5529	0.8515	0.6336	1.1696

39	-1.2632	0.2462	0.2643	-0.8041
40	-0.7880	0.6497	0.3531	-0.6767
41	-0.4645	0.2462	0.3610	-0.4400
42	1.7561	0.8515	0.3742	-0.2062
43	0.4880	1.2551	0.3974	-0.0282
44	-0.0901	0.6497	0.4038	0.1921
45	0.3622	1.2551	0.3388	0.3818
46	0.5370	1.2551	0.3710	0.5687
47	0.4830	1.0533	0.3381	0.7957
48	-0.1270	0.6497	0.3704	1.0253
49	-0.9587	0.0444	0.1293	-0.8835
50	-0.6981	0.2462	0.1417	-0.6692
51	-0.0751	0.6497	0.2095	-0.4097
52	-0.2069	-0.1574	0.1565	-0.3043
53	0.2804	0.0444	0.1704	-0.0431
54	0.0447	-0.1574	0.0958	0.1240
55	0.6887	0.6497	0.1801	0.3999
56	1.0312	0.0444	0.1662	0.6004
57	-0.7610	-0.1574	0.1627	0.8313
58	-0.3636	-0.1574	0.1736	0.9887
59	-1.4729	-0.9646	-0.0917	-0.9994
60	-0.4954	0.2462	-0.0896	-0.9068
61	-0.7371	1.4569	-0.1445	-0.7086
62	-0.6332	0.0444	-0.0920	-0.4880
63	-0.9288	0.2462	-0.1641	-0.3008
64	0.7986	0.4479	-0.1580	-0.0920
65	1.0362	-0.5610	-0.1064	0.1579
66	1.4685	-0.3592	-0.0984	0.3769
67	0.9823	-0.5610	-0.0873	0.5991
68	0.5839	-0.5610	-0.0701	0.7657
69	2.5708	0.6497	-0.0806	0.9938
70	-1.8124	-1.3682	-0.2918	-1.3212
71	-1.6706	-0.7628	-0.3601	-1.0931
72	-1.1464	1.2551	-0.2750	-0.9001
73	-0.5783	1.0533	-0.3072	-0.6940
74	-1.0855	-1.1664	-0.2872	-0.4788
75	1.6223	-1.3682	-0.3127	-0.2412
76	0.9174	-0.3592	-0.3020	-0.0409
77	1.2548	-1.5700	-0.3310	0.1674
78	1.6373	-0.9646	-0.2482	0.3742
79	1.4186	-0.7628	-0.3000	0.5832
80	2.8484	0.8515	-0.2843	0.8103
81	3.0151	0.4479	-0.2381	0.9570
82	-1.7824	-1.3682	-0.4506	-1.4188
83	-1.6926	-0.9646	-0.5310	-1.2836
84	-1.2902	0.8515	-0.5471	-1.0788
85	-0.9008	1.4569	-0.5299	-0.8901
86	-0.7920	-0.7628	-0.5354	-0.6694
87	-0.1001	-0.9646	-0.5395	-0.4494
88	0.2963	-0.5610	-0.5924	-0.2492
89	-0.4835	-1.7717	-0.5409	-0.0236
90	0.9952	-1.5700	-0.5053	0.1205
91	0.2863	-0.3592	-0.5351	0.4298
92	1.8639	0.8515	-0.5732	0.5575
93	-1.6227	-0.3592	-0.7468	-1.6464
94	-1.0286	-0.5610	-0.8265	-1.5827
95	-1.2912	0.8515	-0.8337	-1.2905
96	-1.2003	1.2551	-0.7769	-1.1104
97	-1.0036	0.4479	-0.7078	-0.9161
98	0.1206	-1.3682	-0.7343	-0.6673
99	-0.2598	-0.1574	-0.8410	-0.4955
100	0.9284	-0.5610	-0.7554	-0.2857
101	-1.0456	-1.3682	-0.6786	-0.0749
102	0.9443	-0.3592	-0.7549	0.1914
103	1.8419	0.0444	-0.7217	0.4597

104	1.1141	0.6497	-0.7769	0.5742
105	-1.1454	-0.1574	-1.0129	-1.5630
106	-1.2173	0.4479	-1.0100	-1.2905
107	-0.8239	-0.7628	-1.0436	-1.1059
108	-0.1380	-0.9646	-1.0013	-0.9203
109	0.5619	0.0444	-1.0357	-0.6897
110	0.8754	-1.3682	-0.9937	-0.4403
111	0.1745	-1.7717	-0.9858	-0.3055
112	0.5320	-1.5700	-1.0168	-0.0767
113	1.2548	0.0444	-1.0222	0.1512
114	-0.6492	0.2462	-1.3374	-1.8755
115	-0.8738	-0.5610	-1.2883	-1.7677
116	-0.3247	0.0444	-1.1860	-1.5236
117	-0.6951	-0.9646	-1.1819	-1.2971
118	0.5539	-0.7628	-1.2132	-1.0235
119	0.5819	-1.1664	-1.2256	-0.9451
120	1.4925	-2.3771	-1.2858	-0.6560
121	1.4525	-2.1753	-1.2514	-0.4534
122	0.6937	-1.9735	-1.1302	-0.2153
123	0.0547	-0.3592	-1.2122	-0.0643
124	1.4276	0.8515	-1.1942	0.1832
125	-0.6133	0.8515	-1.5202	-1.9595
126	0.6118	0.2462	-1.5025	-1.7353
127	0.7976	-0.1574	-1.5009	-1.5607
128	0.6258	-2.1753	-1.4188	-1.2606
129	2.1015	-0.3592	-1.3804	-1.1679
130	1.8020	-1.9735	-1.3907	-0.8480
131	0.0946	-2.5789	-1.4710	-0.5972
132	0.1206	-2.5789	-1.4245	-0.4873
133	-0.6043	-1.5700	-1.4657	-0.2601
134	-0.5893	0.2462	-1.4647	-0.0649
135	-0.7271	1.0533	-1.4995	0.1489
136	-0.2768	1.0533	2.6721	3.2205
137	-0.6901	0.8515	2.0672	2.4122
138	-0.7341	0.8515	2.1898	2.8204
139	0.3183	1.2551	2.0888	3.2391
140	-0.0062	1.0533	1.7220	2.3594
141	-0.4146	1.2551	1.8382	2.6295

- - - RESEMBLANCE MATRIX FOR METRIC DATA - - -
 DATA MATRIX NAME : stan
 RESEMBLANCE MATRIX NAME : res0 NAME MATRIX : objs
 RESEMBLANCE COEFFICIENT - EUCLIDEAN DISTANCE
 USE ATTRIBUTES 1 THRU 4

	1	2	3	4	5	6	7	8	9	10
2	1.7469									
3	0.7697	1.5402								
4	1.0757	2.4655	1.7537							
5	0.6504	2.2609	0.9682	1.0715						
6	0.7777	1.7251	1.0514	0.9879	0.8932					
7	1.3129	1.5276	1.7179	1.2771	1.6883	0.9910				
8	1.5115	2.9253	1.4360	2.0418	1.0525	1.8840	2.6638			
9	2.1095	3.1822	1.7609	2.8196	1.7718	2.4888	3.2658	0.8300		
10	1.4135	2.2237	2.0285	1.0064	1.6300	1.3251	0.8528	2.5230	3.2284	
11	1.1942	2.1991	1.1895	1.9342	1.1767	1.6594	2.0459	1.1775	1.5508	1.9166
12	2.0306	3.5182	2.0545	2.3582	1.5229	2.3837	3.1252	0.6276	1.0505	2.8456
13	2.4573	3.1350	1.9786	3.3060	2.2642	2.8432	3.4932	1.4827	0.7950	3.5240
14	1.1429	2.0391	0.7439	1.9279	0.9634	1.3303	2.0198	1.0350	1.3341	2.1353
15	1.5065	2.4496	1.4777	2.2019	1.4488	1.9724	2.3302	1.2500	1.5199	2.1464
16	1.1799	2.5802	1.4912	1.4748	0.9128	1.5176	1.9484	1.1113	1.7868	1.5875
17	1.6683	2.8989	1.5993	2.2359	1.3292	2.0639	2.6659	0.6674	0.9950	2.4528
18	1.5150	2.7634	1.4585	2.0379	1.1282	1.8293	2.4583	0.6432	1.1108	2.2669
19	1.8901	3.4057	1.9929	2.0462	1.3068	2.1063	2.8384	0.7503	1.3772	2.5283

20	1.9529	3.2627	2.4330	1.8591	1.7978	2.2776	2.3844	1.9506	2.5911	1.6994
21	2.0534	3.0943	2.1766	2.5325	1.9401	2.5397	2.8024	1.6070	1.8744	2.4137
22	2.3360	3.4495	2.3079	2.8615	2.0781	2.7981	3.2589	1.3739	1.4105	2.9346
23	2.6719	3.8495	2.6141	3.1659	2.3489	3.1278	3.6661	1.4856	1.3828	3.3364
24	2.1298	3.4428	2.1615	2.5210	1.7403	2.5188	3.0812	1.0035	1.2704	2.7335
25	2.0113	3.3072	1.9811	2.4385	1.5868	2.3577	2.9808	0.8015	1.0761	2.6958
26	1.4331	2.7379	1.5186	1.7513	0.9897	1.6135	2.2083	0.8985	1.5087	1.9562
27	1.3292	2.4080	1.3181	1.7330	0.9919	1.3866	1.9484	1.1510	1.6646	1.8250
28	1.7905	2.5487	1.4188	2.4650	1.5189	1.9454	2.5588	1.1636	1.1905	2.5750
29	2.1439	3.3763	2.6627	1.9581	2.0379	2.4341	2.4246	2.2631	2.9060	1.6792
30	2.0017	3.0898	2.3073	2.2286	1.9050	2.3923	2.5054	1.8726	2.3411	1.9706
31	2.2856	3.5095	2.4599	2.5733	2.0216	2.6943	3.0329	1.5929	1.9304	2.5523
32	1.8955	3.2713	2.3596	1.6516	1.6112	2.0676	2.2804	1.8319	2.5335	1.6183
33	1.9909	3.3787	2.2768	2.0372	1.6158	2.2590	2.6490	1.4301	2.0155	2.1209
34	2.0827	3.0989	1.9873	2.6065	1.7906	2.4087	2.8886	1.2290	1.3489	2.6385
35	1.6947	2.7289	1.6511	2.1711	1.4024	1.9310	2.4022	1.1460	1.4932	2.1815
36	1.7555	3.1603	1.9897	1.7267	1.2490	1.8341	2.3771	1.2395	1.9116	1.9718
37	1.8885	2.8823	1.7006	2.3918	1.5117	2.0552	2.6544	1.0587	1.2484	2.5156
38	1.4253	2.0819	1.3621	1.7699	1.2631	1.2022	1.6155	1.7119	2.1611	1.6788
39	2.9757	4.2005	3.2080	3.1375	2.7189	3.3894	3.6486	2.2717	2.5557	3.0631
40	2.5167	3.7128	2.8256	2.6155	2.3113	2.8867	3.0564	2.1022	2.5357	2.4449
41	2.3459	3.3822	2.5185	2.6522	2.1727	2.7252	2.9300	1.8932	2.2089	2.4515
42	2.3364	2.0727	2.4556	2.6718	2.6126	2.3625	1.8569	3.0975	3.4577	1.8509
43	1.7927	2.5647	2.1390	1.8221	1.7905	1.8573	1.7187	2.2312	2.7968	1.2330
44	1.7974	2.8221	1.9686	2.0532	1.5874	2.0014	2.2475	1.6025	2.0749	1.8542
45	1.7024	2.5538	1.9852	1.7078	1.5838	1.6502	1.6895	2.0286	2.6069	1.2963
46	1.6428	2.3776	1.8756	1.6863	1.5515	1.5040	1.5402	2.0645	2.6240	1.2709
47	1.6452	2.3641	1.7605	1.7943	1.4897	1.4824	1.6721	1.9177	2.4261	1.5106
48	1.7564	2.7570	1.7350	2.0151	1.3683	1.7245	2.2388	1.3782	1.8221	2.0555
49	3.0076	4.0853	3.1913	3.2508	2.8026	3.4193	3.6239	2.3769	2.5986	3.0780
50	2.7072	3.7639	2.9038	2.9353	2.5094	3.0768	3.2607	2.1849	2.4783	2.7250
51	2.2225	3.1446	2.4671	2.4146	2.1086	2.4939	2.5514	2.1036	2.5289	2.0412
52	2.5166	3.3221	2.5404	2.9586	2.3701	2.8606	3.0682	2.0269	2.1740	2.7071
53	2.2336	2.8465	2.2251	2.7045	2.1540	2.4845	2.6206	2.0278	2.2351	2.3546
54	2.3607	3.0423	2.2852	2.8522	2.2020	2.6093	2.8573	1.9157	2.0367	2.6056
55	1.9078	2.3832	1.9496	2.2387	1.8646	1.9168	1.9553	2.1178	2.4923	1.7886
56	2.1799	2.2510	1.9700	2.7488	2.1963	2.2110	2.2973	2.3041	2.4516	2.3442
57	2.4705	3.4935	2.3302	2.8681	2.0546	2.6500	3.2119	1.4279	1.4779	2.9679
58	2.3120	3.1687	2.0958	2.7786	1.9472	2.4316	2.9730	1.4632	1.5028	2.8213
59	3.8756	4.8633	3.8991	4.2622	3.6376	4.3255	4.6357	2.9408	2.8514	4.1719
60	2.9290	3.8538	3.1298	3.1437	2.7821	3.2744	3.3583	2.5295	2.8068	2.8147
61	2.8596	4.0206	3.2815	2.6218	2.6369	3.0356	3.0562	2.6908	3.2530	2.3239
62	2.8248	3.7922	2.9384	3.1015	2.6030	3.1475	3.3606	2.2238	2.4353	2.8820
63	2.8583	3.9572	3.0008	3.0328	2.5536	3.1357	3.4148	2.1481	2.4152	2.9006
64	2.4229	2.7587	2.4792	2.7488	2.4241	2.5136	2.4151	2.5638	2.8595	2.1693
65	2.7869	2.7898	2.5539	3.4153	2.8132	2.9467	2.9968	2.7058	2.6869	2.9711
66	2.7643	2.5041	2.5089	3.3773	2.8491	2.8211	2.7834	2.9035	2.9336	2.8713
67	2.6953	2.6978	2.3781	3.3395	2.6708	2.7842	2.9380	2.5488	2.4946	2.9828
68	2.6171	2.8524	2.2889	3.2413	2.4966	2.7136	2.9982	2.2553	2.1722	2.9975
69	3.0337	2.1616	2.8538	3.4109	3.2383	2.7444	2.3850	3.7294	3.9456	2.7759
70	4.5070	5.4694	4.5157	4.8959	4.2695	4.9703	5.2786	3.5312	3.3763	4.8062
71	4.0682	5.1061	4.1358	4.3647	3.8009	4.4832	4.7766	3.1369	3.1104	4.2633
72	3.2136	4.4298	3.6022	3.0197	2.9509	3.4415	3.5282	2.8429	3.3378	2.8009
73	2.8907	3.9358	3.2207	2.8099	2.6810	3.0859	3.1193	2.6420	3.1116	2.4618
74	3.7209	4.5616	3.6291	4.1915	3.4722	4.1028	4.4480	2.7598	2.5715	4.0829
75	3.6992	3.3549	3.4031	4.4121	3.8100	3.9062	3.8588	3.6478	3.4790	3.8980
76	2.8565	2.9730	2.7125	3.3893	2.8588	3.0092	3.0132	2.7711	2.8237	2.8963
77	3.6535	3.4392	3.2824	4.3954	3.6847	3.8495	3.9475	3.4017	3.1401	3.9966
78	3.2798	2.8884	2.9334	3.9727	3.3639	3.3746	3.3751	3.2902	3.1689	3.4986
79	3.0973	2.8280	2.7526	3.7501	3.1284	3.1485	3.2064	3.0542	2.9623	3.3154
80	3.3474	2.4483	3.2298	3.6476	3.5701	3.0496	2.5786	4.0968	4.3435	2.9317
81	3.4929	2.4570	3.2794	3.9041	3.7231	3.2272	2.8351	4.1819	4.3445	3.2433
82	4.6205	5.5591	4.6355	4.9953	4.3876	5.0722	5.3566	3.6710	3.5284	4.8758
83	4.3583	5.3407	4.4118	4.6701	4.1070	4.7759	5.0457	3.4413	3.3802	4.5363
84	3.5672	4.7200	3.8817	3.4816	3.2999	3.8277	3.9381	3.0543	3.4349	3.2502

85	3.3068	4.4253	3.7023	3.0596	3.0670	3.4635	3.4706	3.0574	3.5714	2.7408
86	3.6247	4.4202	3.6042	4.0144	3.4060	3.9625	4.2002	2.8478	2.8033	3.7896
87	3.4904	3.9993	3.3688	3.9994	3.3513	3.7866	3.9666	2.8864	2.7797	3.6821
88	3.2094	3.6087	3.1036	3.6776	3.1007	3.4195	3.5255	2.8068	2.8076	3.2753
89	3.9694	4.4759	3.7027	4.5801	3.7664	4.2775	4.6216	3.0820	2.7203	4.4185
90	3.7234	3.6406	3.3775	4.4273	3.7077	3.9239	4.0527	3.3680	3.1038	4.0461
91	2.9087	3.3306	2.7297	3.3643	2.7272	3.0021	3.2231	2.4623	2.4769	3.0574
92	2.9631	2.6495	2.9248	3.1855	3.0456	2.7263	2.4050	3.4524	3.7449	2.4850
93	4.4038	5.4169	4.5680	4.5744	4.1712	4.7885	4.9525	3.6549	3.7505	4.3563
94	4.2543	5.0855	4.3648	4.5132	4.0778	4.6252	4.7312	3.6082	3.6643	4.1974
95	3.8849	4.9761	4.1944	3.7893	3.6324	4.1303	4.1958	3.3958	3.7535	3.5037
96	3.7100	4.8345	4.0705	3.5074	3.4493	3.8996	3.9396	3.3214	3.7653	3.2180
97	3.5253	4.5426	3.7444	3.5708	3.2711	3.7770	3.8984	2.9699	3.2564	3.2906
98	3.9256	4.2731	3.7657	4.4813	3.8317	4.2297	4.3600	3.3687	3.1932	4.1121
99	3.3892	4.0662	3.4203	3.6664	3.1958	3.5948	3.7094	2.8825	3.0032	3.2954
100	3.3943	3.4844	3.2622	3.8808	3.3765	3.5414	3.5101	3.2311	3.2424	3.3487
101	3.9671	4.7191	3.7966	4.4430	3.6793	4.2650	4.6489	2.9527	2.6924	4.3404
102	3.1833	3.2657	3.0126	3.6458	3.1266	3.2371	3.2584	3.0304	3.0665	3.1551
103	3.2446	2.8710	3.0665	3.6665	3.3110	3.1385	2.9555	3.4960	3.6143	3.0398
104	2.8865	2.9914	2.8457	3.0923	2.8161	2.7132	2.6233	3.0332	3.3043	2.5301
105	4.2770	5.1753	4.4430	4.4270	4.0718	4.6018	4.6882	3.6619	3.8022	4.1031
106	4.0247	5.0307	4.2623	4.0310	3.7774	4.2827	4.3666	3.4634	3.7298	3.7267
107	4.1820	4.9215	4.2055	4.4961	3.9803	4.4948	4.6436	3.4826	3.4716	4.1834
108	4.0181	4.5077	3.9614	4.4409	3.8891	4.3035	4.3950	3.4651	3.4042	4.0424
109	3.5089	3.8534	3.5532	3.7781	3.4443	3.6427	3.5407	3.3603	3.5315	3.1908
110	4.0546	4.0830	3.8360	4.6335	4.0253	4.2600	4.2914	3.7131	3.5520	4.1567
111	4.2441	4.4973	3.9917	4.8411	4.1223	4.4997	4.6869	3.6076	3.3296	4.5098
112	4.0773	4.2075	3.8025	4.6748	3.9787	4.2734	4.4246	3.5562	3.3146	4.3014
113	3.3434	3.3208	3.2415	3.6874	3.3161	3.3043	3.1920	3.3729	3.5063	3.0868
114	4.4508	5.2068	4.6702	4.5228	4.3096	4.7171	4.6480	4.0729	4.2956	4.0439
115	4.6258	5.3625	4.7342	4.8538	4.4614	4.9514	4.9967	4.0425	4.1041	4.4639
116	4.1083	4.7710	4.2690	4.2668	3.9846	4.3646	4.3076	3.7491	3.9350	3.7703
117	4.4250	5.0800	4.4319	4.7673	4.2525	4.7443	4.8581	3.7629	3.7207	4.4145
118	4.0972	4.3419	4.0497	4.5039	4.0496	4.3172	4.2595	3.8003	3.8013	3.9562
119	4.2694	4.4544	4.1561	4.7492	4.2213	4.5056	4.4921	3.9048	3.8179	4.2378
120	5.0713	4.8134	4.7656	5.7470	5.1038	5.2899	5.2814	4.7655	4.4777	5.2419
121	4.8500	4.6026	4.5388	5.5157	4.8709	5.0449	5.0491	4.5476	4.2738	5.0185
122	4.4639	4.4945	4.1623	5.1006	4.3934	4.6781	4.8079	3.9543	3.6597	4.7094
123	3.6085	4.0864	3.5304	3.9285	3.4080	3.7112	3.8389	3.1141	3.1551	3.5401
124	3.3989	3.3871	3.4282	3.5179	3.3802	3.2269	2.9642	3.6444	3.9381	2.8173
125	4.5636	5.3428	4.8584	4.4935	4.4227	4.7678	4.6266	4.3055	4.6279	3.9701
126	4.3785	4.7090	4.5366	4.5301	4.3642	4.5550	4.2982	4.3209	4.5372	3.8373
127	4.3865	4.6066	4.4658	4.6397	4.3834	4.5684	4.3435	4.2940	4.4331	3.9596
128	5.1195	5.1969	4.9269	5.7014	5.0889	5.4115	5.4322	4.6559	4.4164	5.2253
129	4.4742	4.1550	4.4356	4.8551	4.6028	4.5653	4.2039	4.6745	4.7636	4.0673
130	5.0174	4.6899	4.7648	5.6399	5.0852	5.2058	5.1001	4.8515	4.6505	5.0522
131	5.2057	5.3938	4.9277	5.8212	5.0853	5.4792	5.6612	4.5062	4.1461	5.4842
132	5.1453	5.3227	4.8534	5.7707	5.0231	5.4127	5.6060	4.4420	4.0712	5.4430
133	4.5650	5.0857	4.3818	5.0176	4.3255	4.7886	5.0495	3.7263	3.4950	4.7623
134	3.7688	4.5347	3.8193	3.8591	3.4622	3.8232	3.9899	3.1816	3.3633	3.5487
135	3.7103	4.5997	3.8712	3.5686	3.3577	3.6532	3.7977	3.2451	3.5961	3.2896
136	2.6211	3.3330	2.3739	2.8276	2.3942	2.3793	3.2647	2.6546	2.8674	3.6253
137	1.9688	3.1197	1.7875	2.2069	1.5426	1.8699	2.8559	1.6115	1.9321	3.0092
138	2.3466	3.3663	2.1204	2.5574	1.9550	2.1897	3.1640	2.0098	2.2394	3.3707
139	2.4685	2.9207	2.1949	2.6319	2.2801	2.0098	2.8152	2.7268	2.9985	3.2722
140	1.6471	2.5451	1.4297	1.8892	1.3164	1.2938	2.2533	1.7496	2.1462	2.5360
141	2.0308	3.0507	1.9029	2.0934	1.6291	1.7054	2.6554	1.9549	2.3569	2.8649

	11	12	13	14	15	16	17	18	19	20
12	1.5798									
13	1.6622	1.7195								
14	0.8350	1.5958	1.5408							
15	0.3226	1.5544	1.5530	1.0508						
16	0.7440	1.3520	2.1401	1.1317	0.8758					
17	0.8131	0.8597	1.3236	1.0292	0.7346	0.8986				

18	0.7724	0.9267	1.4717	0.8497	0.7857	0.7511	0.2876		
19	1.5464	0.5165	2.0072	1.5016	1.5729	1.1305	0.9391	0.8569	
20	1.5276	1.9216	2.9003	2.1242	1.5104	1.0119	1.6365	1.5993	1.7122
21	1.0039	1.6365	1.9187	1.7370	0.7389	1.1347	1.0187	1.1639	1.6920
22	1.2884	1.2537	1.4778	1.7631	1.0188	1.4242	0.8109	1.0578	1.4572
23	1.7061	1.2020	1.5070	2.0617	1.4623	1.7820	1.0759	1.3291	1.5075
24	1.2787	0.7657	1.6129	1.5924	1.1173	1.1589	0.5811	0.7595	0.9009
25	1.2079	0.6533	1.4705	1.3829	1.0907	1.1140	0.4255	0.5661	0.7613
26	0.9013	1.1226	1.8905	0.9483	0.9854	0.5408	0.6987	0.4440	0.8337
27	0.8603	1.4994	1.9327	0.7327	1.0120	0.7199	0.9523	0.6853	1.2203
28	1.0206	1.5306	1.2113	0.6983	1.0325	1.3361	0.8813	0.7720	1.4763
29	1.7780	2.2346	3.1943	2.3856	1.7645	1.2871	1.9452	1.9022	2.0110
30	1.1975	1.8971	2.4813	1.9196	1.0686	1.0110	1.3714	1.3965	1.7883
31	1.3532	1.4210	2.1150	1.9428	1.1369	1.1853	1.0610	1.1863	1.4271
32	1.5963	1.7953	2.9173	2.0038	1.6296	0.9264	1.6062	1.4952	1.4629
33	1.3701	1.2821	2.3826	1.7799	1.3072	0.8319	1.0991	1.0592	1.0403
34	1.0112	1.2712	1.4051	1.3376	0.7919	1.1591	0.5859	0.6977	1.2959
35	0.7496	1.3464	1.6453	0.9997	0.6845	0.7923	0.6200	0.5031	1.2041
36	1.4000	1.2258	2.3687	1.4823	1.4553	0.7877	1.1278	0.9378	0.7789
37	1.0521	1.2484	1.4194	0.9699	1.0026	1.1262	0.6605	0.5399	1.1341
38	1.2350	2.1112	2.3248	0.9642	1.4286	1.1996	1.5517	1.2971	1.7997
39	2.0877	1.9612	2.7106	2.7045	1.8567	1.8767	1.7904	1.9303	1.9945
40	1.7158	1.9289	2.7194	2.3701	1.5419	1.4227	1.6166	1.6831	1.8419
41	1.3483	1.8244	2.2693	2.0143	1.1156	1.2802	1.2968	1.3842	1.7807
42	1.9959	3.4519	3.3298	2.3576	2.0654	2.2045	2.6872	2.5761	3.2447
43	1.4103	2.4375	2.9364	1.8499	1.4815	1.1616	1.8595	1.7151	2.1426
44	0.9771	1.7189	2.2254	1.4467	0.9222	0.7559	1.1081	1.0083	1.4906
45	1.3665	2.2452	2.7946	1.6260	1.4687	1.0430	1.7117	1.5178	1.8972
46	1.3966	2.3364	2.7962	1.5461	1.5336	1.1457	1.7848	1.5696	1.9832
47	1.3216	2.2070	2.5844	1.3495	1.4549	1.1351	1.6427	1.4118	1.8582
48	1.1961	1.5795	2.0608	1.0933	1.2552	0.9829	1.1070	0.8664	1.2462
49	2.0242	2.1426	2.6405	2.6770	1.7638	1.9273	1.8175	1.9611	2.1774
50	1.7383	2.0204	2.5397	2.3876	1.5007	1.6120	1.6084	1.7094	1.9854
51	1.3728	2.1325	2.5991	2.0116	1.2375	1.2184	1.5542	1.5400	1.9644
52	1.3869	2.0228	2.0579	1.9835	1.1093	1.5403	1.3663	1.4623	2.0107
53	1.1684	2.1755	2.0997	1.6971	0.9792	1.3984	1.4057	1.4049	2.0766
54	1.2419	2.0113	1.8825	1.6791	1.0145	1.4682	1.2731	1.3002	1.9448
55	1.2493	2.3898	2.4783	1.5128	1.2814	1.3150	1.6719	1.5216	2.1381
56	1.4136	2.6415	2.2279	1.5340	1.4063	1.7784	1.8397	1.7336	2.4826
57	1.5448	1.3284	1.5934	1.6063	1.3886	1.5275	0.9794	0.9957	1.2702
58	1.3990	1.5391	1.5226	1.3562	1.2838	1.4903	1.0176	0.9636	1.4356
59	2.7898	2.6217	2.7290	3.3375	2.4823	2.8539	2.4119	2.6257	2.8132
60	1.9557	2.3984	2.7986	2.6278	1.7196	1.8728	1.9311	2.0169	2.3431
61	2.3128	2.5221	3.5003	2.8528	2.2269	1.8287	2.2964	2.2600	2.2628
62	1.7829	2.0682	2.4273	2.3625	1.5266	1.7241	1.6099	1.7053	2.0290
63	1.8992	1.9081	2.5150	2.3970	1.6756	1.6989	1.5980	1.6693	1.8240
64	1.6149	2.7588	2.7320	2.0458	1.5404	1.7411	2.0139	1.9368	2.5590
65	1.8077	2.9546	2.2754	2.0962	1.6670	2.2602	2.1327	2.1267	2.8935
66	1.9645	3.2246	2.5496	2.1371	1.9048	2.4077	2.3971	2.3392	3.1135
67	1.7702	2.8273	2.0917	1.8793	1.6672	2.2169	2.0304	1.9924	2.7486
68	1.6427	2.4893	1.8111	1.6933	1.5191	2.0382	1.7404	1.7071	2.4187
69	2.8447	4.1618	3.7305	2.7637	2.9557	3.1104	3.4198	3.2510	3.9136
70	3.4213	3.1809	3.2152	3.9579	3.1106	3.4981	3.0292	3.2516	3.4011
71	3.0120	2.7731	3.0434	3.5559	2.7154	2.9922	2.6189	2.8103	2.9182
72	2.5754	2.5733	3.5790	3.1319	2.4417	2.1239	2.4353	2.4465	2.3773
73	2.1725	2.4919	3.2645	2.7363	2.0396	1.8115	2.1571	2.1426	2.2713
74	2.5690	2.5206	2.3286	3.0117	2.2579	2.7266	2.1900	2.3827	2.6850
75	2.7414	3.8925	2.8903	3.0430	2.5787	3.2809	3.0752	3.1191	3.9059
76	1.8648	2.9666	2.4762	2.2306	1.7082	2.2200	2.1682	2.1592	2.8752
77	2.6449	3.6230	2.5118	2.8478	2.4670	3.1884	2.8479	2.9006	3.6604
78	2.4188	3.5935	2.6436	2.5619	2.3172	2.9347	2.7735	2.7582	3.5454
79	2.2379	3.3486	2.4903	2.3256	2.1465	2.7061	2.5479	2.5104	3.2706
80	3.1770	4.5118	4.1314	3.1523	3.2809	3.4063	3.7693	3.6017	4.2479
81	3.2716	4.6169	4.0631	3.2058	3.3635	3.5838	3.8524	3.6999	4.3892
82	3.5269	3.3249	3.3557	4.0717	3.2151	3.5988	3.1544	3.3695	3.5268

83	3.2818	3.0869	3.2640	3.8321	2.9785	3.2917	2.9124	3.1063	3.2380	2.9547
84	2.7860	2.7432	3.5957	3.3600	2.5987	2.4369	2.5861	2.6388	2.6136	1.7039
85	2.7036	2.8373	3.7872	3.2363	2.5893	2.2503	2.6382	2.6162	2.5901	1.4369
86	2.4807	2.6462	2.5944	2.9898	2.1792	2.5829	2.2263	2.3749	2.7132	2.4252
87	2.3164	2.8407	2.4112	2.7750	2.0284	2.5836	2.2330	2.3504	2.8846	2.6012
88	2.0985	2.8465	2.4799	2.5228	1.8598	2.3493	2.1562	2.2055	2.7978	2.4052
89	2.7946	2.9902	2.2315	3.0799	2.5055	3.1249	2.5165	2.6732	3.1398	3.3187
90	2.6635	3.5371	2.4939	2.8884	2.4606	3.1630	2.7923	2.8554	3.5759	3.4806
91	1.8791	2.5532	2.2121	2.0876	1.7032	2.0923	1.8774	1.8572	2.4387	2.3744
92	2.5649	3.7645	3.5897	2.6465	2.6162	2.6865	3.0476	2.8848	3.4758	2.9153
93	3.3996	3.3028	3.7091	4.0120	3.1204	3.3013	3.1187	3.2748	3.3664	2.7563
94	3.1850	3.3498	3.5124	3.8098	2.8951	3.1911	3.0069	3.1555	3.4010	2.7210
95	3.0868	3.0868	3.8766	3.6671	2.8921	2.7619	2.9095	2.9623	2.9564	2.0130
96	3.0210	3.0354	3.9506	3.5675	2.8674	2.6113	2.8788	2.8919	2.8384	1.8166
97	2.6154	2.7050	3.3129	3.1757	2.3961	2.3835	2.4267	2.4883	2.5958	1.8117
98	2.7521	3.3430	2.7290	3.2047	2.4664	3.0826	2.7200	2.8456	3.4114	3.0892
99	2.3266	2.7776	2.8421	2.8082	2.0839	2.3510	2.2475	2.2977	2.6874	2.1467
100	2.3754	3.3598	2.8534	2.7583	2.1880	2.6873	2.6030	2.6155	3.2777	2.7649
101	2.8174	2.7294	2.3948	3.1285	2.5250	2.9851	2.4050	2.5616	2.8563	3.0608
102	2.2322	3.1941	2.7226	2.4809	2.0897	2.5113	2.4462	2.4106	3.0615	2.7140
103	2.5906	3.7883	3.2972	2.7060	2.5631	2.8757	3.0105	2.9056	3.5871	3.1514
104	2.2742	3.2437	3.1798	2.3855	2.2628	2.3208	2.5751	2.4263	2.9530	2.5174
105	3.2673	3.3766	3.7259	3.8799	2.9995	3.1739	3.0814	3.2009	3.3702	2.6111
106	3.1233	3.1614	3.7709	3.6999	2.8969	2.8896	2.9291	3.0025	3.0691	2.2408
107	3.0618	3.2578	3.2546	3.5998	2.7689	3.1200	2.8605	2.9924	3.2910	2.8052
108	2.8698	3.3677	3.0592	3.3795	2.5852	3.0656	2.8080	2.9204	3.3888	2.8955
109	2.5481	3.3868	3.3024	3.0354	2.3621	2.6415	2.7286	2.7288	3.2415	2.4227
110	2.9584	3.7970	3.0269	3.3188	2.7270	3.3468	3.0793	3.1475	3.8022	3.4402
111	3.0781	3.5922	2.7937	3.4057	2.8061	3.4411	2.9923	3.1077	3.6686	3.5592
112	2.9529	3.6051	2.7737	3.2286	2.7112	3.3332	2.9460	3.0237	3.6339	3.5095
113	2.5282	3.5509	3.2233	2.7621	2.4328	2.7202	2.8183	2.7420	3.3512	2.8371
114	3.5117	3.8587	4.2060	4.1488	3.2767	3.4001	3.4770	3.5536	3.7785	2.7391
115	3.5603	3.8010	3.9188	4.1711	3.2788	3.5650	3.4266	3.5536	3.8152	3.0656
116	3.1207	3.5922	3.7907	3.7382	2.8808	3.0826	3.1245	3.1959	3.5134	2.5411
117	3.2918	3.5588	3.4505	3.8394	2.9957	3.3929	3.1306	3.2666	3.6030	3.0770
118	3.0201	3.7980	3.4251	3.5244	2.7782	3.2465	3.1376	3.2031	3.7559	3.0674
119	3.1575	3.9091	3.3710	3.6247	2.9039	3.4485	3.2447	3.3276	3.9057	3.3500
120	4.0091	4.8818	3.8256	4.3194	3.7868	4.4905	4.1604	4.2470	4.9394	4.6239
121	3.7952	4.6731	3.6344	4.0806	3.5802	4.2684	3.9463	4.0209	4.7139	4.4283
122	3.3408	4.0090	3.0621	3.6182	3.0966	3.7608	3.3505	3.4420	4.0660	3.9313
123	2.5635	3.0701	2.9095	2.8882	2.3497	2.6553	2.5007	2.5119	2.9501	2.6316
124	2.8141	3.8262	3.7901	3.0176	2.7877	2.8347	3.1586	3.0261	3.5301	2.8394
125	3.7418	4.0949	4.6099	4.3637	3.5463	3.5319	3.7467	3.7854	3.9477	2.7724
126	3.4847	4.2846	4.3229	4.0814	3.2931	3.5121	3.6903	3.7159	4.1515	3.0082
127	3.4343	4.2886	4.1422	3.9995	3.2302	3.5519	3.6457	3.6805	4.1826	3.1690
128	3.9743	4.6445	3.8533	4.4168	3.7015	4.3510	4.0130	4.1383	4.7248	4.2952
129	3.6534	4.8426	4.3570	4.0889	3.5187	3.9351	4.0633	4.0546	4.7196	3.8047
130	4.0011	4.9897	4.0403	4.3460	3.7973	4.4542	4.2333	4.2972	5.0035	4.5280
131	4.0324	4.4486	3.5634	4.3527	3.7515	4.4054	3.9097	4.0460	4.5657	4.4767
132	3.9758	4.3933	3.4805	4.2779	3.6981	4.3570	3.8511	3.9849	4.5106	4.4546
133	3.4050	3.5628	3.1090	3.7156	3.1237	3.5971	3.1370	3.2508	3.6156	3.6000
134	2.8391	3.0017	3.3181	3.1537	2.6501	2.6850	2.6391	2.6255	2.8056	2.4689
135	2.9980	3.0522	3.7122	3.2466	2.8812	2.6508	2.8106	2.7313	2.7383	2.3498
136	3.3212	3.0378	3.3862	2.6174	3.5648	3.2471	3.2287	3.0634	2.9394	4.1371
137	2.4401	1.9438	2.5647	1.8032	2.6472	2.2880	2.2066	2.0476	1.8365	3.1651
138	2.8432	2.3147	2.8425	2.1661	3.0488	2.7103	2.6022	2.4471	2.2200	3.5865
139	3.1625	3.1661	3.4216	2.4081	3.4252	3.0943	3.1856	2.9695	2.9643	3.9919
140	2.2079	2.1993	2.6318	1.4909	2.4600	2.0886	2.1872	1.9617	1.9729	3.0031
141	2.6115	2.2973	2.9349	1.9375	2.8465	2.3989	2.4734	2.2627	2.0713	3.2499

	21	22	23	24	25	26	27	28	29	30
22	0.7198									
23	1.1755	0.4824								
24	0.9805	0.5690	0.6905							
25	1.1346	0.7372	0.8515	0.2782						

26	1.3068	1.3520	1.6407	0.9891	0.8402				
27	1.4903	1.6118	1.9434	1.3473	1.1812	0.4332			
28	1.5796	1.4362	1.6958	1.3369	1.1217	0.9743	0.8345		
29	1.4531	1.9845	2.3215	1.8536	1.9843	1.6742	1.8507	2.4704	
30	0.6585	1.2806	1.6953	1.3228	1.4633	1.3210	1.4784	1.8689	0.8389
31	0.5788	0.7044	1.0118	0.7320	0.9588	1.2528	1.5494	1.7197	1.3437
32	1.4894	1.8421	2.1384	1.5411	1.6035	1.1761	1.3920	2.0825	0.6808
33	1.0875	1.2365	1.4887	0.8980	0.9936	0.8793	1.2226	1.6919	1.0849
34	0.8493	0.6172	0.9605	0.6543	0.6250	0.9392	1.1036	0.9130	1.9423
35	1.0057	1.0622	1.4270	0.9174	0.8115	0.5413	0.6005	0.7448	1.7524
36	1.5536	1.6071	1.8286	1.1502	1.0740	0.5697	0.8709	1.4795	1.4946
37	1.3515	1.1673	1.4124	0.9616	0.7587	0.6876	0.7315	0.4930	2.1565
38	1.9565	2.1689	2.5272	1.9618	1.7978	1.0490	0.6309	1.1527	2.1426
39	1.1681	1.2370	1.3432	1.3401	1.6028	1.9693	2.2760	2.4429	1.5385
40	0.9334	1.3083	1.5901	1.3240	1.5378	1.6179	1.8738	2.2128	0.9408
41	0.5185	0.9521	1.3383	1.1153	1.2933	1.4037	1.5919	1.7797	1.2642
42	2.3165	2.8940	3.3700	2.9961	2.9784	2.4279	2.1464	2.4727	2.3130
43	1.5723	2.1213	2.5545	2.0323	2.0409	1.4283	1.3115	1.9509	1.1411
44	0.9512	1.3205	1.7286	1.2138	1.2253	0.8178	0.8645	1.3282	1.2328
45	1.6600	2.0874	2.4894	1.9130	1.8736	1.1715	1.0113	1.7131	1.3407
46	1.8215	2.2233	2.6259	2.0461	1.9762	1.2279	0.9827	1.6729	1.5806
47	1.8092	2.1246	2.5091	1.9353	1.8328	1.0870	0.7813	1.4217	1.7726
48	1.5834	1.6391	1.9336	1.3539	1.1993	0.5853	0.4430	0.9273	1.8979
49	1.0564	1.2060	1.3873	1.4397	1.6855	2.0198	2.2681	2.3743	1.6213
50	0.8450	1.1388	1.4246	1.3083	1.5230	1.7171	1.9341	2.1139	1.3467
51	0.9085	1.4560	1.8700	1.5108	1.6233	1.4124	1.4892	1.8673	1.0113
52	0.7113	0.9725	1.3654	1.2796	1.4013	1.5511	1.6420	1.6177	1.7366
53	0.9637	1.3371	1.7758	1.5288	1.5609	1.4146	1.3504	1.3995	1.7540
54	0.9761	1.1411	1.5342	1.3449	1.3678	1.3698	1.3521	1.2515	1.9293
55	1.5626	1.9588	2.3896	1.9394	1.8853	1.3319	1.0661	1.4355	1.7850
56	1.8088	2.0844	2.4955	2.1823	2.0950	1.6998	1.3839	1.3327	2.4238
57	1.4201	1.0455	1.1481	0.8825	0.7865	1.1232	1.2870	1.0476	2.2686
58	1.4970	1.2523	1.4500	1.1441	0.9962	1.0674	1.0812	0.7368	2.3468
59	1.8710	1.6203	1.5081	1.9855	2.2099	2.8185	3.0705	2.8878	2.7699
60	1.0937	1.4610	1.7577	1.6771	1.8773	2.0010	2.1624	2.3453	1.4494
61	1.7867	2.1756	2.4358	2.0502	2.2048	2.0168	2.2061	2.7499	0.8673
62	0.9599	1.1204	1.3894	1.3241	1.5078	1.7313	1.9115	1.9939	1.6217
63	1.1519	1.1860	1.3694	1.2237	1.4075	1.6481	1.8827	2.0279	1.5886
64	1.5921	2.0547	2.4915	2.1718	2.1842	1.8098	1.6294	1.8592	1.8601
65	1.8546	2.0850	2.4658	2.3621	2.3358	2.1979	1.9878	1.7375	2.7209
66	2.2110	2.4892	2.8875	2.7005	2.6410	2.3554	2.0631	1.8858	2.9082
67	1.9740	2.1036	2.4548	2.3090	2.2333	2.0647	1.8156	1.4756	2.8500
68	1.8150	1.8248	2.1349	1.9892	1.8972	1.8043	1.6003	1.1716	2.7541
69	3.4044	3.7778	4.2003	3.8189	3.7067	3.1063	2.6999	2.8204	3.5763
70	2.5047	2.2337	2.0618	2.5939	2.8134	3.4564	3.7114	3.4884	3.3610
71	2.0744	1.8616	1.7462	2.1501	2.3813	2.9540	3.2192	3.1043	2.7827
72	1.8919	2.1715	2.3500	2.0787	2.2725	2.2651	2.5100	2.9579	1.2299
73	1.5658	1.9482	2.2289	1.9129	2.0719	1.9490	2.1085	2.5457	1.0602
74	1.7961	1.4656	1.3961	1.8562	2.0150	2.5957	2.7803	2.4681	2.8727
75	2.6897	2.8850	3.2111	3.2767	3.2753	3.2505	3.0512	2.6906	3.6378
76	1.7766	2.0632	2.4517	2.3299	2.3335	2.1839	2.0051	1.8696	2.5213
77	2.6106	2.6635	2.9340	3.0399	3.0149	3.0708	2.8885	2.4030	3.6857
78	2.5853	2.7667	3.1142	3.0533	2.9977	2.8459	2.5796	2.2305	3.4541
79	2.4389	2.5924	2.9358	2.8278	2.7561	2.5746	2.2999	1.9616	3.2726
80	3.6784	4.0941	4.5265	4.1432	4.0474	3.4344	3.0402	3.2106	3.7436
81	3.7951	4.1659	4.5862	4.2484	4.1417	3.5807	3.1775	3.2324	4.0182
82	2.6010	2.3612	2.2099	2.7212	2.9410	3.5602	3.8064	3.5947	3.4179
83	2.3410	2.1434	2.0291	2.4594	2.6856	3.2554	3.5054	3.3636	3.0529
84	1.9772	2.1698	2.2953	2.1732	2.3890	2.5245	2.7707	3.0898	1.6659
85	2.0968	2.4298	2.6466	2.3367	2.5045	2.3889	2.5776	3.0677	1.3071
86	1.6648	1.5565	1.6365	1.9143	2.0840	2.5028	2.6545	2.4771	2.5484
87	1.7156	1.7052	1.9054	2.1087	2.2097	2.4905	2.5225	2.2433	2.7266
88	1.6746	1.8192	2.1204	2.1337	2.1945	2.2656	2.2155	2.0354	2.5093
89	2.2947	1.9760	1.9727	2.3761	2.4357	2.9153	2.9731	2.4548	3.5001
90	2.5352	2.5481	2.7922	2.9288	2.9176	3.0246	2.8745	2.3899	3.6176

91	1.7387	1.7822	2.0744	1.9450	1.9213	1.8792	1.7658	1.5465	2.5230	1.8720
92	2.8937	3.2967	3.7159	3.3260	3.2580	2.6824	2.3393	2.5773	2.9183	2.6559
93	2.4258	2.4112	2.3905	2.6596	2.9033	3.3354	3.5835	3.6048	2.7816	2.4785
94	2.2452	2.3036	2.3711	2.6335	2.8556	3.2265	3.4089	3.3792	2.7450	2.3232
95	2.2651	2.4646	2.5844	2.5011	2.7151	2.8463	3.0715	3.3748	1.9440	1.9784
96	2.3007	2.5523	2.7062	2.5059	2.6984	2.7128	2.9277	3.3321	1.7133	1.9075
97	1.7959	1.9582	2.1090	2.0479	2.2479	2.4132	2.6131	2.8240	1.8179	1.6073
98	2.1784	2.1778	2.3530	2.6196	2.7177	3.0033	3.0073	2.6741	3.1948	2.4713
99	1.6818	1.8214	2.0598	2.0479	2.1696	2.2865	2.3437	2.3411	2.2134	1.6787
100	2.1260	2.3730	2.7142	2.6780	2.7108	2.6405	2.4961	2.3403	2.8287	2.1955
101	2.1852	1.8031	1.7124	2.1169	2.2157	2.7606	2.9001	2.5039	3.2387	2.5661
102	2.1547	2.3609	2.7042	2.5752	2.5609	2.3972	2.2020	2.0540	2.7997	2.1970
103	2.8094	3.1276	3.5212	3.2706	3.2117	2.8153	2.4963	2.4775	3.1950	2.7336
104	2.4388	2.7501	3.1274	2.7597	2.7045	2.2255	1.9497	2.1535	2.5554	2.2293
105	2.3417	2.4379	2.5142	2.6831	2.9059	3.2131	3.4057	3.4696	2.6034	2.3050
106	2.2637	2.4088	2.5120	2.5206	2.7331	2.9322	3.1382	3.3392	2.2053	2.0769
107	2.2151	2.1982	2.2699	2.5295	2.7108	3.0722	3.2115	3.0954	2.8643	2.3476
108	2.1704	2.2298	2.4000	2.6177	2.7525	3.0143	3.0595	2.8675	2.9615	2.3392
109	2.1011	2.4423	2.7774	2.6765	2.7641	2.6587	2.5899	2.6644	2.4124	1.9615
110	2.6128	2.7097	2.9565	3.1043	3.1499	3.2597	3.1533	2.8194	3.5235	2.8256
111	2.6167	2.5073	2.6262	2.9198	2.9784	3.2848	3.2604	2.8159	3.6862	2.9481
112	2.6177	2.5716	2.7508	2.9465	2.9740	3.1685	3.0855	2.6545	3.6310	2.9022
113	2.5020	2.7969	3.1625	2.9547	2.9395	2.6454	2.4145	2.4216	2.8700	2.4029
114	2.6658	2.9277	3.0986	3.1534	3.3592	3.4963	3.6267	3.7909	2.6496	2.4753
115	2.6615	2.7586	2.8462	3.0764	3.2842	3.5938	3.7415	3.7241	3.0553	2.6796
116	2.3249	2.5983	2.8119	2.8579	3.0419	3.1557	3.2466	3.3593	2.4857	2.1796
117	2.4561	2.4600	2.5376	2.8240	3.0019	3.3564	3.4753	3.3314	3.1233	2.5976
118	2.4661	2.6860	2.9494	3.0502	3.1573	3.2398	3.1967	3.0735	3.0840	2.5168
119	2.6266	2.7700	3.0005	3.1696	3.2660	3.4092	3.3612	3.1370	3.3932	2.7660
120	3.7198	3.7760	3.9778	4.2178	4.2539	4.4048	4.2723	3.8361	4.7027	3.9883
121	3.5392	3.5948	3.8073	4.0167	4.0422	4.1682	4.0249	3.5921	4.5124	3.7986
122	3.0013	2.9482	3.1063	3.3550	3.3866	3.6081	3.5209	3.0543	4.0469	3.3090
123	2.1315	2.1958	2.4200	2.3922	2.4460	2.4951	2.4620	2.3527	2.7114	2.1647
124	2.8630	3.2465	3.6315	3.2950	3.2761	2.8110	2.5619	2.8080	2.8061	2.5765
125	2.9638	3.2902	3.4856	3.4345	3.6314	3.6573	3.7786	4.0628	2.6235	2.6404
126	2.8826	3.2910	3.5935	3.5550	3.6992	3.6291	3.6089	3.7653	2.8947	2.6499
127	2.8714	3.2375	3.5393	3.5457	3.6732	3.6330	3.5848	3.6440	3.0948	2.7301
128	3.4277	3.4607	3.6057	3.9260	4.0254	4.2939	4.2601	3.8979	4.3554	3.6814
129	3.4286	3.8404	4.2129	4.1545	4.2102	4.0120	3.8209	3.8124	3.7496	3.3267
130	3.7281	3.8822	4.1355	4.3064	4.3475	4.4092	4.2529	3.9091	4.5739	3.9138
131	3.5211	3.3629	3.4042	3.7950	3.8668	4.2448	4.2367	3.7500	4.5915	3.8696
132	3.4884	3.3201	3.3621	3.7482	3.8122	4.1873	4.1733	3.6719	4.5755	3.8454
133	2.8088	2.5913	2.5961	2.9113	2.9966	3.3876	3.4449	3.0769	3.7222	3.0817
134	2.3205	2.3545	2.5053	2.3897	2.4720	2.5141	2.5772	2.6629	2.5174	2.2010
135	2.6018	2.7002	2.8619	2.5702	2.6312	2.4958	2.5675	2.8729	2.3545	2.3085
136	4.1459	4.0018	4.0795	3.6190	3.3781	3.0510	2.9855	3.0547	4.3783	4.2501
137	3.1511	2.9644	3.0243	2.5421	2.3065	2.0452	2.0702	2.1708	3.4301	3.2698
138	3.5637	3.3493	3.3850	2.9301	2.6889	2.4493	2.4556	2.5072	3.8488	3.6920
139	4.0504	3.9882	4.1387	3.6196	3.3678	2.8811	2.7108	2.8416	4.2071	4.0851
140	3.0474	2.9943	3.1632	2.6117	2.3678	1.8629	1.7310	1.9404	3.2371	3.0832
141	3.3716	3.2610	3.3693	2.8221	2.5839	2.1576	2.1078	2.3292	3.4852	3.3989

	31	32	33	34	35	36	37	38	39	40
32	1.2653									
33	0.7220	0.6727								
34	0.8711	1.6715	1.1133							
35	1.0693	1.4018	1.0023	0.5229						
36	1.3033	0.8613	0.6682	1.2790	0.9719					
37	1.3449	1.7304	1.2706	0.6024	0.4544	1.0989				
38	2.0780	1.7310	1.7367	1.6197	1.1169	1.3449	1.2186			
39	0.7620	1.6473	1.2376	1.5501	1.8029	1.8806	2.0453	2.7744		
40	0.6265	1.1111	0.8736	1.4223	1.4921	1.5208	1.8357	2.3079	0.6426	
41	0.4653	1.3217	0.9466	0.9821	1.1093	1.4926	1.4578	2.0167	0.8831	0.5689
42	2.6691	2.4386	2.6327	2.5371	2.2124	2.6715	2.5480	1.8460	3.1388	2.5951
43	1.6881	1.1120	1.4150	1.7781	1.3915	1.4692	1.7894	1.2875	2.1691	1.5548

44	0.9708	0.9844	0.8020	0.9398	0.6260	0.9608	1.0402	1.2094	1.5972	1.1155
45	1.7048	1.0697	1.3172	1.6583	1.2082	1.1918	1.5407	0.9523	2.2521	1.6763
46	1.9009	1.2891	1.5159	1.7538	1.2728	1.3046	1.5638	0.7702	2.4809	1.9166
47	1.8813	1.4092	1.5130	1.6026	1.1093	1.2286	1.3358	0.5223	2.5032	1.9866
48	1.5275	1.3928	1.1741	1.0790	0.6397	0.7973	0.6748	0.7702	2.1936	1.8259
49	0.8051	1.7802	1.3833	1.4817	1.7547	2.0073	2.0160	2.7214	0.3975	0.6989
50	0.6127	1.4704	1.1104	1.2668	1.4508	1.7119	1.7564	2.3568	0.5938	0.4644
51	0.9462	1.1174	1.0353	1.2830	1.1730	1.4535	1.5834	1.7633	1.3165	0.7747
52	0.8548	1.7473	1.3415	0.8839	1.0980	1.7535	1.3743	1.9988	1.2411	1.0801
53	1.2198	1.7138	1.4549	0.9965	0.9440	1.6897	1.2643	1.5527	1.7354	1.3938
54	1.1410	1.8099	1.4282	0.7657	0.8540	1.6495	1.0744	1.6306	1.6624	1.4326
55	1.7497	1.6136	1.6177	1.4682	1.0879	1.5656	1.3847	0.9259	2.3302	1.8357
56	2.1007	2.2680	2.1332	1.5803	1.3249	2.0713	1.4799	1.1928	2.6995	2.3112
57	1.2264	1.8717	1.2918	0.6373	0.8638	1.2958	0.6422	1.7552	1.7607	1.7212
58	1.4416	1.9477	1.4584	0.6917	0.7358	1.3547	0.4506	1.4500	2.0481	1.9072
59	1.6932	2.8581	2.3318	2.0321	2.4856	2.8740	2.5839	3.5543	1.2941	1.8377
60	0.9891	1.6755	1.4246	1.5444	1.6971	1.9972	2.0189	2.5100	0.8517	0.7053
61	1.4807	1.0538	1.2718	2.1168	2.0176	1.7061	2.3519	2.4827	1.3853	0.9501
62	0.7572	1.6549	1.2396	1.1600	1.3913	1.7589	1.6413	2.3092	0.8152	0.7900
63	0.7395	1.5096	1.0552	1.2000	1.4055	1.5624	1.6069	2.3152	0.7408	0.7691
64	1.8068	1.8781	1.8593	1.6694	1.4575	1.9961	1.7743	1.5625	2.2310	1.7779
65	2.1859	2.6885	2.4495	1.7244	1.7032	2.5605	1.8443	1.9494	2.6461	2.3877
66	2.5525	2.8535	2.7072	2.0645	1.9259	2.7232	2.0614	1.8624	3.0587	2.7247
67	2.2604	2.7113	2.4460	1.6559	1.5952	2.4502	1.6424	1.7392	2.7904	2.5340
68	2.0268	2.5419	2.2006	1.3422	1.3292	2.1818	1.2968	1.6293	2.5767	2.3680
69	3.7065	3.4699	3.5871	3.2652	2.9095	3.3892	3.0434	2.1572	4.2678	3.7762
70	2.3332	3.4756	2.9583	2.6580	3.1245	3.4992	3.1977	4.1931	1.8666	2.4398
71	1.8124	2.8755	2.3840	2.2318	2.6532	2.9355	2.7582	3.6956	1.2874	1.8591
72	1.4987	1.4038	1.4351	2.2201	2.2339	1.9474	2.5269	2.8566	1.1540	0.9692
73	1.2961	1.2250	1.2598	1.8729	1.8298	1.7312	2.1597	2.3830	1.2081	0.8020
74	1.6854	2.8594	2.2925	1.7175	2.1881	2.7253	2.2142	3.2127	1.5611	1.9586
75	3.0699	3.7097	3.4570	2.6625	2.7390	3.6320	2.8507	2.9927	3.4032	3.2626
76	2.0594	2.5265	2.3184	1.7195	1.6964	2.4790	1.8862	1.9848	2.4545	2.1817
77	2.9415	3.6672	3.3310	2.4213	2.5503	3.4653	2.5751	2.8794	3.3072	3.2064
78	2.9393	3.4148	3.1927	2.4040	2.3746	3.2398	2.4435	2.4257	3.3956	3.1550
79	2.7477	3.1759	2.9481	2.1739	2.1160	2.9523	2.1600	2.1380	3.2331	2.9796
80	3.9740	3.6850	3.8509	3.5956	3.2404	3.6796	3.4026	2.4981	4.4921	3.9851
81	4.1207	3.9469	4.0488	3.6701	3.3494	3.8775	3.4747	2.6515	4.6582	4.1860
82	2.4296	3.5480	3.0479	2.7632	3.2199	3.5931	3.3012	4.2728	1.9403	2.5015
83	2.1151	3.1735	2.6959	2.5064	2.9327	3.2466	3.0347	3.9642	1.5851	2.1388
84	1.5816	1.8416	1.7158	2.2816	2.4011	2.2636	2.6580	3.1380	1.0493	1.1248
85	1.7560	1.4869	1.6286	2.3953	2.3504	2.0612	2.6531	2.8418	1.4951	1.2205
86	1.5531	2.5967	2.1206	1.7013	2.0825	2.5857	2.1952	3.0271	1.3776	1.6688
87	1.8091	2.7619	2.3330	1.6710	1.9841	2.6938	2.0899	2.7789	1.8949	1.9818
88	1.8110	2.5212	2.1937	1.6016	1.7605	2.4726	1.9106	2.3616	2.0312	1.9283
89	2.3404	3.4285	2.8779	2.0104	2.4298	3.1614	2.3617	3.2801	2.4367	2.6800
90	2.8180	3.5926	3.2276	2.3244	2.4949	3.3872	2.5093	2.9081	3.1379	3.0789
91	1.8183	2.3526	2.0148	1.3547	1.4040	2.1055	1.4466	1.8575	2.2202	2.0459
92	3.1002	2.8372	2.9716	2.7934	2.4583	2.8532	2.6463	1.8841	3.5639	3.0748
93	2.1589	2.9944	2.6479	2.7207	3.0566	3.2390	3.2357	4.0043	1.4924	1.9659
94	2.0991	2.9790	2.6389	2.5433	2.8684	3.2085	3.0639	3.7688	1.5820	1.9329
95	1.9023	2.1551	2.0570	2.5715	2.6977	2.5883	2.9513	3.4068	1.3452	1.4420
96	1.9230	1.8975	1.9186	2.5895	2.6318	2.3944	2.9012	3.2288	1.4832	1.4148
97	1.4624	1.9464	1.7174	2.0218	2.1852	2.2422	2.4199	2.9556	1.0323	1.1270
98	2.3217	3.2775	2.8682	2.1729	2.4830	3.2299	2.5774	3.2186	2.3531	2.4658
99	1.5936	2.2514	1.9414	1.6996	1.8762	2.3201	2.0585	2.5741	1.5770	1.5458
100	2.3487	2.8822	2.6631	2.0964	2.1466	2.8784	2.3133	2.4867	2.6006	2.4070
101	2.0579	3.1394	2.5655	1.8976	2.3417	2.8907	2.2772	3.2792	2.0185	2.3590
102	2.3412	2.7427	2.5373	1.9647	1.9330	2.6367	2.0506	2.1223	2.6963	2.4496
103	3.0626	3.1380	3.1071	2.6588	2.4543	3.0709	2.5906	2.1573	3.5003	3.1192
104	2.5406	2.4013	2.4274	2.2367	1.9597	2.3410	2.1149	1.6431	2.9662	2.5415
105	2.1163	2.8342	2.5557	2.6313	2.9046	3.1181	3.1133	3.7524	1.5439	1.8522
106	1.9382	2.3950	2.2047	2.5240	2.7093	2.7363	2.9350	3.4714	1.3796	1.5684
107	2.0847	2.9940	2.6037	2.3338	2.6673	3.0925	2.8052	3.5345	1.7357	2.0326
108	2.2053	3.0860	2.7218	2.2477	2.5361	3.1397	2.6767	3.2889	2.0850	2.2187

109	2.1814	2.5503	2.4320	2.2229	2.2451	2.7363	2.4905	2.6259	2.2528	2.0292
110	2.8301	3.5891	3.2689	2.5466	2.7311	3.5258	2.8206	3.2049	2.9825	2.9511
111	2.7404	3.6933	3.2488	2.4459	2.7614	3.5329	2.7673	3.4385	2.8197	2.9531
112	2.7769	3.6131	3.2154	2.4034	2.6422	3.4362	2.6498	3.1845	2.9481	2.9843
113	2.6650	2.8376	2.7588	2.3742	2.2490	2.8201	2.4048	2.2188	2.9915	2.6677
114	2.5107	2.9702	2.8509	3.0236	3.1932	3.3823	3.4588	3.8690	2.0224	2.1159
115	2.5295	3.3050	3.0182	2.9327	3.2232	3.5594	3.4189	4.0438	2.0352	2.3147
116	2.2356	2.7646	2.6065	2.6380	2.8031	3.1067	3.0631	3.4622	1.8822	1.9151
117	2.3753	3.2858	2.9110	2.5976	2.9305	3.3993	3.0707	3.7732	2.0306	2.3143
118	2.5920	3.2578	3.0194	2.5905	2.7571	3.3834	2.9447	3.2904	2.5596	2.5238
119	2.7756	3.5385	3.2449	2.6913	2.9014	3.5943	3.0451	3.4643	2.7640	2.7820
120	3.9879	4.8006	4.4706	3.6623	3.8684	4.7189	3.9199	4.2806	4.1110	4.1290
121	3.8015	4.5843	4.2579	3.4462	3.6350	4.4818	3.6789	4.0198	3.9572	3.9529
122	3.1862	4.0587	3.6581	2.8219	3.0764	3.8926	3.0793	3.6097	3.3239	3.3897
123	2.0888	2.6503	2.3470	1.9323	2.0603	2.5722	2.1469	2.5776	2.1979	2.1339
124	2.9637	2.7729	2.8801	2.7930	2.5461	2.8707	2.7463	2.2537	3.2725	2.8431
125	2.7740	2.9645	2.9757	3.3333	3.4214	3.4690	3.7112	3.9737	2.3040	2.2861
126	2.9301	3.2261	3.2134	3.2126	3.2624	3.6255	3.5563	3.6567	2.7395	2.5858
127	2.9709	3.3823	3.3048	3.1406	3.2167	3.6927	3.4799	3.6178	2.8457	2.7174
128	3.6009	4.5152	4.1551	3.4770	3.7663	4.5231	3.8555	4.3915	3.5317	3.6688
129	3.6921	3.9825	3.9607	3.6094	3.5776	4.1998	3.8167	3.6585	3.8113	3.5516
130	4.0098	4.7114	4.4532	3.7352	3.8837	4.7028	3.9838	4.2083	4.1308	4.0817
131	3.6227	4.6305	4.1688	3.3764	3.7275	4.4785	3.7085	4.4192	3.5887	3.8127
132	3.5946	4.6005	4.1340	3.3210	3.6695	4.4295	3.6404	4.3515	3.5845	3.8007
133	2.7363	3.6790	3.2003	2.5736	2.9284	3.5041	2.8960	3.6951	2.6498	2.9056
134	2.0559	2.4012	2.1516	2.1335	2.2275	2.3847	2.3158	2.7565	1.9975	1.9701
135	2.2578	2.1543	2.0862	2.4253	2.3764	2.2041	2.4839	2.6966	2.2267	2.0689
136	4.1766	3.8475	3.7743	3.7034	3.4209	3.2327	3.2291	3.0151	4.8600	4.5815
137	3.1190	2.8742	2.7218	2.6904	2.4425	2.2050	2.2460	2.2681	3.7802	3.5397
138	3.5272	3.2817	3.1301	3.0702	2.8325	2.5971	2.6062	2.6083	4.1822	3.9556
139	4.1042	3.6677	3.6613	3.5809	3.2210	3.0657	3.0464	2.5726	4.8162	4.4650
140	3.0799	2.6909	2.6421	2.5955	2.2308	2.0657	2.0831	1.7185	3.7900	3.4447
141	3.3327	2.9028	2.8522	2.9063	2.5778	2.2589	2.4040	2.1636	4.0007	3.6936

	41	42	43	44	45	46	47	48	49	50
42	2.3135									
43	1.4478	1.3428								
44	0.8393	1.8996	0.8656							
45	1.5418	1.5661	0.4328	0.7818						
46	1.7432	1.4999	0.5995	0.9500	0.2579					
47	1.7541	1.6329	0.8503	0.9273	0.4760	0.3102				
48	1.5569	2.2590	1.3621	0.8347	1.0104	1.0078	0.7673			
49	0.7316	2.9224	2.0887	1.5340	2.2035	2.4229	2.4413	2.1817		
50	0.3939	2.5803	1.7033	1.1589	1.8126	2.0318	2.0569	1.8473	0.3934	
51	0.5817	1.8608	0.9298	0.6325	1.0958	1.3132	1.3942	1.4449	1.1740	0.7893
52	0.5380	2.2200	1.6163	0.9862	1.6802	1.8321	1.7846	1.5721	0.9707	0.7332
53	0.8885	1.7022	1.2493	0.7832	1.2967	1.3951	1.3381	1.3091	1.4978	1.1794
54	0.9003	2.0330	1.5185	0.8770	1.4905	1.5846	1.4724	1.2525	1.4366	1.1601
55	1.4937	1.2590	0.7983	0.8365	0.7061	0.6741	0.6219	1.0453	2.1749	1.7974
56	1.8434	1.3677	1.4864	1.3590	1.4110	1.3240	1.1773	1.3893	2.4825	2.1549
57	1.3807	2.9112	2.0855	1.2524	1.8682	1.9474	1.7452	1.0650	1.7383	1.5552
58	1.4998	2.6418	1.9506	1.1891	1.7082	1.7383	1.4990	0.8646	1.9754	1.7391
59	1.7322	3.8172	3.1552	2.4867	3.2230	3.4117	3.3623	2.9547	1.1596	1.4932
60	0.6495	2.4783	1.7304	1.3335	1.8967	2.1150	2.1657	2.0599	0.5512	0.3887
61	1.3667	2.6653	1.5160	1.4771	1.6345	1.8871	2.0365	2.0725	1.4663	1.2453
62	0.5260	2.5801	1.7816	1.1704	1.8436	2.0411	2.0240	1.7682	0.5580	0.3638
63	0.7145	2.8060	1.8479	1.1965	1.8448	2.0515	2.0246	1.6881	0.6835	0.5314
64	1.4235	1.1730	1.0298	1.1075	1.1459	1.1985	1.2248	1.5572	1.9900	1.6443
65	1.8653	1.6962	1.9716	1.7308	2.0002	1.9860	1.8752	1.9490	2.3422	2.0988
66	2.2319	1.4533	1.9943	1.9322	2.0053	1.9316	1.8255	2.0503	2.7740	2.4925
67	2.0063	1.8589	2.0423	1.7386	1.9777	1.9255	1.7535	1.7571	2.5257	2.2663
68	1.8412	2.1240	2.0387	1.5728	1.9136	1.8799	1.6685	1.4942	2.3464	2.0973
69	3.4098	1.5333	2.4448	2.8209	2.4072	2.2108	2.1763	2.7354	4.0487	3.6964
70	2.3718	4.3986	3.7842	3.1324	3.8611	4.0512	4.0013	3.5856	1.7587	2.1120
71	1.8491	3.9590	3.2310	2.5939	3.2967	3.4988	3.4629	3.0658	1.2007	1.5477

72	1.4488	3.0806	1.9708	1.7709	2.0727	2.3257	2.4387	2.3515	1.2903	1.2025
73	1.0842	2.4885	1.4552	1.3007	1.5811	1.8273	1.9396	1.9446	1.1786	0.9317
74	1.6741	3.5579	3.0019	2.2840	3.0153	3.1665	3.0664	2.6290	1.3488	1.5380
75	2.7302	2.3277	2.9526	2.7758	3.0466	3.0303	2.9428	3.0335	3.0438	2.8948
76	1.6955	1.6291	1.8110	1.6079	1.8717	1.8909	1.8148	1.9229	2.1398	1.8889
77	2.6650	2.5984	3.0229	2.6975	3.0450	3.0249	2.8844	2.8398	2.9702	2.8347
78	2.6301	2.0091	2.6127	2.4592	2.6263	2.5610	2.4342	2.5544	3.0792	2.8567
79	2.4592	1.9487	2.4079	2.2180	2.3741	2.3021	2.1508	2.2426	2.9391	2.6948
80	3.6498	1.6309	2.6271	3.0872	2.6297	2.4481	2.4542	3.0608	4.2644	3.9133
81	3.8025	1.8644	2.9004	3.2680	2.8902	2.7045	2.6713	3.2076	4.4132	4.0765
82	2.4413	4.4271	3.8327	3.2033	3.9174	4.1093	4.0647	3.6688	1.8157	2.1667
83	2.1169	4.1439	3.4814	2.8680	3.5608	3.7607	3.7261	3.3467	1.4672	1.8124
84	1.5103	3.3000	2.3067	2.0001	2.4107	2.6568	2.7354	2.5812	1.1212	1.1659
85	1.6286	2.9514	1.8901	1.8307	2.0020	2.2467	2.3818	2.3936	1.5599	1.4166
86	1.4076	3.1844	2.6442	2.0278	2.6969	2.8622	2.7988	2.4758	1.0803	1.2187
87	1.5523	2.7636	2.5156	1.9767	2.5696	2.6830	2.5947	2.3684	1.5463	1.5284
88	1.4750	2.2500	2.0889	1.6740	2.1372	2.2256	2.1444	2.0485	1.6926	1.5349
89	2.2492	3.5732	3.3145	2.6377	3.2886	3.3743	3.2185	2.8145	2.1709	2.2362
90	2.5483	2.7061	3.0125	2.6337	3.0269	3.0265	2.8829	2.7878	2.7991	2.6848
91	1.5779	2.2039	1.9303	1.4483	1.8379	1.8733	1.7118	1.5373	1.9696	1.7325
92	2.7669	1.2217	1.8278	2.2241	1.8112	1.6779	1.6837	2.2613	3.3450	2.9910
93	2.0953	4.0265	3.3150	2.8409	3.4406	3.6642	3.6838	3.4119	1.3976	1.7221
94	1.9198	3.6175	3.0843	2.6477	3.2326	3.4369	3.4502	3.2424	1.3319	1.5915
95	1.7890	3.4527	2.5373	2.2832	2.6586	2.9006	2.9856	2.8651	1.3621	1.4338
96	1.8176	3.3236	2.3240	2.1656	2.4316	2.6750	2.7840	2.7195	1.5482	1.5195
97	1.3039	3.0747	2.2106	1.8273	2.3015	2.5285	2.5692	2.3959	0.9310	0.9575
98	2.0493	3.0072	2.9506	2.4799	3.0318	3.1312	3.0472	2.8668	1.9882	2.0109
99	1.2855	2.5773	2.0753	1.6440	2.1316	2.2873	2.2528	2.1094	1.2733	1.1623
100	1.9651	1.9907	2.2108	2.0187	2.2938	2.3346	2.2737	2.3592	2.2512	2.0613
101	2.0391	3.7285	3.2239	2.4956	3.1792	3.3018	3.1610	2.6882	1.8192	1.9373
102	1.9988	1.8862	2.0470	1.8522	2.0438	2.0450	1.9411	2.0316	2.3920	2.1468
103	2.7096	1.5177	2.1885	2.3318	2.1877	2.0916	2.0250	2.3991	3.2206	2.9176
104	2.2311	1.5450	1.5812	1.7291	1.4878	1.4203	1.3614	1.7493	2.7584	2.4159
105	1.9429	3.6334	3.0013	2.6177	3.1428	3.3593	3.3921	3.2095	1.3572	1.5796
106	1.7917	3.4779	2.6710	2.3470	2.7861	3.0155	3.0704	2.9151	1.3014	1.4223
107	1.8877	3.4759	3.0052	2.5126	3.0989	3.2756	3.2452	3.0037	1.4474	1.6216
108	1.9128	3.0476	2.8410	2.4125	2.9442	3.0795	3.0326	2.8763	1.7238	1.7746
109	1.7627	2.0734	1.9907	1.9081	2.1314	2.2425	2.2622	2.3998	1.9254	1.7364
110	2.4973	2.7620	3.0227	2.7124	3.0978	3.1427	3.0527	3.0142	2.6110	2.5345
111	2.5124	3.3530	3.3542	2.8482	3.3799	3.4494	3.3229	3.0927	2.4820	2.4974
112	2.5143	3.0518	3.1600	2.7211	3.1714	3.2130	3.0791	2.9155	2.6063	2.5504
113	2.2933	1.7264	2.0252	2.0519	2.0415	2.0240	1.9696	2.2314	2.7012	2.4254
114	2.2314	3.4450	2.9552	2.7896	3.1536	3.3642	3.4461	3.4302	1.8088	1.9093
115	2.3025	3.7568	3.3197	2.9637	3.4775	3.6743	3.6963	3.5462	1.7790	1.9834
116	1.9046	3.0251	2.6211	2.4275	2.8095	3.0018	3.0615	3.0537	1.5944	1.6350
117	2.1527	3.5942	3.2298	2.7757	3.3431	3.5126	3.4857	3.2760	1.7257	1.9006
118	2.2076	2.6906	2.7679	2.5499	2.9141	3.0195	3.0032	3.0272	2.1821	2.1324
119	2.4212	2.9251	3.0574	2.7745	3.1811	3.2721	3.2268	3.1985	2.3831	2.3621
120	3.6701	3.6676	4.1748	3.9039	4.2646	4.2838	4.1870	4.1658	3.7318	3.7038
121	3.4840	3.4580	3.9494	3.6765	4.0228	4.0352	3.9307	3.9106	3.5823	3.5322
122	2.9228	3.3724	3.5826	3.1646	3.6123	3.6493	3.5191	3.3684	2.9724	2.9476
123	1.8033	2.6263	2.3208	1.9277	2.3033	2.3971	2.3069	2.1778	1.9133	1.7698
124	2.5987	1.6491	1.9036	2.2131	1.9202	1.8854	1.9121	2.3695	3.0390	2.7196
125	2.4972	3.5038	2.9636	2.9403	3.1704	3.3845	3.5053	3.5722	2.1563	2.1911
126	2.5117	2.7452	2.7491	2.8291	2.9920	3.1372	3.2344	3.4405	2.4281	2.3572
127	2.5452	2.6995	2.8361	2.8529	3.0565	3.1783	3.2402	3.4198	2.4983	2.4275
128	3.3005	3.8426	4.0748	3.7317	4.1980	4.2808	4.2142	4.1199	3.1586	3.2251
129	3.2424	2.3641	3.1095	3.2946	3.3149	3.3373	3.3799	3.7229	3.4479	3.2818
130	3.6468	3.3927	4.0025	3.8423	4.1232	4.1395	4.0733	4.1489	3.7424	3.6821
131	3.4168	4.2528	4.3208	3.8205	4.3595	4.4326	4.3078	4.0616	3.2610	3.3490
132	3.3931	4.2139	4.2854	3.7779	4.3154	4.3831	4.2517	3.9994	3.2585	3.3373
133	2.5859	3.8500	3.5636	2.9817	3.5473	3.6529	3.5259	3.1903	2.3800	2.4613
134	1.8679	3.0445	2.3764	1.9923	2.3185	2.4612	2.4067	2.2209	1.8407	1.7198
135	2.1281	3.1375	2.2687	2.0477	2.1589	2.3052	2.2934	2.1881	2.1888	2.0038
136	4.4077	4.6039	4.0440	3.8098	3.7353	3.6097	3.4504	3.2098	4.9791	4.7288

137	3.3858	3.9631	3.2085	2.8455	2.8949	2.8185	2.6495	2.2717	3.9167	3.6836
138	3.7966	4.3194	3.6032	3.2486	3.2769	3.1869	3.0084	2.6347	4.3204	4.0913
139	4.2605	4.1279	3.6830	3.5577	3.3510	3.1827	3.0171	2.9015	4.8920	4.5953
140	3.2482	3.3978	2.7821	2.5700	2.4496	2.3167	2.1447	1.9453	3.8702	3.5776
141	3.5531	3.8806	3.1550	2.9104	2.8114	2.7028	2.5416	2.2754	4.1260	3.8546

	51	52	53	54	55	56	57	58	59	60
52	0.8263									
53	0.7929	0.5887								
54	0.9816	0.5004	0.3602							
55	1.1134	1.3965	0.8541	1.0721						
56	1.6163	1.5466	0.9888	1.1161	0.7240					
57	1.6323	1.2636	1.3747	1.0742	1.7145	1.8183				
58	1.6406	1.3026	1.2329	0.9595	1.4511	1.4619	0.4276			
59	2.2357	1.6731	2.2528	2.0620	3.0514	3.1487	2.1389	2.4301		
60	0.8223	0.8184	1.2068	1.2456	1.8291	2.1699	1.8216	1.9603	1.5588	
61	1.1421	1.7723	1.8901	1.9920	2.0046	2.6328	2.2522	2.3932	2.5480	1.2516
62	0.8803	0.5639	1.0495	0.9540	1.7252	2.0053	1.3647	1.5377	1.4088	0.4849
63	1.0213	0.8870	1.2965	1.1656	1.8408	2.1916	1.2568	1.5031	1.5018	0.7487
64	1.0198	1.2334	0.7360	1.0226	0.6396	0.8952	1.9375	1.7306	2.8254	1.5439
65	1.7671	1.4109	1.0270	1.0899	1.3143	0.7979	1.9796	1.7003	2.7925	2.0325
66	2.0284	1.8376	1.3503	1.4730	1.3054	0.6885	2.2992	1.9611	3.3035	2.4231
67	1.9208	1.5660	1.1567	1.1407	1.2896	0.6581	1.8216	1.4813	2.9574	2.2590
68	1.8330	1.4087	1.0819	0.9449	1.2935	0.8061	1.4248	1.0816	2.7403	2.1480
69	3.0091	3.1793	2.5982	2.7965	1.9907	1.7183	3.4407	3.0540	4.7886	3.6300
70	2.8587	2.2975	2.8674	2.6746	3.6759	3.7394	2.7223	3.0195	0.6494	2.1338
71	2.3092	1.8434	2.4170	2.2356	3.1753	3.3311	2.2739	2.5872	0.4007	1.5833
72	1.4105	1.8491	2.1058	2.1449	2.3731	2.9418	2.3094	2.5253	2.2532	1.2150
73	0.8740	1.4038	1.5515	1.6388	1.7895	2.3469	2.0117	2.1389	2.2387	0.8666
74	2.1379	1.4203	1.9315	1.6750	2.7270	2.7049	1.7442	1.9761	0.7072	1.6018
75	2.6933	2.2441	2.0171	2.0627	2.3658	1.8116	2.9193	2.6756	3.2198	2.7538
76	1.5494	1.2587	0.8899	0.9938	1.2235	0.8979	1.9582	1.7228	2.6538	1.7769
77	2.7057	2.1429	1.9625	1.9089	2.3586	1.7580	2.5968	2.3546	3.0374	2.7521
78	2.5223	2.1625	1.7912	1.8354	1.9209	1.2681	2.6040	2.2827	3.4036	2.7714
79	2.3391	2.0012	1.6002	1.6191	1.6709	1.0096	2.3223	1.9828	3.3090	2.6355
80	3.2124	3.4335	2.8603	3.0812	2.2558	2.0495	3.7744	3.4024	5.0283	3.8123
81	3.4144	3.5347	2.9680	3.1615	2.4368	2.0951	3.8474	3.4573	5.0977	3.9825
82	2.9054	2.3578	2.9204	2.7356	3.7262	3.7907	2.8193	3.1088	0.7506	2.1575
83	2.5562	2.0713	2.6346	2.4584	3.4083	3.5316	2.5443	2.8421	0.5674	1.7988
84	1.5929	1.8129	2.1693	2.1588	2.5831	3.0609	2.3346	2.5828	1.8829	1.1122
85	1.4529	1.9753	2.1444	2.2181	2.3122	2.9041	2.4634	2.6305	2.5288	1.3507
86	1.7696	1.1492	1.6407	1.4472	2.4172	2.4657	1.7626	1.9498	0.9001	1.1666
87	1.7802	1.0809	1.3534	1.1853	2.1136	1.9742	1.7949	1.8160	1.5452	1.4261
88	1.5075	0.9900	0.9956	0.9161	1.6242	1.4845	1.7374	1.6485	2.0265	1.4013
89	2.5966	1.8021	2.0948	1.8200	2.8172	2.5459	1.9772	2.0386	1.6687	2.2485
90	2.6201	2.0147	1.8975	1.8056	2.3598	1.8134	2.4559	2.2487	2.8078	2.5978
91	1.5517	1.1407	0.9404	0.7686	1.3009	1.1129	1.3364	1.1304	2.3876	1.7212
92	2.3127	2.5654	2.0181	2.2278	1.4192	1.3760	2.9197	2.5930	4.1338	2.8829
93	2.4201	2.1593	2.6826	2.5817	3.3775	3.6177	2.7838	3.0687	1.1120	1.6174
94	2.1965	1.8544	2.3333	2.2536	3.0593	3.2188	2.6534	2.8666	1.1137	1.3913
95	1.8395	2.0364	2.3845	2.3807	2.8011	3.2589	2.6066	2.8440	1.9916	1.3041
96	1.7597	2.1221	2.3864	2.4147	2.6706	3.2034	2.6156	2.8293	2.3416	1.4243
97	1.4145	1.4569	1.8289	1.7870	2.3292	2.7142	2.0583	2.2763	1.6131	0.8254
98	2.2511	1.5807	1.7970	1.6695	2.5239	2.2896	2.3008	2.2951	1.7960	1.8597
99	1.3404	1.0171	1.2491	1.1637	1.8428	1.9806	1.7376	1.8009	1.7142	0.9758
100	1.8491	1.5112	1.3048	1.3551	1.6937	1.4183	2.2600	2.0783	2.6228	1.8729
101	2.4320	1.7086	2.1155	1.8150	2.8359	2.7346	1.7538	1.9464	1.2429	1.9869
102	1.8299	1.5628	1.2308	1.2563	1.4146	1.0891	2.0495	1.8026	2.8403	2.0219
103	2.3800	2.3650	1.8674	2.0129	1.5853	1.2105	2.7814	2.4468	3.8121	2.7876
104	1.8317	2.0098	1.5297	1.6611	1.0616	1.1240	2.2620	1.9775	3.4992	2.3279
105	2.1497	1.9577	2.4050	2.3434	3.0482	3.2937	2.6949	2.9206	1.3874	1.3669
106	1.8996	1.9290	2.3142	2.2766	2.8192	3.1902	2.5401	2.7733	1.7287	1.2475
107	2.1473	1.6823	2.1153	1.9829	2.8369	2.9100	2.3619	2.5392	1.1745	1.4407
108	2.0825	1.5415	1.8264	1.7261	2.5354	2.4618	2.3373	2.3932	1.6173	1.5573
109	1.5495	1.4838	1.3971	1.5002	1.7458	1.8245	2.3538	2.2753	2.4790	1.4495

110	2.5346	1.9947	1.9653	1.9135	2.4881	2.1090	2.6643	2.5310	2.6084	2.3495
111	2.7139	2.0141	2.1714	1.9943	2.8258	2.4859	2.4684	2.4321	2.1556	2.3844
112	2.6287	1.9924	2.0199	1.8738	2.5713	2.1710	2.4255	2.3129	2.4685	2.4295
113	1.9917	1.9427	1.5523	1.6601	1.4813	1.2899	2.4436	2.1890	3.2632	2.2568
114	2.2436	2.2492	2.5565	2.5877	3.0713	3.3548	3.1229	3.2758	2.1127	1.5871
115	2.4882	2.1992	2.6078	2.5497	3.2806	3.4232	3.0059	3.1872	1.5949	1.7241
116	1.9019	1.8286	2.0972	2.1296	2.6382	2.8598	2.7561	2.8641	1.9516	1.2855
117	2.3904	1.9150	2.3176	2.2025	3.0424	3.0686	2.6447	2.7971	1.3719	1.6886
118	2.1890	1.8272	1.8979	1.9121	2.4456	2.3279	2.7256	2.6797	2.3253	1.8426
119	2.4650	1.9902	2.0783	2.0484	2.6636	2.4481	2.8115	2.7585	2.3562	2.1090
120	3.7304	3.1652	3.1351	3.0887	3.6155	3.1246	3.7836	3.6342	3.5118	3.5110
121	3.5286	2.9715	2.9139	2.8640	3.3677	2.8678	3.5527	3.3883	3.4157	3.3487
122	3.0504	2.4027	2.4421	2.3104	2.9962	2.5557	2.8604	2.7506	2.7213	2.8111
123	1.7819	1.4283	1.4580	1.3369	1.8905	1.8596	1.8436	1.8015	2.1977	1.6245
124	2.1496	2.3982	1.9700	2.1443	1.5882	1.6833	2.8407	2.5974	3.7849	2.5441
125	2.3925	2.5950	2.8251	2.8989	3.1928	3.5711	3.4148	3.5555	2.6457	1.8802
126	2.3071	2.3734	2.4110	2.5488	2.7494	2.9080	3.3776	3.3681	2.8886	1.9770
127	2.3797	2.3096	2.3248	2.4402	2.7080	2.7467	3.3043	3.2637	2.8473	2.0625
128	3.4420	2.8568	3.0090	2.9361	3.6467	3.3266	3.5878	3.5561	2.7749	3.0021
129	2.9763	2.9116	2.6740	2.8495	2.8120	2.6129	3.8227	3.6310	3.8513	2.9741
130	3.6274	3.1660	3.0777	3.0889	3.4851	3.0311	3.8860	3.7161	3.6679	3.4499
131	3.6486	2.9477	3.1492	2.9734	3.8076	3.4458	3.3624	3.3606	2.6697	3.2145
132	3.6247	2.9161	3.1061	2.9248	3.7562	3.3799	3.3013	3.2910	2.6803	3.2122
133	2.8347	2.1878	2.4723	2.2366	3.1214	2.9469	2.4213	2.5100	1.8856	2.3710
134	1.8300	1.7305	1.8631	1.7423	2.1720	2.4019	1.9089	2.0020	2.2372	1.6150
135	1.9546	2.1643	2.2042	2.1465	2.2476	2.6623	2.1670	2.2589	2.8158	1.9513
136	4.4098	4.4971	4.2706	4.2184	3.9066	3.9842	3.7021	3.5633	5.5632	5.0360
137	3.4399	3.5045	3.3495	3.2680	3.0907	3.2421	2.6738	2.5955	4.4957	4.0090
138	3.8509	3.8979	3.7360	3.6441	3.4587	3.5765	3.0140	2.9283	4.8621	4.4171
139	4.1673	4.3082	3.9900	3.9681	3.4940	3.5544	3.5591	3.3455	5.5548	4.8594
140	3.1817	3.3245	3.0462	3.0182	2.6197	2.7584	2.6081	2.4228	4.5601	3.8524
141	3.5173	3.6707	3.4457	3.3941	3.0503	3.2356	2.8559	2.7315	4.7897	4.1529

	61	62	63	64	65	66	67	68	69	70
62	1.4344									
63	1.2920	0.4102								
64	1.9382	1.5408	1.7516							
65	2.8229	1.8896	2.1740	1.0675						
66	3.0567	2.3083	2.5646	1.1506	0.5251					
67	2.9566	2.0391	2.2626	1.2387	0.4449	0.5715				
68	2.8277	1.8493	2.0213	1.3444	0.7585	0.9875	0.4321			
69	3.8073	3.5816	3.7540	2.0896	2.1261	1.6167	2.0360	2.3379		
70	3.0878	2.0297	2.1082	3.4124	3.3148	3.8345	3.4916	3.2860	5.3561	
71	2.4480	1.4716	1.4948	2.9336	2.9995	3.4995	3.1649	2.9432	4.9415	0.6658
72	0.5119	1.3902	1.1987	2.2586	3.0348	3.3326	3.1800	3.0181	4.2201	2.7391
73	0.4634	1.0535	0.9744	1.6269	2.4451	2.7157	2.6004	2.4786	3.6027	2.7893
74	2.6601	1.3072	1.4376	2.5144	2.3035	2.8182	2.4175	2.1793	4.3449	1.1308
75	3.7141	2.6818	3.0232	2.0057	1.0940	1.2123	1.3483	1.6740	2.5594	3.6005
76	2.5507	1.6767	1.9650	0.8300	0.3642	0.7210	0.7076	0.9254	2.2071	3.1794
77	3.7325	2.5802	2.8833	2.0922	1.0566	1.2687	1.1567	1.3763	2.7211	3.4156
78	3.5615	2.6345	2.9177	1.7100	0.7688	0.6460	0.8175	1.2072	1.9722	3.8651
79	3.3566	2.4601	2.7070	1.5252	0.6367	0.4985	0.5259	0.9075	1.8814	3.7990
80	3.9431	3.8073	3.9852	2.2792	2.3951	1.8953	2.3582	2.6779	0.4392	5.5851
81	4.2285	3.9475	4.1452	2.4536	2.3644	1.8438	2.3025	2.6446	0.5141	5.6388
82	3.1100	2.0763	2.1603	3.4360	3.3467	3.8646	3.5354	3.3418	5.3833	0.1888
83	2.6938	1.7222	1.7748	3.1241	3.1412	3.6474	3.3255	3.1236	5.1158	0.4856
84	0.9857	1.2804	1.1177	2.3772	3.0217	3.3759	3.1916	3.0228	4.4115	2.3073
85	0.4564	1.5557	1.3956	2.1636	3.0169	3.2716	3.1673	3.0380	4.0564	3.0091
86	2.2549	0.9519	1.1447	2.1146	2.0618	2.5609	2.2357	2.0517	4.0344	1.3755
87	2.5480	1.2264	1.5217	1.7539	1.4178	1.9246	1.6242	1.5256	3.4688	1.9790
88	2.3562	1.2402	1.5292	1.2181	0.9743	1.4321	1.2022	1.1770	2.9062	2.5175
89	3.3339	1.9334	2.1187	2.5927	1.9992	2.4823	2.0513	1.8574	4.0545	1.9169
90	3.6028	2.4081	2.7008	2.0680	1.0864	1.3861	1.1925	1.3390	2.8900	3.1698
91	2.4071	1.4308	1.5857	1.1525	0.9278	1.2613	0.8685	0.6769	2.6003	2.9237
92	2.9864	2.8656	3.0116	1.3755	1.7487	1.3712	1.7350	1.9824	0.9866	4.6958

93	2.3076	1.7066	1.7315	3.0458	3.2826	3.7510	3.5077	3.3445	5.1007	1.1691
94	2.3208	1.5036	1.6564	2.6506	2.7949	3.2629	3.0578	2.9474	4.6493	1.2728
95	1.2195	1.5095	1.3877	2.5344	3.1684	3.5218	3.3603	3.2128	4.5542	2.3438
96	0.9038	1.6261	1.4570	2.4632	3.2184	3.5216	3.3853	3.2405	4.4159	2.7452
97	1.2039	0.9288	0.8489	2.0565	2.5873	2.9675	2.7645	2.6025	4.1059	2.0711
98	3.0110	1.7344	2.0413	2.1026	1.6016	2.0808	1.8484	1.8333	3.6417	2.0880
99	1.8342	0.8610	1.0520	1.4547	1.6760	2.0834	1.8633	1.7492	3.3853	2.2045
100	2.7199	1.8128	2.1096	1.1955	0.7935	1.0969	1.1101	1.3014	2.5012	3.0741
101	2.9603	1.6371	1.7133	2.6402	2.3167	2.8070	2.3596	2.0937	4.3185	1.5136
102	2.7033	1.8848	2.1134	1.0533	0.6862	0.8603	0.8088	0.9846	2.1822	3.3346
103	3.2163	2.7242	2.9337	1.3688	1.2188	0.8352	1.2359	1.5708	1.2625	4.3250
104	2.4746	2.2398	2.3403	0.9834	1.4474	1.2817	1.3998	1.5110	1.6682	4.0575
105	2.0632	1.5188	1.5885	2.6533	2.9505	3.3872	3.1971	3.0765	4.6763	1.5777
106	1.5285	1.4110	1.3488	2.4952	3.0018	3.3877	3.2060	3.0616	4.5246	2.0418
107	2.4292	1.4055	1.5655	2.4312	2.4446	2.9172	2.6692	2.5442	4.3423	1.3982
108	2.6460	1.5090	1.7821	2.0663	1.8722	2.3335	2.1359	2.0961	3.8020	1.9054
109	2.1159	1.5361	1.7815	1.1604	1.4742	1.7323	1.7617	1.8486	2.8545	2.9300
110	3.3726	2.2554	2.5630	2.0308	1.3500	1.6850	1.6016	1.7447	3.1363	2.9143
111	3.4822	2.1870	2.4422	2.4591	1.7879	2.2188	1.9350	1.9025	3.7568	2.3715
112	3.4544	2.2334	2.4919	2.2093	1.4684	1.8418	1.5942	1.6206	3.3326	2.7588
113	2.7336	2.1997	2.3978	1.0849	1.1194	1.0549	1.2310	1.4493	1.9222	3.7556
114	2.0636	1.8754	1.9835	2.5901	3.0235	3.3852	3.3165	3.2793	4.5104	2.3150
115	2.5535	1.8690	2.0174	2.8108	2.9585	3.3974	3.2387	3.1665	4.7345	1.6506
116	1.9785	1.5378	1.7162	2.1286	2.4923	2.8589	2.7907	2.7710	4.0385	2.2470
117	2.6996	1.6925	1.8839	2.5937	2.5365	3.0040	2.7876	2.7000	4.4422	1.4846
118	2.7991	1.8986	2.1999	1.8727	1.7012	2.0502	2.0310	2.1329	3.3786	2.6275
119	3.1378	2.1063	2.4123	2.1262	1.7441	2.1109	2.0511	2.1514	3.5106	2.6051
120	4.5799	3.4403	3.7588	3.1706	2.3579	2.5592	2.5633	2.7609	3.8077	3.6566
121	4.3907	3.2593	3.5693	2.9386	2.1128	2.3059	2.3000	2.4984	3.5632	3.6035
122	3.8769	2.6429	2.9155	2.6144	1.8166	2.1498	1.9569	2.0232	3.6012	2.9279
123	2.3410	1.4389	1.5774	1.5222	1.5087	1.8531	1.6145	1.5212	3.1223	2.6326
124	2.6362	2.5620	2.6859	1.3069	1.8255	1.6450	1.8952	2.0760	1.8014	4.3014
125	1.9594	2.2039	2.2487	2.7385	3.3463	3.6442	3.6250	3.5997	4.5796	2.8777
126	2.4867	2.2663	2.4945	2.1410	2.5228	2.7447	2.8707	2.9931	3.6701	3.1812
127	2.7435	2.2855	2.5529	2.0801	2.2623	2.4924	2.6191	2.7690	3.5126	3.1300
128	4.1206	2.9782	3.2826	3.1411	2.5512	2.9040	2.8221	2.9210	4.3170	2.8054
129	3.6186	3.1248	3.4323	2.2364	2.1346	2.1050	2.4674	2.7928	2.7570	4.1887
130	4.4483	3.4378	3.7667	2.9936	2.2898	2.4265	2.5417	2.7977	3.5470	3.8551
131	4.3303	3.0537	3.2900	3.4112	2.7186	3.1060	2.8646	2.8515	4.5848	2.6490
132	4.3256	3.0373	3.2719	3.3737	2.6578	3.0412	2.7898	2.7732	4.5196	2.6797
133	3.3356	2.1321	2.2582	2.7889	2.3940	2.8350	2.4846	2.3301	4.3010	2.0010
134	1.9092	1.4512	1.3647	1.9170	2.2778	2.5813	2.3366	2.1593	3.6312	2.6563
135	1.6536	1.8476	1.6364	2.1335	2.7670	2.9717	2.7794	2.5977	3.7103	3.2651
136	4.8730	4.7475	4.6390	4.5282	4.6293	4.5611	4.3217	4.1101	4.5615	6.1346
137	3.8729	3.7051	3.5724	3.6880	3.8447	3.8676	3.5667	3.3012	4.1593	5.0685
138	4.2742	4.1004	3.9606	4.0627	4.1822	4.1861	3.8807	3.6140	4.4107	5.4222
139	4.6612	4.5846	4.4922	4.1263	4.2575	4.1116	3.9299	3.7613	3.8972	6.1551
140	3.6869	3.5790	3.4837	3.2492	3.4471	3.3785	3.1552	2.9506	3.4522	5.1699
141	3.9011	3.8676	3.7254	3.6762	3.9107	3.8700	3.6166	3.3780	3.9543	5.3834

	71	72	73	74	75	76	77	78	79	80
72	2.0955									
73	2.1572	0.6380								
74	0.9423	2.4586	2.2871							
75	3.4551	3.8708	3.3032	2.7258						
76	2.8233	2.7576	2.1584	2.2034	1.2470					
77	3.2863	3.8587	3.3143	2.4616	0.5857	1.2744				
78	3.6261	3.7816	3.1820	2.8607	0.7389	1.0295	0.7499			
79	3.5152	3.5850	2.9861	2.7498	1.0429	0.8964	0.9231	0.3672		
80	5.1629	4.3643	3.7478	4.6053	2.7453	2.4330	2.9696	2.2263	2.1684	
81	5.2574	4.6282	4.0012	4.6352	2.5845	2.4601	2.7933	2.0575	2.0392	0.4630
82	0.7023	2.7543	2.8035	1.1987	3.6053	3.1981	3.4346	3.8876	3.8267	5.6007
83	0.3267	2.3319	2.3898	1.0566	3.5051	2.9622	3.3465	3.7304	3.6412	5.3257
84	1.6691	0.5381	0.8678	2.1310	3.7638	2.7343	3.7337	3.7509	3.5731	4.5569
85	2.3643	0.4076	0.5957	2.6728	3.8491	2.7161	3.8687	3.7394	3.5398	4.1682

86	0.9911	2.0781	1.8430	0.5890	2.5354	1.8799	2.3628	2.6671	2.5516	4.2556
87	1.7187	2.5090	2.1010	1.0375	1.7956	1.2747	1.6205	1.9446	1.8629	3.6937
88	2.1624	2.4299	1.9106	1.5562	1.5773	0.7444	1.4760	1.5710	1.4417	3.1186
89	1.8984	3.2312	2.9144	1.0003	2.1671	2.0037	1.7728	2.3223	2.2499	4.3294
90	3.0418	3.6963	3.1718	2.2134	0.7758	1.2407	0.3162	0.9535	1.0425	3.1340
91	2.5184	2.5486	2.0144	1.8495	1.8172	0.8210	1.5857	1.5089	1.2344	2.8701
92	4.2272	3.3821	2.7645	3.7319	2.3856	1.6714	2.5388	1.8679	1.6969	1.0567
93	0.7879	1.9006	2.0460	1.5857	3.7028	3.0376	3.6344	3.9147	3.8187	5.2636
94	0.9540	2.0205	1.9668	1.3708	3.1213	2.5455	3.0888	3.3814	3.3163	4.8007
95	1.7359	0.8053	1.0872	2.2521	3.8455	2.8615	3.8372	3.8715	3.7074	4.6745
96	2.1136	0.5469	0.9064	2.5525	3.9774	2.9086	3.9800	3.9323	3.7452	4.5262
97	1.4363	0.9271	0.8702	1.7265	3.2872	2.2962	3.2386	3.2933	3.1220	4.2615
98	1.9739	2.9584	2.5564	1.3156	1.6169	1.4940	1.4787	1.9453	1.9503	3.8410
99	1.7162	1.8071	1.3754	1.4166	2.3134	1.3870	2.2336	2.3148	2.1540	3.5628
100	2.7574	2.8655	2.2899	2.1630	1.1537	0.5535	1.2288	1.1654	1.1151	2.6655
101	1.3768	2.7813	2.5697	0.5989	2.6980	2.2392	2.3478	2.7834	2.6486	4.5857
102	2.9676	2.8981	2.3018	2.3323	1.3639	0.5098	1.3201	1.0662	0.8650	2.3866
103	3.9410	3.5277	2.8945	3.3325	1.6438	1.2019	1.7857	1.1364	1.0118	1.4066
104	3.5642	2.8110	2.2036	3.0798	2.2826	1.2886	2.3046	1.7887	1.5217	1.8295
105	1.1354	1.7260	1.7437	1.6503	3.3710	2.6679	3.3490	3.5682	3.4720	4.8095
106	1.4604	1.1616	1.2746	1.9506	3.5985	2.6965	3.5735	3.6736	3.5254	4.6511
107	1.0883	2.1930	2.0175	1.0939	2.7627	2.2089	2.6649	2.9869	2.9042	4.5100
108	1.6825	2.5440	2.1906	1.2819	2.0486	1.6561	1.9847	2.3226	2.2839	3.9656
109	2.5010	2.2377	1.6878	2.1874	1.9605	1.1173	2.0778	1.9815	1.8832	2.9485
110	2.7707	3.4202	2.9176	2.0944	1.0302	1.2875	0.9966	1.4009	1.4799	3.2995
111	2.3312	3.4301	3.0264	1.5723	1.6481	1.7563	1.3639	1.9487	1.9560	3.9709
112	2.6396	3.4679	2.9998	1.8636	1.3238	1.4583	1.0259	1.5435	1.5449	3.5430
113	3.3461	2.9825	2.3673	2.8072	1.6696	0.9123	1.7561	1.3465	1.1775	2.0420
114	1.9049	1.8290	1.7645	2.2889	3.3892	2.6941	3.4799	3.5974	3.5234	4.5740
115	1.4114	2.2698	2.1928	1.7534	3.1881	2.6839	3.1953	3.4840	3.4350	4.8481
116	1.8250	1.8330	1.5946	1.9860	2.8624	2.1646	2.9482	3.0576	2.9857	4.1207
117	1.3074	2.4720	2.2835	1.2897	2.7210	2.3063	2.6529	3.0175	2.9701	4.5936
118	2.3835	2.8033	2.3473	2.0012	1.7120	1.4459	1.8274	2.0247	2.0403	3.7729
119	2.4511	3.1235	2.6795	1.9693	1.5659	1.5603	1.6290	1.9623	2.0137	3.6299
120	3.6958	4.6085	4.1249	3.0233	1.4676	2.3977	1.5158	2.0382	2.2625	3.9263
121	3.5990	4.4357	3.9367	2.8965	1.2675	2.1578	1.2799	1.7865	1.9940	3.6935
122	2.9016	3.8744	3.4185	2.1441	1.3776	1.8364	1.1238	1.7418	1.8216	3.7935
123	2.2190	2.3719	1.9004	1.7260	2.0774	1.2543	1.9330	1.9982	1.8095	3.3010
124	3.8118	2.9677	2.3708	3.4130	2.4335	1.6039	2.5766	2.0673	1.8883	1.8000
125	2.4126	1.7664	1.7649	2.8298	3.7862	2.9956	3.9104	3.9278	3.8325	4.6024
126	2.8187	2.5127	2.1403	2.8164	2.6972	2.1844	2.9503	2.9224	2.9137	3.6513
127	2.8246	2.7773	2.3526	2.6846	2.3020	1.9499	2.5611	2.5826	2.6058	3.5107
128	2.9013	4.0431	3.6648	2.4162	1.9766	2.4734	1.9961	2.5557	2.6971	4.4359
129	3.9292	3.8012	3.2486	3.5325	1.8019	1.9584	2.2510	2.0597	2.2052	2.6718
130	3.8272	4.5128	4.0032	3.2161	1.3890	2.2859	1.6175	1.9607	2.2025	3.6125
131	2.8097	4.2145	3.8742	2.1917	2.2952	2.6981	2.0611	2.7248	2.7956	4.7687
132	2.8296	4.2186	3.8694	2.1779	2.2400	2.6497	1.9821	2.6518	2.7191	4.7109
133	1.9248	3.1784	2.9004	1.3531	2.5155	2.2767	2.2196	2.6973	2.6102	4.5084
134	2.1130	1.8551	1.5450	1.9491	2.9758	1.9972	2.8352	2.8454	2.6127	3.7872
135	2.6513	1.6783	1.4677	2.6304	3.5977	2.4839	3.4893	3.3584	3.0870	3.8391
136	5.7483	5.1441	4.9286	5.2938	5.5102	4.7858	5.2505	4.9361	4.6864	4.9353
137	4.6633	4.1022	3.9166	4.2579	4.7936	3.9599	4.5207	4.2696	4.0002	4.5406
138	5.0299	4.5000	4.3187	4.6060	5.1102	4.3115	4.8179	4.5660	4.2947	4.7954
139	5.7265	4.9866	4.6963	5.2252	5.1440	4.4090	4.9142	4.5095	4.2477	4.2538
140	4.7247	3.9941	3.7105	4.2643	4.4066	3.5646	4.1823	3.8204	3.5457	3.8228
141	4.9336	4.1785	3.9644	4.5269	4.8885	4.0115	4.6406	4.3100	4.0239	4.3156

	81	82	83	84	85	86	87	88	89	90
82	5.6573									
83	5.4096	0.4424								
84	4.7894	2.3009	1.8715							
85	4.4553	3.0073	2.5778	0.7443						
86	4.3236	1.3843	1.1086	1.7384	2.2333					
87	3.7106	1.9852	1.7978	2.2607	2.5883	0.7536				
88	3.1607	2.5221	2.2787	2.2809	2.4330	1.1853	0.6024			

89	4.2685	1.9506	1.9238	2.9404	3.3689	1.2370	0.9898	1.4586		
90	2.9871	3.1826	3.0924	3.5393	3.7120	2.1144	1.3756	1.2848	1.4998	
91	2.9093	2.9534	2.6867	2.4955	2.5396	1.5918	1.1353	0.7107	1.6714	1.4370
92	1.3267	4.7057	4.3975	3.5534	3.1792	3.3416	2.8584	2.2591	3.5680	2.6103
93	5.4034	1.0877	0.7413	1.3923	2.1068	1.3610	2.0398	2.3874	2.4431	3.3911
94	4.9159	1.1781	0.8835	1.5478	2.1578	1.0078	1.5466	1.8944	2.0677	2.8492
95	4.9105	2.3090	1.8844	0.3563	0.8784	1.8249	2.3476	2.3787	3.0372	3.6319
96	4.7944	2.7243	2.2934	0.4741	0.4899	2.1193	2.5751	2.5128	3.3034	3.7935
97	4.4586	2.0552	1.6236	0.5452	1.0300	1.2654	1.7487	1.7793	2.4540	3.0304
98	3.8159	2.0656	1.9676	2.6687	3.0192	1.1131	0.5450	0.9367	0.9897	1.2161
99	3.6831	2.1884	1.8497	1.5831	1.8081	0.8794	0.8776	0.7711	1.7230	2.0156
100	2.6804	3.0621	2.8422	2.7549	2.7989	1.7877	1.1375	0.6537	1.8904	1.1181
101	4.5876	1.5496	1.4368	2.4519	2.9476	0.8971	1.1030	1.5780	0.7074	2.0673
102	2.4069	3.3375	3.0896	2.8488	2.8148	1.9917	1.3836	0.8253	2.0312	1.2393
103	1.4214	4.3282	4.0726	3.5860	3.3729	2.9830	2.3768	1.8096	2.9953	1.8667
104	2.0228	4.0670	3.7410	2.9336	2.6299	2.6894	2.2769	1.6872	2.9713	2.2849
105	4.9626	1.4861	1.1230	1.2208	1.8308	1.2321	1.7912	2.0358	2.3741	3.1096
106	4.8539	1.9867	1.5654	0.6536	1.2284	1.5026	2.0427	2.1373	2.7001	3.3486
107	4.5944	1.3171	1.0438	1.7523	2.2898	0.6707	1.1180	1.4944	1.5993	2.3989
108	4.0055	1.8490	1.6643	2.2039	2.5824	0.8652	0.6607	0.9845	1.3368	1.7263
109	3.0869	2.8923	2.5900	2.1147	2.1049	1.6539	1.3267	0.9097	2.2538	1.9317
110	3.2249	2.8839	2.7718	3.1975	3.3990	1.8464	1.1493	1.0883	1.5454	0.7799
111	3.8922	2.3491	2.3024	3.1333	3.4828	1.5124	0.9731	1.2801	0.8428	1.0615
112	3.4515	2.7421	2.6472	3.2262	3.4804	1.7284	1.0643	1.1329	1.1407	0.7177
113	2.1273	3.7432	3.4648	2.9778	2.8229	2.3982	1.8567	1.2768	2.5656	1.7151
114	4.7644	2.2102	1.8855	1.4271	1.7754	1.7710	2.1066	2.1784	2.8571	3.2678
115	4.9668	1.5167	1.2810	1.7867	2.3276	1.3493	1.7493	2.0394	2.2844	2.9478
116	4.2860	2.1615	1.8373	1.4798	1.7774	1.4223	1.6250	1.6519	2.4474	2.7413
117	4.6619	1.3765	1.1911	2.0256	2.5489	0.9286	1.2188	1.6098	1.6520	2.3857
118	3.5209	2.5618	2.3708	2.5404	2.7437	1.5480	1.1189	1.0450	1.8830	1.6298
119	3.6221	2.5408	2.4106	2.8381	3.0931	1.6133	1.1056	1.1547	1.6791	1.4100
120	3.7415	3.6087	3.6198	4.3465	4.5884	2.8962	2.2652	2.3185	2.2859	1.4529
121	3.5127	3.5623	3.5448	4.1918	4.4094	2.7554	2.0936	2.1021	2.1449	1.2090
122	3.6637	2.8997	2.8658	3.6059	3.8892	2.0575	1.4324	1.5632	1.3455	0.8701
123	3.3775	2.6092	2.3173	2.1786	2.3149	1.3054	0.9957	0.7193	1.6544	1.6983
124	2.0484	4.2838	3.9528	3.0656	2.7168	2.9485	2.5418	1.9555	3.3171	2.5552
125	4.8454	2.7804	2.4287	1.4767	1.6042	2.2962	2.6084	2.5707	3.4066	3.7158
126	3.8293	3.0895	2.8150	2.3082	2.3269	2.2495	2.1339	1.9462	3.0209	2.8078
127	3.6356	3.0406	2.8053	2.5531	2.6235	2.1494	1.9017	1.7203	2.7443	2.4191
128	4.3476	2.7228	2.7622	3.6913	4.0560	2.2661	1.8504	2.1025	1.9220	1.8013
129	2.7031	4.1268	3.9366	3.6976	3.6212	3.0819	2.5371	2.1828	3.2698	2.2618
130	3.4528	3.7979	3.7628	4.2787	4.4515	2.9930	2.3493	2.2931	2.5818	1.5924
131	4.6504	2.5895	2.6749	3.8433	4.2720	2.2282	1.8798	2.2373	1.4764	1.8102
132	4.5862	2.6275	2.7067	3.8572	4.2771	2.2259	1.8546	2.2027	1.4185	1.7313
133	4.4900	1.9498	1.8633	2.8014	3.2438	1.3114	1.2306	1.6099	0.9830	1.9041
134	3.9473	2.6251	2.2450	1.6515	1.7657	1.5126	1.6459	1.4935	2.2222	2.6007
135	4.0761	3.2458	2.8274	1.6649	1.4875	2.2139	2.3968	2.1528	2.9982	3.2920
136	4.9796	6.2774	6.0517	5.4695	5.2633	5.3836	5.2807	5.0627	5.3733	5.3109
137	4.6178	5.2093	4.9712	4.4025	4.2498	4.3458	4.3162	4.1382	4.4340	4.5358
138	4.8566	5.5650	5.3350	4.7962	4.6431	4.7132	4.6734	4.4966	4.7423	4.8381
139	4.3066	6.2801	6.0240	5.3238	5.0433	5.2409	5.0611	4.7598	5.2312	4.9894
140	3.9120	5.2928	5.0262	4.3197	4.0735	4.2643	4.1333	3.8547	4.3598	4.2259
141	4.4184	5.5119	5.2427	4.5134	4.2747	4.5531	4.4899	4.2425	4.6761	4.6643

	91	92	93	94	95	96	97	98	99	100
92	1.9931									
93	2.8284	4.3023								
94	2.4300	3.8738	0.6357							
95	2.6464	3.6658	1.3077	1.4662						
96	2.6920	3.5180	1.7529	1.8850	0.4548					
97	2.0388	3.2520	1.2528	1.2154	0.6337	0.8560				
98	1.5129	3.0810	2.2396	1.6789	2.7053	2.9706	2.1505			
99	1.1353	2.5901	1.7977	1.3914	1.6474	1.8061	1.0557	1.2851		
100	1.0067	1.9013	2.8983	2.3488	2.8173	2.9172	2.2694	1.2042	1.2751	
101	1.7514	3.7153	1.9559	1.7168	2.5474	2.8262	2.0021	1.3092	1.5122	2.1444

102	0.7336	1.5744	3.1571	2.6619	2.9438	2.9834	2.3822	1.5602	1.4035	0.5183
103	1.6182	0.8268	4.0747	3.5761	3.6802	3.6317	3.1864	2.4957	2.3205	1.3259
104	1.3351	0.8030	3.6660	3.2728	3.0506	2.9259	2.5983	2.5694	1.9202	1.4967
105	2.5080	3.8424	0.5884	0.4600	1.0703	1.5029	0.9477	1.9871	1.3976	2.4822
106	2.4693	3.6418	1.0059	1.0829	0.4466	0.8594	0.5265	2.3564	1.3942	2.5877
107	2.0031	3.5803	1.0868	0.5976	1.7037	2.0700	1.2833	1.2436	1.0480	1.9664
108	1.6084	3.1102	1.7784	1.1939	2.1894	2.4783	1.6825	0.6042	0.9341	1.3278
109	1.3201	2.0288	2.4360	1.9333	2.1184	2.1944	1.6651	1.5104	0.8897	0.8617
110	1.5272	2.6602	2.9621	2.3685	3.2202	3.4185	2.6716	0.8298	1.6676	0.8573
111	1.6588	3.2635	2.6609	2.1377	3.1659	3.4269	2.6010	0.5999	1.6887	1.4449
112	1.4194	2.8700	2.9403	2.3995	3.2702	3.4797	2.6889	0.7991	1.6818	1.1345
113	1.1898	1.1786	3.4279	2.9369	3.0410	3.0242	2.5498	2.0086	1.6691	0.8574
114	2.6832	3.6312	1.3098	1.0687	1.1724	1.4904	1.2178	2.2410	1.5701	2.4507
115	2.6044	3.9253	0.9536	0.5209	1.6136	2.0244	1.4481	1.7771	1.5357	2.3933
116	2.1854	3.1856	1.4338	0.9973	1.3282	1.6034	1.1053	1.7694	1.1050	1.9117
117	2.1750	3.6956	1.2403	0.6942	1.9429	2.3197	1.5686	1.1938	1.2648	2.0008
118	1.6752	2.6891	2.3465	1.7342	2.4952	2.7106	2.0393	0.9542	1.2025	0.9668
119	1.7624	2.8981	2.4966	1.8778	2.8024	3.0444	2.3214	0.7563	1.4410	1.0688
120	2.6961	3.5415	3.8791	3.2747	4.3336	4.5727	3.8227	1.7900	2.8672	2.0087
121	2.4395	3.2883	3.7991	3.1966	4.1911	4.4116	3.6639	1.6549	2.6785	1.7762
122	1.8821	3.2028	3.1885	2.6313	3.6283	3.8649	3.0682	1.0276	2.0904	1.4818
123	0.8697	2.3525	2.3523	1.9153	2.2191	2.3377	1.6588	1.2705	0.6807	1.0304
124	1.8065	0.8463	3.7839	3.3588	3.1134	2.9860	2.7420	2.7514	2.1096	1.6300
125	2.9924	3.6563	1.7836	1.6706	1.1741	1.3345	1.4367	2.7844	1.9358	2.7853
126	2.4690	2.8381	2.4369	1.9552	2.1525	2.2845	1.9883	2.1396	1.7021	1.8469
127	2.2796	2.7391	2.5445	1.9882	2.4288	2.5911	2.1576	1.8193	1.6395	1.5366
128	2.6555	3.8360	2.9924	2.4078	3.6304	3.9417	3.1876	1.3142	2.4032	2.0218
129	2.5617	2.2696	3.8079	3.2121	3.6456	3.7250	3.2878	2.3686	2.5218	1.6081
130	2.6960	3.2602	3.9226	3.2963	4.2491	4.4591	3.7691	1.9123	2.8241	1.8650
131	2.6257	4.1277	3.0825	2.5923	3.8177	4.1378	3.3245	1.4192	2.5291	2.3186
132	2.5664	4.0772	3.1255	2.6363	3.8413	4.1536	3.3352	1.4052	2.5197	2.2831
133	1.8976	3.6634	2.2230	1.8319	2.7922	3.0877	2.2883	1.1255	1.5998	1.9677
134	1.4973	2.7508	2.1097	1.8856	1.6612	1.7197	1.2287	2.0016	0.9197	1.8726
135	2.0078	2.7891	2.5665	2.4796	1.6953	1.5403	1.4846	2.7989	1.5916	2.4676
136	4.5152	4.7167	6.2596	6.2035	5.8061	5.6166	5.4250	5.7220	5.2552	5.3010
137	3.6223	4.1152	5.1697	5.1422	4.7420	4.5739	4.3634	4.7871	4.2563	4.4566
138	3.9556	4.4163	5.5526	5.5288	5.1334	4.9631	4.7532	5.1354	4.6286	4.8043
139	4.1694	4.1023	6.1873	6.0714	5.6402	5.4256	5.2427	5.4910	4.9861	4.9178
140	3.3013	3.4717	5.1720	5.0682	4.6417	4.4442	4.2419	4.5907	4.0311	4.0760
141	3.6836	3.9322	5.3881	5.3403	4.8412	4.6307	4.4780	4.9654	4.3547	4.5086

	101	102	103	104	105	106	107	108	109	110
102	2.2482									
103	3.2589	1.0206								
104	3.0277	1.0926	0.9552							
105	1.9499	2.7481	3.6251	3.2218						
106	2.2171	2.7542	3.5593	3.0012	0.6677					
107	1.2696	2.2485	3.2114	2.9402	0.8245	1.2868				
108	1.3437	1.6836	2.6307	2.5412	1.4421	1.8158	0.7399			
109	2.2549	1.0790	1.7487	1.5282	1.9285	1.9210	1.6569	1.2499		
110	1.9807	1.2161	1.9528	2.2815	2.6097	2.8984	1.9235	1.1918	1.4688	
111	1.3413	1.6994	2.5950	2.7502	2.4352	2.7991	1.6306	1.0618	1.8969	0.8200
112	1.6260	1.3328	2.1672	2.3973	2.6491	2.9335	1.8841	1.2358	1.7271	0.5399
113	2.7306	0.5765	0.7281	0.7908	2.9564	2.8902	2.5600	2.0265	1.0896	1.5779
114	2.5376	2.7417	3.4754	3.0962	0.7824	0.9016	1.3142	1.6590	1.7334	2.6661
115	1.9794	2.7329	3.6089	3.3411	0.5953	1.2004	0.7355	1.2266	1.9115	2.3580
116	2.2071	2.2137	2.9738	2.6466	0.8636	1.0222	1.0467	1.2045	1.2265	2.1555
117	1.4258	2.3350	3.2791	3.0895	0.9765	1.5158	0.3362	0.6964	1.7287	1.8436
118	2.0275	1.4147	2.1799	2.2476	1.8935	2.1716	1.3907	0.7583	0.8914	0.9263
119	1.9354	1.5153	2.2980	2.4680	2.1044	2.4513	1.4826	0.7809	1.2520	0.6599
120	2.8576	2.3178	2.7475	3.3283	3.5753	3.9752	2.8693	2.1919	2.6064	1.2371
121	2.7136	2.0540	2.4886	3.0621	3.4799	3.8430	2.7652	2.0679	2.4130	1.0252
122	1.9014	1.7248	2.4521	2.7940	2.9173	3.2690	2.1377	1.4911	2.0792	0.6846
123	1.5854	1.0324	1.9678	1.6545	1.9408	1.9530	1.4311	1.0867	0.9178	1.3714
124	3.3728	1.3757	1.0597	0.6827	3.2742	3.0601	3.0594	2.6466	1.4791	2.3792

125	3.0617	3.0173	3.6290	3.1617	1.3099	1.1116	1.8990	2.2075	1.9697	3.1190
126	2.9646	2.1790	2.6422	2.5050	1.8763	1.9562	1.9199	1.7156	1.1638	2.1474
127	2.7833	1.9205	2.4126	2.4152	2.0033	2.1772	1.8471	1.4786	1.0350	1.7275
128	2.3235	2.4390	3.1387	3.4637	2.7323	3.2321	2.0644	1.5295	2.3246	1.2519
129	3.5510	1.8916	1.8203	2.3221	3.2977	3.4378	2.9730	2.3637	1.6973	1.7889
130	3.0952	2.1969	2.4962	3.1232	3.5552	3.9142	2.9238	2.2223	2.4002	1.2445
131	1.9149	2.6045	3.4078	3.6493	2.9230	3.4024	2.1409	1.7278	2.7015	1.5257
132	1.8847	2.5523	3.3519	3.5996	2.9653	3.4306	2.1721	1.7434	2.6960	1.4911
133	0.9430	2.1385	3.1083	3.0083	2.0471	2.3911	1.2622	1.1115	2.0822	1.5765
134	1.8526	1.8132	2.6036	1.9864	1.7090	1.4642	1.5277	1.6174	1.3930	2.2614
135	2.5863	2.3119	2.8843	2.0629	2.1928	1.7083	2.2561	2.4105	1.8968	3.0058
136	5.3425	4.9403	4.9646	4.5822	6.2195	5.9295	6.0102	5.8934	5.5461	5.8337
137	4.3334	4.1272	4.3189	3.8423	5.1492	4.8601	4.9677	4.9117	4.6334	4.9884
138	4.6513	4.4571	4.6192	4.1597	5.5370	5.2473	5.3371	5.2754	5.0055	5.3183
139	5.2329	4.5137	4.4058	4.0391	6.0678	5.7558	5.8367	5.6555	5.1694	5.4984
140	4.3165	3.7060	3.7435	3.2938	5.0624	4.7559	4.8604	4.7183	4.2711	4.6749
141	4.5747	4.1378	4.2213	3.7103	5.3137	4.9775	5.1476	5.0664	4.6579	5.0980

	111	112	113	114	115	116	117	118	119	120
112	0.4710									
113	2.1622	1.7834								
114	2.7090	2.8340	2.8058							
115	2.1896	2.4346	2.9412	0.8462						
116	2.2520	2.3371	2.3080	0.5410	0.8591					
117	1.5587	1.8409	2.6350	1.3515	0.6539	1.0984				
118	1.3150	1.2598	1.5997	1.7907	1.6244	1.2940	1.2949			
119	0.9995	0.9814	1.7782	2.0950	1.7794	1.6199	1.3406	0.4123		
120	1.5219	1.4078	2.5770	3.5997	3.1833	3.1509	2.6838	1.9045	1.5435	
121	1.3743	1.1878	2.3204	3.5086	3.1220	3.0390	2.6067	1.7690	1.4207	0.2908
122	0.5825	0.4702	2.1290	3.0870	2.6243	2.6122	2.0297	1.4647	1.0980	1.0096
123	1.4557	1.3161	1.2984	2.0391	1.9519	1.5611	1.5651	1.1542	1.3059	2.5485
124	2.9553	2.6009	0.8438	2.9896	3.3326	2.5759	3.1616	2.1968	2.4619	3.3378
125	3.2440	3.3126	2.9739	0.6390	1.4676	1.0180	1.9642	2.2223	2.5722	4.0758
126	2.5640	2.5083	2.0600	1.2795	1.7046	1.0309	1.8625	1.2695	1.6423	2.9781
127	2.1988	2.1218	1.8465	1.5433	1.7449	1.1835	1.7467	0.8928	1.2326	2.5049
128	1.2108	1.3923	2.7337	2.8061	2.2648	2.4401	1.8078	1.4487	1.0755	1.0840
129	2.5706	2.2918	1.6578	2.9044	3.0433	2.4927	2.8712	1.6145	1.7420	2.1712
130	1.7742	1.5845	2.3464	3.4632	3.1641	3.0155	2.7384	1.7567	1.4754	0.5537
131	0.9891	1.2986	2.9982	3.1915	2.5324	2.8279	1.9502	1.9384	1.5537	1.4256
132	0.9380	1.2337	2.9559	3.2416	2.5920	2.8654	1.9965	1.9540	1.5675	1.4037
133	0.9378	1.2354	2.5354	2.4344	1.8425	2.0878	1.2372	1.6246	1.4480	2.2884
134	2.2232	2.1809	1.9194	1.8160	1.9139	1.5219	1.7537	1.8185	2.0491	3.4054
135	3.0437	2.9581	2.2746	2.1867	2.5190	2.0188	2.5029	2.5290	2.8129	4.1699
136	5.8308	5.6582	5.1413	6.5449	6.5977	6.1978	6.2857	6.0907	6.1814	6.7521
137	4.9332	4.8024	4.3693	5.5085	5.5461	5.1826	5.2549	5.1690	5.2730	5.9870
138	5.2500	5.1129	4.6956	5.9047	5.9297	5.5755	5.6233	5.5336	5.6256	6.2886
139	5.5857	5.3541	4.6429	6.3128	6.4181	5.9403	6.1016	5.7620	5.8674	6.4134
140	4.7379	4.5395	3.8749	5.3253	5.4271	4.9653	5.1332	4.8653	4.9881	5.6704
141	5.1087	4.9348	4.3101	5.6082	5.7113	5.2791	5.4356	5.2598	5.3872	6.1142

	121	122	123	124	125	126	127	128	129	130
122	0.8294									
123	2.3249	1.7447								
124	3.0937	2.9466	1.8472							
125	3.9711	3.5893	2.3661	2.9770						
126	2.8769	2.7171	1.8850	2.1926	1.3849					
127	2.4061	2.2927	1.7073	2.1331	1.7798	0.4773				
128	1.1675	1.1050	2.2579	3.4553	3.3460	2.4690	2.0490			
129	2.0608	2.3575	2.3315	1.9443	3.0793	1.7095	1.3820	2.3422		
130	0.5814	1.3025	2.5110	3.0370	3.8816	2.6727	2.1971	1.2630	1.6728	
131	1.4407	0.9936	2.2977	3.7723	3.7586	3.0894	2.6994	0.9422	3.0477	1.8305
132	1.4029	0.9249	2.2705	3.7388	3.8056	3.1282	2.7349	1.0080	3.0523	1.8234
133	2.1634	1.4008	1.4152	3.2035	2.9588	2.6372	2.3776	1.6979	3.1014	2.5108
134	3.1983	2.5899	0.9192	2.1375	1.9899	2.0577	2.0796	2.9617	2.9717	3.3562
135	3.9496	3.3837	1.6536	2.1858	2.1211	2.4483	2.5909	3.7746	3.4270	4.0698

136	6.5043	6.0305	5.2900	5.2077	6.6755	6.5900	6.5494	6.9321	6.5828	6.8223
137	5.7426	5.1984	4.3484	4.4822	5.6557	5.6574	5.6344	6.0444	5.8278	6.0645
138	6.0417	5.5007	4.6886	4.8041	6.0519	6.0469	6.0149	6.3786	6.1774	6.3789
139	6.1519	5.7324	4.9482	4.6379	6.4095	6.2246	6.1765	6.6643	6.1028	6.4372
140	5.4134	4.9412	4.0599	3.9162	5.4382	5.3101	5.2788	5.8131	5.3390	5.6928
141	5.8570	5.3439	4.4032	4.3286	5.7044	5.6818	5.6720	6.2122	5.8067	6.1528

	131	132	133	134	135	136	137	138	139	140
132	0.1222									
133	1.2728	1.2636								
134	2.9550	2.9436	1.8266							
135	3.7981	3.7844	2.6580	0.8470						
136	6.7136	6.6243	6.0187	5.3532	5.2001					
137	5.8275	5.7467	5.0491	4.3574	4.2292	1.1095				
138	6.1267	6.0417	5.3602	4.6976	4.5595	0.8016	0.4285			
139	6.4915	6.4006	5.8061	5.0384	4.8538	0.8576	1.3653	1.2066		
140	5.6692	5.5869	4.9257	4.1260	3.9729	1.3106	0.7940	1.0009	1.0269	
141	6.0268	5.9452	5.2233	4.3838	4.1752	1.0509	0.5818	0.6519	0.9856	0.5422

- - - - - TREE - - - - -

RESEMBLANCE MATRIX NAME : res0

TREE MATRIX NAME : tree

NODE COUNT OPTION :NO

COPHENETIC OPTION :NO

MINIMUM VALUE ON TREE : 0.0000

MAXIMUM VALUE ON TREE : 4.1130

- - - - - TREE (refer to Chapter 4. Figure 4-3)- - - - -

COPHENETIC CORRELATION = 0.6835

APPENDIX 6.**DEVELOPMENT OF SAM**

As mentioned earlier in Chapter 2, for this study, an interactive user-friendly software (mainly for baseflow separation, and long-term period hydrograph generation) was developed. As some of the major functions of SAM were already described in Chapter 2, a detailed system structure including major features, I/O (input/output) processing, and conceptual flow charts will be listed in this chapter.

Background

The need for more qualitative and quantitative study of the baseflow for effective streamflow management especially in terms of acidic deposition, is emphasized by U.S. Environmental Protection Agency (EPA). Even though many studies have been conducted to identify baseflow, none have provided an effective flow component separation technique. This is due to the lack of applicability, short period based baseflow calculation (days instead of month or year), and no consistency of the computing algorithm for different geographic region.

Idea Development : Based on these needs, a PC-based flow separation program Streamflow Analysis Module (SAM), with an unique characteristic to generate a long-term based hydrograph (up to 40 years), was developed. The unique approach of SAM, in comparison with existing flow separation techniques and computer programs as mentioned in Chapter 1, includes :

- An in-depth hydrograph analysis : Users can get the optimal amount of the baseflow for a streamflow by observing the hydrograph which shows the stormflow and baseflow of each water year. This can be done by applying trial separation slope assigned by SAM or user assigned slope values.

- A comprehensive computing technique : This feature includes consideration of different types of streamflow (perennial, intermittent, or ephemeral), regional difference (dry, wet, or snow-melting area), and size of drainage area.

- Easy application : SAM is a modular system which can be run on any PC system with minimum hardware requirement.

Application of SAM

Environmental Streamflow Analysis : The SAM program has already been distributed for research purposes in EPA and U.S. Geological Survey (USGS) research laboratories since January 1989 as a public domain program. They are using the SAM program mainly for baseflow separation of different geologic regions through hydrograph generation using compact disc(CD)-based USGS streamflow data base.

Major Users of SAM : SAM can be utilized by : 1) users who have CD-based USGS streamflow data base (the number of users with this CD data base system is increasing); and 2) users who have Ascii format streamflow data on disc or tape storage, although with slight format modification required.

Major Features of SAM

- Statistical calculation : SAM calculates the statistical parameters which describes the general hydrologic characteristics of a watershed.
- Baseflow calculation : SAM calculates the optimal amount of baseflow by applying trial separation slope which changes with a uniform increment from 0 to 0.0180 by 0.0006 units (1 unit = drainage area (mi^2) cfs ($\text{ft}^3/\text{sec.}$) per day). After applying every trial slope, the trial slope which ideally separates the streamflow into stormflow and baseflow will be chosen as a best separation slope.
- Hydrograph generation : Based on this best separation slope, a hydrograph can be generated on a yearly basis for one- to forty-year periods. SAM also has a monthly hydrograph generation function and different scaling options. This will give the user an in-depth idea of a watershed in terms of effective environmental management and acidic flow analysis for that region.
- Flow duration curve generation : SAM generates a flow duration curve which shows the exceedence probability of a streamflow by sorting daily streamflow data. For fast execution of this function, which requires a large amount of data sorting, SAM calls the data base management software, dBASE, for fast sorting. Once sorting is done, SAM generates a flow duration curve and highlights in color each flow component.

- Batch Processing : In the case where many stations are to be arranged for baseflow separation, SAM has a batch processing option. Once the user selects the batch processing option, SAM accesses all of the streamflow data set and processes each station for baseflow separation on a yearly basis. All the output for each station will be saved automatically and can be retrieved for further use. This option is also quite time efficient when many stations must be simulated.

- Station map generation : There is a function to generate a map to show the location of all the streamflow gauging stations for small watershed (less than 500 mi² drainage area) in Northeastern U.S. It also shows different classes based on the range of baseflow % of each watershed.

User-Friendly Software

- Easy to use : SAM has been developed based on interactive menu driven system which is easy to follow and to use. Detailed messages at each step help the user for easy application.

- Help file : The help file, which can be recalled by pressing a function key, provides ideas on how to use the system and other information regarding SAM.

- Error message : Instead of error codes, SAM generates a message for easy trouble shooting. This will minimize the time and efforts to use SAM.

- DOS shell : SAM also has an option to call the DOS shell. This is helpful to users who may wish to utilize DOS commands while using SAM system.

Source Code

For simplicity, better graphic output, and time saving, this program was initially developed with Quick Basic. Once the entire SAM system was completed, some subroutines for numeric crunching (baseflow separation) were replaced with C-language for even faster system performance. This was done by linking object modules from two languages. To maximize its capability in terms of processing speed, and size of input data, the whole SAM program was divided into three subprograms based on functions; each sub-program can be chained by the main program.

System Structure

- Top down structure : Based on major functions to be made (statistics, flow separation, output retrieval, and hydrograph generation), whole program structure is divided into three parts : SAM1, SAM2, and SAM3. The programming for each module was done based on top-down structure which is time efficient in case of large system design. Figure A6-1 shows the diagram of the SAM system based on Top-down structure.

- Detailed flow chart of each module : Figure A6-2 to Figure A6-4 show the flow chart of each module. These are based on

conceptual flow chart instead of detailed task-basis flow chart.

System Requirement

- AT personal computer : AT personal computer with at least 512 KBytes base memory required.
- Math co-processor : Math co-processor will facilitate fast numeric crunching especially in flow separation, however, it is not a requirement to run SAM.
- Graphic monitor : Any kind of graphic monitor (EGA, CGA, VGA) will be essential for running SAM.
- Printer : Any kind of printer will be pre-requirement for generation of a report, however, it is not essential for running SAM.
- Interfacing other software : As mentioned above, the data base management software dBASE will be essential for the generation of Flow-Duration curve which requires sorting of large amounts of streamflow data. Except generating Flow-Duration curve, there is no need for interfacing with dBASE.

SAM User's Guide

Sam user's guide with detailed information on how to use SAM is listed at Appendix 7.

Figure A6-1. Program structure of SAM

(*) (____) : Subroutine name

Figure A6-2. Flow chart for submodule SAM1

(*) (___) : Subroutine name

Figure A6-3. Flow chart for submodule SAM2

(*) (___) : Subroutine name

Figure A6-4. Flow chart for submodule SAM3

APPENDIX 7.**SAM USER'S GUIDE**

SAM is an interactive user-friendly program developed mainly for baseflow separation and hydrograph generation including flow duration curve using Ascii data file accessed from compact-disc based U.S. Geological Survey's (USGS) streamflow data base. It has a help file for an easy understanding to use SAM system including detailed error messages. The following shows detailed procedure to use SAM.

Data File Generation

To use SAM, you need to export the data file which has a file name extension INI (e.g. SAMPLE.INI) with Ascii format from the USGS streamflow data base into the directory of the hard disc where the SAM program resides (this can be done using HYDRO Software published by U.S. West Inc.). For example, in the HYDRO system, you should export the data file of a streamflow gauging station you want to simulate such as : F5,ESC,R,E,F,(filename.INI),V,D,F,C,Y,(selectyears),G. This is the sequence to generate the data file with Ascii format. Refer to the HYDRO manual for a detail.

Naming Convention in Using SAM

Data file name : Before explaining on how to start SAM, it is a pre-requirement to be familiar with naming convention to use SAM. All the data files has base name up to 8 characters (same as DOS) and extension name up to 3 characters. Longer than 8 characters in base name or 3 characters in extension

name will cause truncation of the file name.

Output file name : All the output files generated by SAM will be assigned default extension names following original stations' data file name assigned by user. The major output files generated by SAM and their extensions are as follows.

file name + ".OUT" : statistical output file

file name + ".YR" : stations' yearly flow separation
output

"MASTER.OUT" : Output file from batch job

Start Processing - Select Station

After exporting data from HYDRO as described above, type SAM to start SAM program. You will get a title screen followed by main menu screen. Select SELECT and type I for initial calculation. You will get a screen which displays available stations for the processing in the directory where SAM resides. Each stations' data file will be displayed with file name and description (station name and location) on each line. After locating the cursor on the station for processing, pressing Return key will bring back to the main menu table with the message "Station XXXXXXXXX selected".

Flow Separation

Select separation : Select SEPARATION of the main menu to start statistical calculation. After finishing statistical

calculation, you will get a output display which shows the various statistical parameters. After that, you can continue to next step, yearly basis flow separation, by pressing Return key. In case of abortion for any reason, you can abort the processing by pressing F8.

In flow separation, the station information, period, the water years processed/processing, best separation slope with corresponding baseflow %, and separation slope vs. baseflow % curve which shows the location of the best slope point will be displayed on the screen with different colors. After flow separation, a flow summary for the whole period based on each water year's baseflow will be displayed.

Select Report : After finishing all the calculations (statistics/flow separation), select REPORT to print report. 4 pages report will be printed with main title, statistical summary, flow-separation results, and flow summary. In SAM, any type of printers can be supported for report generation.

Select Graph

After finishing separation, you can try the Graphics option in the second colume of the main menu. The available graphics are as follows and can be used without specific order.

Hydrograph : By selecting this option, statistical/flow separation output for a station will be displayed. Also SAM will ask you whether change the default setting values or not

to generate hydrograph. In case of no change, you can simply respond with N or Return key. If you want to change any of the parameter's value (minimum/maximum streamflow value, start/end period, etc.), you should press Y (y) to change values. After that, you will get the message to say "Graphics file generating..". Once graphics file generated for the given period, it will display the first year's hydrograph automatically.

Submenu for hydrograph : In hydrograph, you will see the submenu to generate some of the features. It has a yearly basis statistical calculation, monthly hydrograph generation. You can go to the next water year by pressing >, or go to the previous water year by pressing <. It also displays baseflow %, best separation slope of the year.

Flow Duration Curve : Select Flow Duration curve which generates the exceedance probability of the streamflow data based on whole period. This is done by daily basis sorting which requires considerable amounts of time depends on the period of available streamflow data. For fast execution, the commercial software DBASE is interfaced at this stage. Once finished, SAM generates the flow duration curve (for baseflow and stormflow with different color). The amount of time required for this graphics is really machine dependent (also math-coprocessor). If you have a DBASE, you need to define path in AUTOEXEC.BAT file to access the DBASE from the directory where the SAM resides. Otherwise, do not try this

option.

Generation of Station Map : To show users the location of the streamflow gauging stations (the drainage area is smaller than 500 mi²), SAM has a data file which has a grid value (with baseflow %) of each streamflow station over the Northeastern U.S. This data was based on the study of streamflow analysis done by Watershed Research Team (Professor Richard H. Hawkins and Graduate Student K. H. Kim) of School of Renewable Natural Resources at the University of Arizona. It also has an option to show only the gauging stations within a certain class of baseflow % (e.g. display only the stations with the baseflow % range 10-20%, or 20-30%, etc.).

Other Options

There are two other options in SAM ; Batch job execution and DOS call which are in third column of the main menu.

Batch job execution : In case of many streamflow stations to process for baseflow separation, it is difficult to process each station manually as described above. For that purpose, a batch job processing routine was also developed and can be used by selecting this option. Once you select this option by pressing Return key, you will be asked "Ready for the batch job ?". Responding with Y (y) will start the batch job with displaying some messages which show the total number of stations to be processed, total amount of time required, and other station information in processing. Once finished the

batch job, all the output will be saved into a file named "MASTER.OUT" for the further usage. Also each station has own output file (filename.OUT and filename.YR) same as individual job. You can interrupt the batch job by pressing F8.

DOS call : You can also call DOS cell to utilize any DOS commands while in using the SAM. Once finished DOS commands, you can go back to SAM by typing "EXIT".

Output Retrieve

As we realize, flow separation takes certain amounts of computer simulation time depending on the period of streamflow data for numeric crunching. Therefore, once the flow separation was completely done for a station, each output (filename.OUT and filename.YR) will be saved permanently. To retrieve these files, select menu SELECT and respond with R (r). It will show you the list of stations which have been already processed. You can select any of these stations as same way you did in selecting station for the initial calculation. Once selected a station, choose the menu separation. Then you will get display for the statistical calculation and flow separation immediately. The procedure to generate hydrograph and flow duration curve for the stations already processed is same as initial calculation.

APPENDIX 8.**SAM SOURCE CODE**


```

-----
Main Program for Streamflow Analysis Module
-----
Program Structure

The SAM program has three major-sub programs and one help file.
The major functions of each program are :

SAM : Statistical calculation, baseflow separation (yearly basis)
      flow summary, and output file creation.
SAM2 : Output file access, display, and report generation.
SAM3 : Hydrograph generation, and flow duration curve.

Processing Flow : Station select -> Statistics -> Separation ->
                  Flow Summary -> Hydrograph -> Flow Duration Curve

Parameter transfer using COMMAND st's : FILE (processing file name)
                                         SPECIAL (routine control value)

Date : Initial completion -- Jul. 88
      Updating -- Oct. 88 & Jan. 89 (Major algorithm conflicts)

P.I : Professor Richard Hawkins
      Watershed Science, S.R.N.R., University of Arizona

Source code : Quick Basic 4.0
System Design : K. H. Kim (Graduate student, University of Arizona)
Programmer : K. H. Kim

Research Project involved : "Classification of Streamflow behavior"
Sponsor : EPA corvallis research Lab, OR.
Baseflow separation algorithm : refer to the final report to EPA

User's Guide : print "SAM.DOC" / Reference Guide : print "SAM.REF"
-----

```

```

!----- Subroutine define ---

```

```

DECLARE SUB basefcal () : DECLARE SUB gra11 ()
DECLARE SUB break2 () : DECLARE SUB choose ()
DECLARE SUB flowpr () : DECLARE SUB title ()
DECLARE SUB menu () : DECLARE SUB stat ()
DECLARE SUB sepayr () : DECLARE SUB gra22 ()
DECLARE SUB help ()

```

```

!----- Common variables define ---

```

```

COMMON SHARED file AS STRING * 8
COMMON SHARED special AS INTEGER
COMMON SHARED /dim1/ cfs(), basef(), ncfs()
COMMON SHARED /dim2/ x(), y(), xdim(), ydim(), yrdim()
COMMON SHARED /real1/ r2best, xcbest, ycbest, senp, xt, yt, tot
COMMON SHARED /real2/ sumbase, sl, da, mvol, pvol, bft, hev, lev
COMMON SHARED /int1/ kbest, nyear, year, ll, cnt
COMMON SHARED /int2/ seq, pcnt, cntl
SCREEN 9
DIM SHARED tit AS STRING * 50
DIM cfs(400), basef(400), ncfs(400)
DIM x(32), y(32), xdim(100), ydim(100), yrdim(100)
KEY(8) ON: ON KEY(8) GOSUB again
KEY(9) ON: ON KEY(9) GOSUB callhelp

```

```

!----- Processing -----

```

```

        IF special <> 0 THEN GOTO again
        CALL title
again:   CLOSE (1): CLOSE (2): CLOSE (3): CLOSE (4): CLOSE (9)
        KEY(8) ON: ON KEY(8) GOSUB again
        CALL menu
callhelp:
        CALL help
        STOP
        END

SUB basefcal

    '---- Calculate baseflow separated from trial slope yr by yr ---

    FOR jj = (2) TO cnt
        IF (cfs(jj) < cfs(jj - 1)) THEN 309
        IF (cfs(jj) >= cfs(jj - 1)) AND (cfs(jj) > basef(jj - 1) + bft) THEN basef(jj) = basef(jj -
1) + bft: GOTO 511
        IF (cfs(jj) >= cfs(jj - 1)) AND (cfs(jj) < basef(jj - 1) + bft) THEN
            IF cfs(jj) >= basef(jj - 1) THEN
                basef(jj) = basef(jj - 1): GOTO 511
            ELSE
                basef(jj) = cfs(jj): GOTO 511
            END IF
        END IF
        IF (cfs(jj) >= cfs(jj - 1)) AND (cfs(jj) = (basef(jj - 1) + bft)) THEN basef(jj) = basef(jj
- 1) + bft: GOTO 511
309      IF (cfs(jj) < cfs(jj - 1)) AND (cfs(jj) > basef(jj - 1) + bft) THEN basef(jj) = basef(jj - 1)
+ bft: GOTO 511
        IF (cfs(jj) < cfs(jj - 1)) AND (cfs(jj) < basef(jj - 1) + bft) THEN 'basef(jj) = cfs(jj):
GOTO 511
            IF cfs(jj) >= basef(jj - 1) THEN
                basef(jj) = basef(jj - 1): GOTO 511
            ELSE
                basef(jj) = cfs(jj): GOTO 511
            END IF
        END IF:
        IF (cfs(jj) < cfs(jj - 1)) AND (cfs(jj) = (basef(jj - 1) + bft)) THEN basef(jj) = basef(jj -
1) + bft: GOTO 511
511      sumbase = sumbase + basef(jj): tot = tot + cfs(jj)
        NEXT jj
    END SUB

SUB break2

    '---- Search the best slope point with maximum R^2 value ---

    n = 31
    FOR i = 1 TO 31
        sumy2 = sumy2 + y(i) ^ 2
    NEXT
    vary = ((sumy2 / n) - (sumy / n) ^ 2)
    IF vary < 0 THEN vary = ABS(vary)
    IF vary = 0 THEN vary = 1
    sdy = SQR(vary)

    '---- Initialize variable for continuous run ---

    r2best = 0:
    FOR k = 2 TO n
110      start = 1: last = k: GOSUB error
        se1 = se: n1 = nc
        start = k + 1: last = n: GOSUB error
    
```

```

se2 = se: n2 = nc
SERR = SQR((n1 * se1 ^ 2 + n2 * se2 ^ 2) / n):
r2 = 1 - SERR ^ 2 / vary
IF r2 < r2best THEN
    GOTO 253 '---- end simulation ---
ELSE
    r2best = r2: kbest = k
END IF
NEXT k

253 xcbest = x(kbest): ycbest = y(kbest)

'--- Write into output file ---
IF kbest = 1 THEN
    dsl = x(kbest + 1) - x(kbest)
    dbf = y(kbest + 1) - y(kbest)
ELSE
    dsl = x(kbest + 1) - x(kbest - 1)
    dbf = y(kbest + 1) - y(kbest - 1)
END IF
senp = (100 * dbf / y(kbest)) / (dsl / x(kbest))
PRINT #3, year, xcbest, ycbest, senp, r2best

xt = xt + xcbest: yt = yt + ycbest
xdim(nyear) = xcbest: ydim(nyear) = ycbest: yrdim(nyear) = year
senpt = senpt + senp: r2t = r2t + r2best: COLOR 7
IF nyear < 34 THEN
    LOCATE 11, 5
    PRINT USING "Yr #### (#####.##.##) "; year; xcbest; ycbest
ELSEIF nyear = 34 THEN
    ll = 9: LOCATE ll, 30
    PRINT USING "Yr #### (#####.##.##) "; year; xcbest; ycbest
ELSEIF nyear > 34 AND nyear < 48 THEN
    LOCATE 11, 30
    PRINT USING "Yr #### (#####.##.##) "; year; xcbest; ycbest
ELSEIF nyear = 48 THEN
    ll = 9: LOCATE ll, 55
    PRINT USING "Yr #### (#####.##.##) "; year; xcbest; ycbest
ELSEIF nyear > 48 AND nyear < 62 THEN
    LOCATE 11, 55
    PRINT USING "Yr #### (#####.##.##) "; year; xcbest; ycbest
ELSEIF nyear = 62 THEN
    ll = 9: LOCATE ll, 5: COLOR 14:
    PRINT USING "Yr #### (#####.##.##) "; year; xcbest; ycbest
ELSEIF nyear > 62 THEN
    LOCATE 11, 5: COLOR 14:
    PRINT USING "Yr #### (#####.##.##) "; year; xcbest; ycbest
END IF
COLOR 15
GOTO 400

'--- Summation and regression subroutine ---
serror:
sumx = 0: sumx2 = 0: sumxy = 0: sumy = 0: sumy2 = 0: se = 0
nc = last - start + 1

FOR j = start TO last
    sumx = sumx + x(j): sumx2 = sumx2 + x(j) ^ 2
    sumy = sumy + y(j): sumxy = sumxy + x(j) * y(j)
NEXT j

B = (sumxy - (sumx * sumy) / nc) / (sumx2 - (sumx ^ 2 / nc))
a = (sumy / nc) - ((B * sumx) / nc)

```

```

    FOR i = start TO last
    se = se + (a + B * x(i) - y(i)) ^ 2
    NEXT
    se = SQR(se / nc)
RETURN
400
END SUB

SUB choose

    DIM ext AS STRING * 3:    DIM ndir AS STRING * 22
    DIM comp AS STRING * 3:   DIM tname AS STRING * 12
    DIM s1(200) AS STRING * 8: DIM des(200) AS STRING * 37

200    LOCATE 20, 20: COLOR 7
    PRINT "Initial analysis"; : COLOR 15: PRINT " (I) ";
    COLOR 7: PRINT "or Retrieve"; : COLOR 15: PRINT " (R) ?";

    s$ = ""
300    s$ = INKEY$: IF s$ = "" THEN 300
    IF ASC(s$) = 105 OR ASC(s$) = 73 THEN special = 1: GOTO 100
    IF ASC(s$) = 114 OR ASC(s$) = 82 THEN special = 2: GOTO 100
    LOCATE 21, 24: BEEP: PRINT "Error!"; : COLOR 7
    PRINT " You should select "; : COLOR 12: PRINT "I"; :
    COLOR 7: PRINT " or "; : COLOR 12: PRINT "R": COLOR 15:
    GOTO 200
    ic = 0
100    COLOR 7: LOCATE 21, 20: PRINT "
    LOCATE 20, 20: PRINT "          Directory searching... Wait          "
    IF special = 1 THEN
        comp = "INI"
    ELSE
        comp = "OUT"
    END IF

    CLOSE (1)
    SHELL "dir > dirlst"
    OPEN "i", #1, "dirlst"
    FOR i = 1 TO 3: LINE INPUT #1, a$: NEXT
    ndir = RIGHT$(a$, LEN(a$) - 15)
    FOR i = 1 TO 3: LINE INPUT #1, a$: NEXT

    DO UNTIL EOF(1)
    LINE INPUT #1, a$
    ext = RIGHT$(a$, LEN(a$) - 9):
    IF ext = comp THEN 188
    GOTO 186

188    ic = ic + 1
    s1(ic) = RIGHT$(a$, LEN(a$) - 0)
    tname = s1(ic) + "." + comp
    IF special = 1 THEN 195
    IF special = 2 THEN 192
    GOTO 186

195    OPEN "i", #2, tname
    LINE INPUT #2, B$
    LINE INPUT #2, B$
    LINE INPUT #2, B$
    des(ic) = RIGHT$(B$, LEN(B$) - 16)
    CLOSE (2)
    GOTO 186

192    OPEN "i", #2, tname
    LINE INPUT #2, B$
    des(ic) = RIGHT$(B$, LEN(B$) - 0)

```

```

CLOSE (2)
186 LOOP:
CLOSE (1)

VIEW SCREEN (1, 1)-(638, 348), 1, 15
LOCATE 2, 55: PRINT " Date : "; DATE$
TIMER ON
LOCATE 3, 55: PRINT " Time : (no time set)":
tm = VAL(MID$(a$, 20, 9))
LOCATE 4, 55: PRINT " Directory"
LOCATE 5, 57: PRINT ndir
LOCATE 6, 55: PRINT " Total"
LOCATE 7, 57: PRINT ic; " stations"
LOCATE 8, 55: PRINT " Disk memory"
LOCATE 9, 57: PRINT USING "#####"; tm
LOCATE 9, 66: PRINT "Bytes unused"

LOCATE 14, 55: COLOR 15: PRINT CHR$(24); CHR$(25); :
COLOR 7: PRINT " - Move selection bar"
LOCATE 15, 55: COLOR 15: PRINT "PgDn / PgUp"; :
COLOR 7: PRINT " - Page skip"
LOCATE 16, 55: COLOR 15: PRINT CHR$(17); CHR$(196); CHR$(196); CHR$(217);
COLOR 7: PRINT " - Select"
LOCATE 17, 55: COLOR 15: PRINT "F8 "; : COLOR 7: PRINT " - Abort"
255 sn = 1: icnt = 1: last = 1: idn = 1
240 VIEW SCREEN (10, 10)-(420, 330), 1, 14
LOCATE 2, 4: COLOR 15: PRINT "Filename          Station description"

l1 = 2:
FOR i = sn TO ic
l1 = l1 + 1
COLOR 7: LOCATE l1, 4: PRINT s1(i); " "; des(i)
LOCATE l1, 14: PRINT des(i)
IF i MOD 21 = 0 AND icnt = 3 THEN last = last - 21: GOTO 220
IF i MOD 21 = 0 THEN icnt = 0: GOTO 220
NEXT

220 lo = 3: init = 1: ii = 26:
420 jj = ii + 16
410 VIEW SCREEN (13, ii)-(95, jj), 12

LOCATE lo, 4: COLOR 14: PRINT s1(idn):
VIEW SCREEN (96, ii)-(415, jj), 12
LOCATE lo, 14: PRINT des(idn)

280
250 s$ = ""
230 s$ = INKEY$: IF s$ = "" THEN 230

IF ASC(s$) = 27 THEN GOSUB mesg: ERASE des, s1: CLOSE (1): CLOSE (2): GOTO 999
IF ASC(s$) = 13 THEN file = s1(idn): GOTO 320

IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 80 AND idn = ic THEN BEEP: GOTO 280
IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 80 AND idn MOD 21 = 0 THEN GOSUB page: GOTO 410
IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 80 THEN GOSUB colplus: GOTO 410

IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 72 AND idn = 1 THEN BEEP: GOTO 280
IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 72 AND idn MOD 21 = 1 THEN GOSUB bpage: GOTO 410
IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 72 THEN GOSUB colminus: GOTO 410

IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 73 AND idn = 1 THEN BEEP: GOTO 280
IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 73 AND sn = 1 THEN GOTO 230
IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 73 THEN sn = last - 21: icnt = 3: idn = sn: GOTO 240

IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 81 AND ic < 21 THEN BEEP: GOTO 280
IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 81 AND idn = 1 THEN sn = i + 1: last = sn: icnt = 1: idn =

```

```

sn: GOTO 240
    IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 81 AND icnt = 1 THEN BEEP: GOTO 230
    IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 81 THEN sn = i + 1: last = sn: icnt = 1: idn = sn: GOTO 240

    BEEP: GOTO 250
235 BEEP: 'RESUME 250
320 VIEW SCREEN (437, 285)-(619, 330), 1, 14
    COLOR 12: LOCATE 22, 59: PRINT file; : COLOR 7: PRINT " selected"
    LOCATE 23, 59: COLOR 15: PRINT "Press any key"
    s$ = "":
550 s$ = INKEY$: IF s$ = "" THEN 550
    IF ASC(s$) = 27 THEN GOSUB mesg: special = 0: ERASE des, s1: CLOSE (1): CLOSE (2): GOTO 999
    COLOR 10: : LOCATE 23, 59: PRINT "Back to main menu"
    cfsc = 0:
    ERASE des, s1: CLOSE (1): CLOSE (2):
    LOCATE 23, 59: PRINT "Wait ... " : GOTO 999

abort: VIEW SCREEN (427, 280)-(629, 330), 1, 1
    idn = 1: file = "": GOTO 240:
RETURN
colplus:
    VIEW SCREEN (13, ii)-(95, jj), 1:
    VIEW SCREEN (96, ii)-(415, jj), 1: 'CLS 1:
    init = init + 1
    LOCATE lo, 4: COLOR 7: PRINT s1(idn)
    LOCATE lo, 14: PRINT des(idn)
    idn = idn + 1: lo = lo + 1: ' PRINT idn:
    LOCATE lo, 4: PRINT s1(idn): ii = jj - 2:
    LOCATE lo, 14: PRINT des(idn):
RETURN
colminus:
    VIEW SCREEN (13, ii)-(95, jj), 1:
    VIEW SCREEN (96, ii)-(415, jj), 1: CLS 1: init = init + 1
    LOCATE lo, 4: COLOR 7: PRINT s1(idn)
    LOCATE lo, 14: PRINT des(idn)
    idn = idn - 1: lo = lo - 1: ' PRINT idn:
    LOCATE lo, 4: PRINT s1(idn): LOCATE lo, 14:
    PRINT des(idn): ii = jj - 30:
RETURN
page:
    VIEW SCREEN (13, ii)-(95, jj), 1:
    VIEW SCREEN (96, ii)-(415, jj), 12: CLS 1:
    a1 = 2: COLOR 7
    FOR n = idn + 1 TO idn + 21
        a1 = a1 + 1
        LOCATE a1, 4: PRINT s1(n): LOCATE a1, 14: PRINT des(n)
    NEXT
    idn = idn + 1: lo = 3: ii = 26
RETURN
bpage:
    VIEW SCREEN (13, ii)-(95, jj), 1
    VIEW SCREEN (96, ii)-(415, jj), 12: CLS 1:
    a1 = 2: COLOR 7
    FOR n = idn - 21 TO idn - 1
        a1 = a1 + 1
        LOCATE a1, 4: PRINT s1(n): LOCATE a1, 14: PRINT des(n)
    NEXT
    idn = idn - 21: lo = 3: ii = 26
RETURN
checktim:
    COLOR 7: LOCATE 3, 64: PRINT TIMES$
RETURN
mesg:
    VIEW SCREEN (427, 260)-(629, 330), 1, 14
    COLOR 12: LOCATE 21, 55:

```

```

PRINT "Interrupt...": COLOR 7
LOCATE 22, 55: PRINT "Back to main menu... "
RETURN
999
END SUB

SUB flowpr

  '--- Flow summary print (into screen) ---

  DIM emo AS STRING * 4:   DIM tit1 AS STRING * 50:
  DIM smo AS STRING * 4

  ' SCREEN 9:
  WIDTH 80, 25
  VIEW SCREEN (1, 1)-(638, 348), 1, 7: COLOR 15, 1
  COLOR 15: LOCATE 12, 32: PRINT "Flow summarizing... Wait"

  OPEN "i", #1, file + ".out"
  LINE INPUT #1, a$: tit1 = RIGHT$(a$, LEN(a$) - 0)
  da = VAL(MID$(a$, 51, 9))
  LINE INPUT #1, a$: smo = RIGHT$(a$, LEN(a$) - 0)
  emo = RIGHT$(a$, LEN(a$) - 10): syr = VAL(MID$(a$, 6, 4))
  eyr = VAL(MID$(a$, 16, 4))
  CLOSE (1):
  OPEN "i", #1, file + ".out"
  FOR i = 1 TO 5: LINE INPUT #1, a$: NEXT
  INPUT #1, paft, paftp, pin, pmm, ptimep, maft, maftp, min, mmm, mtimep
  INPUT #1, basaft, othaft, othin, othmm, totaft, totin, totmm
  CLOSE (1):

  LINE (210, 20)-(460, 47), 7, 8
  LOCATE 3, 34: COLOR 15, 1: PRINT "STREAMFLOW SUMMARY": COLOR 7
  LOCATE 5, 15:
  PRINT "Method : Yearly-basis separation";

  LOCATE 12, 32: PRINT "
  LOCATE 6, 15: PRINT "Station : "; : PRINT tit1
  LOCATE 7, 15: PRINT "Drainage Area : "; da; "sq. mi.";
  LOCATE 8, 15: PRINT "Period or Records : "; smo; syr; " - "; emo; eyr

  LINE (40, 117)-(600, 270), 7, 8
  LINE (40, 147)-(600, 147), 7
  LINE (40, 217)-(600, 217), 7
  LINE (40, 243)-(600, 243), 7
  LOCATE 10, 19: COLOR 15, 1: PRINT "  Ac-ft/yr      %      in/yr      mm/yr      % time":
  COLOR 15, 1
  LOCATE 12, 7: COLOR 12, 1: PRINT "BASEFLOW"; : COLOR 15, 1: PRINT "("*)"
  LOCATE 13, 9: PRINT USING "Pure      #####.##  ###.##  #####.##  #####.##  ###.##";
  paft; paftp; pin; pmm; ptimep
  LOCATE 14, 9: PRINT USING "Mixed      #####.##  ###.##  #####.##  #####.##  ###.##";
  maft; maftp; min; mmm; mtimep
  LOCATE 15, 9: PRINT USING "Sub-total  #####.##  ###.##  #####.##  #####.##  ###.##";
  basaft; (paftp + maftp); (pin + min); (pmm + mmm); 100
  LOCATE 17, 7: COLOR 12, 1: PRINT "OTHERS"; : COLOR 15, 1
  PRINT USING "      #####.##  ###.##  #####.##  #####.##  ###.##"; othaft; 100 -
  (paftp + maftp); othin; othmm; 100
  LOCATE 19, 7: COLOR 12, 1: PRINT "TOTAL"; : COLOR 15, 1
  PRINT USING "      #####.##  ###.##  #####.##  #####.##  ###.##"; totaft; 100;
  totin; totmm; 100
  LINE (140, 117)-(140, 270), 7
  LINE (247, 117)-(247, 270), 7
  LINE (315, 117)-(315, 270), 7
  LINE (415, 117)-(415, 270), 7
  LINE (520, 117)-(520, 270), 7: COLOR 7

```

```

        LOCATE 21, 13: PRINT "(* Pure : baseflow = others / Mixed : baseflow < others)"
        COLOR 7, 1: LOCATE 23, 28: PRINT "Press any key to continue"
        DO: LOOP WHILE INKEY$ = ""
END SUB

SUB gra11

    DIM xd(32), yd(32)

    '---- Yearly separation curve generation ----

    YPOS = 26: l = 32: COLOR 14
    LOCATE YPOS + 1, l: PRINT "B": LOCATE YPOS + 2, l: PRINT "A"
    LOCATE YPOS + 3, l: PRINT "S": LOCATE YPOS + 4, l: PRINT "E"
    LOCATE YPOS + 6, l: PRINT "F": LOCATE YPOS + 7, l: PRINT "L"
    LOCATE YPOS + 8, l: PRINT "O": LOCATE YPOS + 9, l: PRINT "W"
    LOCATE YPOS + 11, l: PRINT "X"

    LOCATE 41, 40: COLOR 14, 1:
    PRINT "SEPARATION SLOPE (cfs/mi^2/day)"
    VIEW SCREEN (262, 182)-(612, 312), 8, 14

    FOR i = 1 TO 31
        xd(i) = (x(i) - x(1)) * 350 / (x(31) - x(1)) + 260
        yd(i) = 312 - (y(i) - y(1)) * 130 / (y(31) - y(1))
    NEXT i

    FOR i = 1 TO 31
        IF i = 1 THEN LINE (262, 310)-(xd(i), yd(i)), 14
        LINE -(xd(i), yd(i)), 10:
    NEXT i
    LINE (260, 310)-(xd(1), yd(1) + 1), 14

    '---- Curve emphasizing ----

    icr = 1
    FOR i = 1 TO 31
        IF i = 1 THEN LINE (262, 310)-(xd(i), yd(i) + icr), 14
        LINE -(xd(i), yd(i) + icr), 10:
    NEXT i
    LINE (260, 310)-(xd(1), yd(1) + 1), 14

    '---- Value printing in a box ----

5400 COLOR 7
    xcp = (x(kbest) - x(1)) * 350 / (x(31) - x(1)) + 260
    ycp = 312 - (y(kbest) - y(1)) * 130 / (y(31) - y(1))
    CIRCLE (xcp, ycp), 6, 12: PAINT (xcp, ycp), 12, 12

    VIEW SCREEN (265, 175)-(510, 184), 1, 12
    COLOR 15: LOCATE 23, 35: PRINT "Annual Separation Slope Curve"
    VIEW SCREEN (375, 275)-(605, 308), 1, 15
    LOCATE 36, 49: PRINT USING "Best point =(#.####,##.##)"; xcbest; ycbest
    LOCATE 37, 49: PRINT USING "Sensitivity = ###.## (%); senp
    LOCATE 38, 49: PRINT USING "R - Square = ###.####"; r2best
END SUB

SUB gra22

    '---- Coordinate calculation & printing ----

    DIM xd(100), yd(100)
    YPOS = 26: l = 32: COLOR 14
    LOCATE 24, 29: PRINT "100."
    LOCATE 40, 29: PRINT "0.0":

```



```

LOCATE YPOS + 1, I: PRINT "B": LOCATE YPOS + 2, I: PRINT "A"
LOCATE YPOS + 3, I: PRINT "S": LOCATE YPOS + 4, I: PRINT "E"
LOCATE YPOS + 6, I: PRINT "F": LOCATE YPOS + 7, I: PRINT "L"
LOCATE YPOS + 8, I: PRINT "O": LOCATE YPOS + 9, I: PRINT "W"
LOCATE YPOS + 11, I: PRINT "X"

LOCATE 41, 32: PRINT yrdim(1);
PRINT "          Water Year          "; :
PRINT yrdim(nyear): COLOR (15)
intr = 350 / (nyear - 1)
VIEW SCREEN (262, 182)-(612, 312), 8, 14
sm = 0: lg = 100:
FOR i = 1 TO nyear
xd(i) = (i - 1) * intr + 260
yd(i) = 312 - (ydim(i) - sm) * 130 / (lg - sm)
NEXT i

FOR i = 2 TO nyear
IF i = 2 THEN
    LINE (xd(1), yd(1))-(xd(i), yd(i)), 10
ELSE
    LINE -(xd(i), yd(i)), 10:
END IF
NEXT i

5300 VIEW SCREEN (265, 175)-(510, 184), 1, 12
    COLOR 15: LOCATE 23, 35: PRINT "Annual Baseflow(%) Trends "
END SUB

SUB help
    '----- Sub-program to generate HELP message ---

    special = 4
    'SCREEN 9:
    COLOR 7, 1: lo = 25
140 WIDTH 80, 25: COLOR 15, 1: VIEW SCREEN (1, 1)-(638, 348), 1, 15
    COLOR 12: LOCATE 5, 36: PRINT "HELP MENU"
    LINE (160, 90)-(490, 270), 15, 8: COLOR 15:

    LOCATE 9, lo: COLOR 12: PRINT "F1 "; : COLOR 15: PRINT " What is SAM ?"
    LOCATE 10, lo: COLOR 12: PRINT "F2 "; : COLOR 15: PRINT " How to use SAM ?"
    LOCATE 11, lo: COLOR 12: PRINT "F3 "; : COLOR 15: PRINT " Input Data Requirements"
    LOCATE 12, lo: COLOR 12: PRINT "F4 "; : COLOR 15: PRINT " System Requirements"
    LOCATE 13, lo: COLOR 12: PRINT "F5 "; : COLOR 15: PRINT " Error Messages"
    LOCATE 14, lo: COLOR 12: PRINT "F6 "; : COLOR 15: PRINT " Any Questions / Suggestions ?"
    LOCATE 15, lo: COLOR 12: PRINT "Esc"; : COLOR 15: PRINT " Back to Main menu"
    COLOR 10: LOCATE 18, 32: PRINT "Select Function Key"

    s$ = ""
109 s$ = INKEY$: IF s$ = "" THEN 109
    tc = ASC(RIGHT$(s$, LEN(s$) - 0))
    IF ASC(s$) = 27 THEN
        LOCATE 21, 28: COLOR 10: PRINT "Back to main menu... Wait "
        WIDTH 80, 25: 'SCREEN 9:
        CALL menu
    END IF
    IF tc > 0 THEN 1234
    IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 59 THEN GOTO intro
    IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 60 THEN GOTO how
    IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 61 THEN GOTO inpu
    IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 62 THEN GOTO syst
    IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 63 THEN GOTO erro
    IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 64 THEN GOTO sugg

```

```
1234 LOCATE 21, 28: COLOR 12: BEEP: PRINT "Input Error!  Select again "
      COLOR 15: GOTO 109
```

intro:

```
      WIDTH 80, 25: COLOR 15, 1
      VIEW SCREEN (1, 1)-(638, 348), 1, 15: COLOR 14:
      LOCATE 3, 5: PRINT "The Streamflow Analysis Module": COLOR 7
      LOCATE 5, 8: PRINT "  The Streamflow Analysis Module has been developed by the  "
      LOCATE 6, 8: PRINT "School of Renewable Natural Resources at the University of Arizona,"
      LOCATE 7, 8: PRINT "by Richard H. Hawkins & K. H. Kim.  "
      LOCATE 9, 8: PRINT "  This is one of the major products from the research project"
      COLOR 15:
      LOCATE 10, 8: PRINT CHR$(34); :
      PRINT "A Classification of Hydrologic Behavior for Environmental Management";
      PRINT CHR$(34): COLOR 7:
      LOCATE 11, 8: PRINT "sponsored by the U.S. Environment Protection Agency, Corvallis "
      LOCATE 12, 8: PRINT "Environmental Research Laboratory."
      LOCATE 14, 8: PRINT "  It has five major functions : statistical analysis, baseflow"
      LOCATE 15, 8: PRINT "separation, hydrograph generation, and data base management function."
      COLOR 10: LOCATE 23, 29: PRINT "Press any key to continue": COLOR 15
      DO: LOOP WHILE INKEY$ = ""
      GOTO 140
```

how:

```
      WIDTH 80, 43: COLOR 15, 1
      VIEW SCREEN (1, 1)-(638, 348), 1, 15:
      LOCATE 3, 5: COLOR 14: PRINT "How to Use SAM ?"
      LOCATE 5, 12: COLOR 7: PRINT "As you see at the main menu, the general execution flows are"
      LOCATE 6, 8: PRINT "shown at the following diagram. The capital words in the parenthesis"
      LOCATE 7, 8: PRINT "means the proper Keywords in the main menu. (refer to user's guide)"
      LOCATE 9, 22: PRINT "
      LOCATE 10, 22: PRINT "DATA file creation—P using HydroData"
      LOCATE 11, 32: PRINT "      |
      LOCATE 12, 32: PRINT "      |—P in any ASCII format data"
      LOCATE 13, 22: PRINT "Get into SAM"
      LOCATE 14, 32: PRINT "
      LOCATE 15, 32: PRINT "
      LOCATE 16, 22: PRINT "Select station (SELECT)"
      LOCATE 17, 32: PRINT "
      LOCATE 18, 32: PRINT "
      LOCATE 19, 22: PRINT "Statistical analysis(STATISTICS)"
      LOCATE 20, 32: PRINT "
      LOCATE 21, 32: PRINT "
      LOCATE 22, 22: PRINT "Baseflow calculation(SEPARATION)"
      LOCATE 23, 32: PRINT "
      LOCATE 24, 32: PRINT "
      LOCATE 25, 22: PRINT "Flow component calculation—(FLOW)"
      LOCATE 26, 32: PRINT "
      LOCATE 27, 22: PRINT "
      LOCATE 28, 22: PRINT "Hydrograph generation      Time vs. % graph"
      LOCATE 29, 22: PRINT "(HYDROGRAPH)      (TIME vs. %)"
      LOCATE 30, 22: PRINT "
      LOCATE 31, 18: PRINT "
      LOCATE 32, 22: PRINT "DATA base management (UPDATE)"
      LOCATE 33, 18: PRINT "
      LOCATE 34, 18: PRINT "
      LOCATE 35, 22: PRINT "Land use analysis"
      LOCATE 36, 18: PRINT "
      LOCATE 37, 18: PRINT "
      LOCATE 38, 22: PRINT "Summarized REPORT(REPORT)"
      LOCATE 41, 29: COLOR 10: PRINT "Press any key to continue"
      DO: LOOP WHILE INKEY$ = ""
      GOTO 140
```

input: WIDTH 80, 25: COLOR 7, 1
 VIEW SCREEN (1, 1)-(638, 348), 1, 15: COLOR 14:
 LOCATE 3, 9: PRINT "Input Data Requirements": COLOR 7

```

LOCATE 5, 9: PRINT "a) Any ASCII format stream runoff data from the water-gauging"
LOCATE 6, 13: PRINT "stations can be simulated and analyzed through the SAM."
LOCATE 7, 13: PRINT "To be able to utilize the any ASCII format data file, the"
LOCATE 8, 13: PRINT "DATA format should be adjusted prior to installation"
LOCATE 9, 13: PRINT "throughout the consulting process."
LOCATE 11, 9: PRINT "b) ASCII format data file created from the CD(compact disc)"
LOCATE 12, 13: PRINT "player using HydroData (from the US West) can also be"
LOCATE 13, 13: PRINT "fully utilized to analyze the streamflow."
COLOR 10: LOCATE 23, 29: PRINT "Press any key to continue"
DO: LOOP WHILE INKEY$ = ""
GOTO 140

```

syst:

```

WIDTH 80, 25: COLOR 15, 1: VIEW SCREEN (1, 1)-(638, 348), 1, 15:
COLOR 14: LOCATE 3, 9: PRINT "System Requirement"
LOCATE 5, 13: COLOR 7: PRINT "The minimum hardware requirements to run the SAM are"
LOCATE 7, 17: PRINT " - IBM AT/AT compatible"
LOCATE 8, 17: PRINT " - 640K or 512K RAM (Random Access Memory)"
LOCATE 9, 17: PRINT " - Graphic monitor (EGA or VGA or compatible)"
LOCATE 11, 13: PRINT "Any other hardware/software support (extended RAM, math"
LOCATE 12, 13: PRINT "coprocessor, etc.) will enhance its processing speed and"
LOCATE 13, 13: PRINT "capabilities. The SAM can support almost any kind of"
LOCATE 14, 13: PRINT "peripheral device ; printers, plotters to make report"
LOCATE 15, 13: PRINT "or graphic hardcopy with proper set-up of the device"
LOCATE 16, 13: PRINT "using SAM-INSTALL program."
COLOR 10: LOCATE 23, 29: PRINT "Press any key to continue"
DO: LOOP WHILE INKEY$ = ""
GOTO 140

```

erro:

```

WIDTH 80, 25: COLOR 15, 1
VIEW SCREEN (1, 1)-(638, 348), 1, 15: COLOR 14:
LOCATE 3, 8: PRINT " ERROR messages"
LOCATE 5, 12: COLOR 7: PRINT "The SAM has detail error detection and message generation"
LOCATE 6, 8: PRINT "function at any step during the processing, which prevents the"
LOCATE 7, 8: PRINT "analysis from interruptions caused by the wrong user-input or"
LOCATE 8, 8: PRINT "overloading the system. Before reaching the system interruption, it"
LOCATE 9, 8: PRINT "generates the error messages and return back to main menu or the"
LOCATE 10, 8: PRINT "previous steps before the errors."
LOCATE 12, 8: PRINT " Each error message accompanies the reference code which can be"
LOCATE 13, 8: PRINT "be referenced from the User's guide for the SAM. However, the"
LOCATE 14, 8: PRINT "detail error messages and the manipulation of the control points "
LOCATE 15, 8: PRINT "inside the SAM will makes the end-users free from any troubles"
LOCATE 16, 8: PRINT "from the errors if followed by the exact analysis steps described"
LOCATE 17, 8: PRINT "in the main menu and user's guide."
COLOR 10: LOCATE 23, 29: PRINT "Press any key to continue"
DO: LOOP WHILE INKEY$ = ""
GOTO 140

```

sugg:

```

WIDTH 80, 25: COLOR 15, 1
VIEW SCREEN (1, 1)-(638, 348), 1, 15:
LOCATE 3, 8: COLOR 14: PRINT "Any Questions or Suggestions ?"
LOCATE 5, 15: COLOR 7: PRINT "Any questions or suggestions concerning the computing"
LOCATE 6, 8: PRINT "algorithms, program environments, and further updating of"
LOCATE 7, 8: PRINT "the SAM will be appreciated. Please call or write to:"
LOCATE 9, 10: PRINT " Dr. Richard H. Hawkins (1-602-621-7273)"
LOCATE 10, 10: PRINT " or Mr. K. H. Kim (1-602-621-3548)"
LOCATE 12, 14: PRINT " Address : Division of Watershed Sciences"
LOCATE 13, 24: PRINT " School of Renewable Natural Resources"
LOCATE 14, 24: PRINT " University of Arizona"
LOCATE 15, 24: PRINT " Tucson, AZ 85721"
LOCATE 17, 14: PRINT " Fax : 602-621-7196"
COLOR 10: LOCATE 23, 29: PRINT "Press any key to continue"
DO: LOOP WHILE INKEY$ = ""
GOTO 140

```

END SUB

SUB menu

```

'----- Main menu table generation / Module select ---

9999  WIDTH 80, 25: 'SCREEN 9:
      KEY(9) ON: ON KEY(9) GOSUB callhelp: COLOR 7, 1
      LOCATE 4, 38: ll = 4:
1820  VIEW SCREEN (1, 1)-(638, 348), 1, 7
      LINE (200, 23)-(430, 45), 14, B
      LOCATE 3, 27: COLOR 15: PRINT "STREAMFLOW ANALYSIS MODULE"
      COLOR 15: GOSUB mcol: GOSUB stcol: ppt = 1:
1800
1850  s$ = ""
1900  s$ = INKEY$: IF s$ = "" THEN GOTO 1900

      tt = ASC(RIGHT$(s$, LEN(s$) - 0))
      IF tt <> 13 AND tt > 0 THEN 1455
      IF (ppt = 4 OR ppt MOD 4 = 0) AND ASC(s$) = 13 THEN GOSUB selectr
      IF ASC(s$) = 13 THEN GOTO 1455
      IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 77 THEN 2000
      IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 75 THEN 2100
      IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 80 THEN GOSUB submenu0
1455  BEEP: GOTO 1800

2000  VIEW SCREEN (11, 105)-(625, 220), 1, 1
      ppt = ppt + 1: GOSUB mcol
      IF ppt = 1 OR ppt MOD 4 = 1 THEN GOSUB stcol: GOTO 1800
      IF ppt = 2 OR ppt MOD 4 = 2 THEN GOSUB sscol: GOTO 1800
      IF ppt = 3 OR ppt MOD 4 = 3 THEN GOSUB dbase: GOTO 1800
      IF ppt = 4 OR ppt MOD 4 = 0 THEN GOSUB extsr: GOTO 1800

2100  VIEW SCREEN (11, 105)-(615, 220), 1, 1
      ppt = ppt - 1:
      IF ppt = 1 OR ppt MOD 4 = 1 THEN GOSUB mcol: GOSUB stcol: ppt = 1: GOTO 1800
      IF ppt = 2 OR ppt MOD 4 = 2 THEN GOSUB mcol: GOSUB sscol: ppt = 2: GOTO 1800
      IF ppt = 3 OR ppt MOD 4 = 3 THEN GOSUB mcol: GOSUB dbase: ppt = 3: GOTO 1800
      IF ppt = 4 OR ppt MOD 4 = 0 THEN GOSUB mcol: GOSUB extsr: ppt = 4: GOTO 1800

mcol:  VIEW SCREEN (80, 80)-(555, 100), 1, 14: COLOR 15
      LOCATE 7, 13: PRINT " Analysis          Graphics          Utility          Exit"

RETURN
stcol: LINE (81, 81)-(200, 99), 14, BF
      COLOR 12: LOCATE 7, 13: PRINT " Analysis  "
      VIEW SCREEN (81, 105)-(200, 190), 1, 10: COLOR 15, 1
      VIEW SCREEN (84, 108)-(197, 187), 1, 10:
      COLOR 7: LOCATE 9, 13: PRINT " Select      ": COLOR 7
      LOCATE 11, 13: PRINT " Separation "
      LOCATE 13, 13: PRINT " Report      "
      LINE (84, 130)-(201, 130), 10
      LINE (84, 160)-(201, 160), 10
      LINE (84, 190)-(201, 190), 10
      VIEW SCREEN (100, 260)-(550, 300), 1, 14: COLOR 7
      LOCATE 20, 22: PRINT "      Sequence for Watershed analysis      "
      LOCATE 21, 15: PRINT "Select->Statistics->Separation->Flow summary->Graphics"
      LOCATE 23, 17: COLOR 7: PRINT "Help - "; : COLOR 15: PRINT "F9";
      COLOR 7: PRINT " / Select menu - "; : COLOR 15
      PRINT CHR$(24); CHR$(25); CHR$(26); CHR$(27);
      COLOR 7: PRINT " / Execute - "; : COLOR 15: PRINT "ENTER"

RETURN
sscol: LINE (215, 81)-(335, 99), 14, BF
      COLOR 12: LOCATE 7, 30: PRINT " Graphics  "
      VIEW SCREEN (215, 105)-(335, 190), 1, 10: COLOR 7, 1

```

```

VIEW SCREEN (218, 108)-(332, 187), 1, 10:
LOCATE 9, 29: PRINT " Hydrograph "
LOCATE 11, 29: PRINT " Time vs. % "
LOCATE 13, 29: PRINT " Station Map "
LINE (217, 130)-(332, 130), 10
LINE (217, 160)-(332, 160), 10
LINE (217, 190)-(332, 190), 10
VIEW SCREEN (100, 260)-(550, 300), 1, 14: COLOR 7
LOCATE 20, 30: PRINT " Graphics Display "
LOCATE 21, 26: PRINT "Hydrograph and Flow duration curve  "

RETURN
dbase:
LINE (355, 81)-(460, 99), 14, BF
COLOR 12: LOCATE 7, 47: PRINT " Utility "
VIEW SCREEN (355, 105)-(460, 190), 1, 10: COLOR 7, 1
VIEW SCREEN (358, 108)-(457, 187), 1, 10:
LOCATE 9, 47: PRINT " Option "
LOCATE 11, 47: PRINT " DOS call "
LOCATE 13, 47: PRINT " "
LINE (358, 130)-(457, 130), 10
LINE (358, 160)-(457, 160), 10
VIEW SCREEN (100, 260)-(550, 300), 1, 14: COLOR 7
LOCATE 20, 20: PRINT " Utility Function "
LOCATE 21, 14: PRINT " ( DOS shell & more options will be added )  "

RETURN
extsr:
LINE (465, 81)-(553, 99), 14, BF
COLOR 12: LOCATE 7, 61: PRINT " Exit "
VIEW SCREEN (100, 260)-(550, 300), 1, 14: COLOR 7
LOCATE 20, 36: PRINT " Exit "

RETURN
submenu0:
IF ppt = 1 OR ppt MOD 4 = 1 THEN GOSUB stmenu
IF ppt = 2 OR ppt MOD 4 = 2 THEN GOSUB spmenu
IF ppt = 3 OR ppt MOD 4 = 3 THEN GOSUB dbmenu
IF ppt = 4 OR ppt MOD 4 = 0 THEN
VIEW SCREEN (100, 260)-(550, 300), 1, 14: COLOR 7
BEEP: LOCATE 20, 32: PRINT "Press "; : COLOR 12: PRINT "Return ";
COLOR 7: PRINT "or "; : COLOR 12: PRINT CHR$(26); " "; : PRINT CHR$(27)
END IF

RETURN
stmenu:

!----- separation menu table generation

1799 COLOR 15, 1: GOSUB maincol1: GOSUB stcol1: pt = 1
1801 s$ = ""
1901 s$ = INKEY$: IF s$ = "" THEN GOTO 1901
tt = ASC(RIGHT$(s$, LEN(s$) - 0))
IF tt = 13 THEN GOSUB select1
IF tt <> 13 AND tt > 0 THEN 1457
IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 77 THEN 2000
IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 75 THEN 2100
IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 80 THEN 2001
IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 72 THEN 2101
1457 BEEP: GOTO 1801

2001 pt = pt + 1: GOSUB maincol1
IF pt = 1 OR pt MOD 3 = 1 THEN GOSUB stcol1: GOTO 1801
IF pt = 2 OR pt MOD 3 = 2 THEN GOSUB sscol1: GOTO 1801
IF pt = 3 OR pt MOD 3 = 0 THEN GOSUB hycol1: GOTO 1801
RETURN

2101 pt = pt - 1:
IF pt = 1 OR pt MOD 3 = 1 THEN GOSUB maincol1: GOSUB stcol1: pt = 1: GOTO 1801

```

```

        IF pt = 2 OR pt MOD 3 = 2 THEN GOSUB maincol1: GOSUB sscol1: pt = 2: GOTO 1801
        IF pt = 3 OR pt MOD 3 = 0 THEN GOSUB maincol1: GOSUB hycol1: pt = 3: GOTO 1801
RETURN
maincol1:
    VIEW SCREEN (81, 105)-(200, 190), 1, 10: COLOR 7, 1
    VIEW SCREEN (84, 108)-(197, 187), 1, 10:
    LOCATE 9, 13: PRINT " Select      "
    LOCATE 11, 13: PRINT " Separation "
    LOCATE 13, 13: PRINT " Report    "
    LINE (84, 130)-(200, 130), 10
    LINE (84, 160)-(200, 160), 10
    LINE (84, 190)-(200, 190), 10
RETURN
stcol1:
    LINE (84, 109)-(197, 128), 14, BF
    COLOR 12: LOCATE 9, 13: PRINT " Select      "
    VIEW SCREEN (100, 260)-(550, 300), 1, 14: COLOR 7
    LOCATE 20, 27: PRINT "Select Station for analysis  "
RETURN
sscol1:
    LINE (84, 132)-(197, 158), 14, BF
    COLOR 12: LOCATE 11, 13: PRINT " Separation "
    VIEW SCREEN (100, 260)-(550, 300), 1, 14: COLOR 7
    LOCATE 20, 32: PRINT "Baseflow Separation      "
    LOCATE 21, 24: PRINT "Statistics, Separation, Flow summary"
RETURN
hycol1:
    LINE (84, 162)-(197, 188), 14, BF
    COLOR 12: LOCATE 13, 13: PRINT " Report      "
    VIEW SCREEN (100, 260)-(550, 300), 1, 14: COLOR 7
    LOCATE 20, 33: PRINT "Report Generation      "
RETURN
select1:
    IF pt = 1 OR pt MOD 3 = 1 THEN CALL choose: GOTO 9999
    IF (pt = 2 OR pt MOD 3 = 2) AND (file <> "") AND (special = 1) THEN
        xt = 0: yt = 0
        CALL stat: CALL sepayr: CALL flowpr: GOTO 9999
    END IF
    IF (pt = 2 OR pt MOD 3 = 2) AND (file <> "") AND (special > 1) THEN
        LOCATE 20, 24: PRINT "Wait...  File accessing ..."
        LOCATE 21, 24: PRINT "
        special = 2: CHAIN "sam2": GOTO 9999
    END IF
    IF (pt = 3 OR pt MOD 3 = 0) AND (file <> "") AND (special <> 4) AND (special <> 0) THEN
        special = 3:
        LOCATE 20, 24: PRINT "Wait...  File accessing ..."
        LOCATE 21, 24: PRINT "
        CHAIN "sam2": GOTO 9999
    END IF

    LOCATE 20, 21: BEEP: COLOR 12: PRINT "Error!"; :
    COLOR 7: PRINT " Select Station first (using ";
    COLOR 12: PRINT "Select"; : COLOR 7: PRINT ")  "
    LOCATE 21, 15: PRINT "                      Press any key      "
    DO: LOOP WHILE INKEY$ = ""
    GOTO 1799
1335
    LOCATE 20, 21: BEEP: COLOR 12: PRINT "Error!"; :
    COLOR 7: PRINT " Select Station first (using ";
    COLOR 12: PRINT "Select"; : COLOR 7: PRINT ") "
    LOCATE 21, 35: PRINT "Press any key "
    DO: LOOP WHILE INKEY$ = ""
    GOTO 1820
1338
RETURN:

```

```

RETURN
spmenu:
'---- graphics menu table generation

1798 COLOR 15, 1: GOSUB maincol2: GOSUB stcol2: pt = 1
1802
s$ = ""
1902 s$ = INKEY$: IF s$ = "" THEN GOTO 1902
tt = ASC(RIGHT$(s$, LEN(s$) - 0))
IF ASC(s$) = 13 THEN GOSUB select2
IF tt <> 13 AND tt > 0 THEN 1459
IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 77 THEN 2000
IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 75 THEN 2100
IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 80 THEN 2002
IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 72 THEN 2102

1459 BEEP: GOTO 1802
2002 pt = pt + 1: GOSUB maincol2
IF pt = 1 OR pt MOD 3 = 1 THEN GOSUB stcol2: GOTO 1802
IF pt = 2 OR pt MOD 3 = 2 THEN GOSUB sscol2: GOTO 1802
IF pt = 3 OR pt MOD 3 = 0 THEN GOSUB hycol2: GOTO 1802
RETURN
2102 pt = pt - 1:
IF pt = 1 OR pt MOD 3 = 1 THEN GOSUB maincol2: GOSUB stcol2: pt = 1: GOTO 1802
IF pt = 2 OR pt MOD 3 = 2 THEN GOSUB maincol2: GOSUB sscol2: pt = 2: GOTO 1802
IF pt = 3 OR pt MOD 3 = 0 THEN GOSUB maincol2: GOSUB hycol2: pt = 3: GOTO 1802
RETURN
maincol2:
VIEW SCREEN (215, 105)-(335, 190), 1, 10: COLOR 7, 1
VIEW SCREEN (218, 108)-(332, 187), 1, 10:
LOCATE 9, 29: PRINT " Hydrograph "
LOCATE 11, 29: PRINT " Time vs. % "
LOCATE 13, 29: PRINT " Station Map "
LINE (217, 130)-(332, 130), 10
LINE (217, 160)-(332, 160), 10
RETURN
stcol2:
LINE (217, 109)-(335, 128), 14, BF
COLOR 12: LOCATE 9, 29: PRINT " Hydrograph "
VIEW SCREEN (100, 260)-(550, 300), 1, 14: COLOR 7
LOCATE 20, 25: PRINT "Hydrograph for baseflow/stormflow"
LOCATE 21, 25: PRINT " Time period : yearly, monthly "
RETURN
sscol2:
LINE (217, 133)-(335, 158), 14, BF
COLOR 12: LOCATE 11, 29: PRINT " Time vs. % "
VIEW SCREEN (100, 260)-(550, 300), 1, 14: COLOR 7
LOCATE 20, 21: PRINT " Flow Duration Curve "
LOCATE 21, 21: PRINT " Processing time varied with record length "
RETURN
hycol2:
LINE (217, 163)-(335, 188), 14, BF
COLOR 12: LOCATE 13, 29: PRINT " Station Map "
VIEW SCREEN (100, 260)-(550, 300), 1, 14: COLOR 7
LOCATE 20, 21: PRINT "Map of Gauging Stations in Northeastern U.S."
LOCATE 21, 21: PRINT " Shows spatial distribution of BASELOW% "
RETURN
select2:
IF (pt = 1 OR pt MOD 3 = 1) AND (file <> "") AND (special <> 4) AND (special <> 0) THEN
LOCATE 20, 25: special = 6
PRINT "Wait.. Graphics interfacing " ": LOCATE 21, 25
PRINT " ": CHAIN "sam3"
END IF
IF (pt = 2 OR pt MOD 3 = 2) AND (file <> "") AND (special <> 4) AND (special <> 0) THEN

```

```

        special = 5: : LOCATE 20, 25:
        PRINT "Wait..  Program interfacing      ": LOCATE 21, 21
        PRINT "                                     "
        CHAIN "sam3"
    END IF
    IF (pt = 3 OR pt MOD 3 = 0) AND (special <> 4) THEN
        special = 8: : LOCATE 20, 16
        PRINT "          Wait..  Program interfacing      ": LOCATE 21, 16
        PRINT "                                     "
        CHAIN "sam2"
    END IF

    LOCATE 20, 21: BEEP: COLOR 12: PRINT "Error!"; :
    COLOR 7: PRINT " Select Station first (using ";
    COLOR 12: PRINT "Select"; : COLOR 7: PRINT ")  "
    LOCATE 21, 15: PRINT "                      Press any key      "
    DO: LOOP WHILE INKEY$ = ""
    GOTO 1798

RETURN
RETURN

dbmenu:
'----- hydrograph menu table generation

    COLOR 15, 1: GOSUB maincol4: GOSUB stcol4: pt = 1
1804
    s$ = ""
1904    s$ = INKEY$: IF s$ = "" THEN GOTO 1904
        tt = ASC(RIGHT$(s$, LEN(s$) - 0))
        IF ASC(s$) = 13 THEN GOSUB select4
        IF tt <> 13 AND tt > 0 THEN 1463
        IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 77 THEN 2000
        IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 75 THEN 2100
        IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 80 THEN 2004
        IF ASC(RIGHT$(s$, LEN(s$) - 1)) = 72 THEN 2104
1463    BEEP: s$ = "": GOTO 1804
2004    pt = pt + 1: GOSUB maincol4
        IF pt = 1 OR pt MOD 2 = 1 THEN GOSUB stcol4: GOTO 1804
        IF pt = 2 OR pt MOD 2 = 0 THEN GOSUB sscol4: GOTO 1804

RETURN
2104    pt = pt - 1:
        IF pt = 1 OR pt MOD 2 = 1 THEN GOSUB maincol4: GOSUB stcol4: pt = 1: GOTO 1804
        IF pt = 2 OR pt MOD 2 = 0 THEN GOSUB maincol4: GOSUB sscol4: pt = 2: GOTO 1804

RETURN
maincol4:
    VIEW SCREEN (355, 105)-(460, 190), 1, 10: COLOR 7, 1
    VIEW SCREEN (358, 108)-(457, 187), 1, 10:
    LOCATE 9, 47: PRINT " Option  "
    LOCATE 11, 47: PRINT " DOS call "
    LOCATE 13, 47: PRINT "          "
    LINE (358, 130)-(457, 130), 10
    LINE (358, 160)-(457, 160), 10

RETURN
stcol4:
    LINE (355, 108)-(460, 129), 14, BF
    COLOR 12: LOCATE 9, 47: PRINT " Option  "
    VIEW SCREEN (100, 260)-(550, 300), 1, 14: COLOR 7
    LOCATE 20, 24: PRINT "Not available at this time      "
    LOCATE 21, 24: PRINT "                                     "

RETURN
sscol4:
    LINE (355, 132)-(460, 158), 14, BF
    COLOR 12: LOCATE 11, 47: PRINT " DOS call "
    VIEW SCREEN (100, 260)-(550, 300), 1, 14: COLOR 7
    LOCATE 20, 24: PRINT "          DOS Shell      "

```



```

        LOCATE 21, 24: PRINT "      Utilize any DOS command      "
RETURN
RETURN
select4:
    IF pt = 1 OR pt MOD 2 = 1 THEN BEEP: GOTO 1800
    IF pt = 2 OR pt MOD 2 = 0 THEN
        CLS 0: PRINT "Type EXIT to return to SAM":
        SHELL: GOTO 1820
    END IF
RETURN: RETURN

selectr:
    VIEW SCREEN (100, 260)-(550, 300), 1, 14: COLOR 7
    LOCATE 20, 32: PRINT "Are you sure ? (y/n)": s$ = ""
2204  s$ = INKEY$: IF s$ = "" THEN 2204
    IF ASC(s$) = 121 OR ASC(s$) = 89 THEN CLS : SYSTEM
    LOCATE 20, 32: PRINT "      Exit      ": s$ = ""
    GOTO 1850
END SUB

SUB sepayr

```

```

'----- Separation (yearly basis) routine ---

```

```

DIM xd(100), yd(100)
DIM fdata AS STRING * 80: DIM sign AS STRING * 1
DIM sm AS STRING * 4:      DIM em AS STRING * 4:
DIM t1t AS STRING * 50:

SCREEN 9:
VIEW SCREEN (100, 260)-(550, 300), 1, 14: COLOR 15
ll = 8: WIDTH 80, 43: COLOR 7, 1:
VIEW SCREEN (1, 1)-(638, 348), 1, 7
LINE (7, 6)-(632, 343), 7, B: LINE (7, 31)-(632, 31), 7
LINE (7, 36)-(632, 36), 7: LINE (7, 32)-(7, 35), 1:
LINE (632, 32)-(632, 35), 1:

COLOR 15: LOCATE 3, 22:
PRINT "SLOPE SEPARATION (Yearly Basis)"
COLOR 7, 1: LOCATE 3, 58: PRINT "(F8 : Abort)"
COLOR 14: LOCATE 7, 9: COLOR 15
OPEN "i", #1, file + ".OUT"
LINE INPUT #1, r1$:
t1t = RIGHT$(r1$, LEN(r1$) - 0)
LINE INPUT #1, r1$:
sm = RIGHT$(r1$, LEN(r1$) - 0):
em = RIGHT$(r1$, LEN(r1$) - 10)
stryr = VAL(MID$(r1$, 6, 4)): endyr = VAL(MID$(r1$, 16, 4))
INPUT #1, temp1, tcnt
CLOSE (1)

```

```

LOCATE 6, 5: PRINT "Station : "; : COLOR 7: PRINT t1t:
COLOR 15: LOCATE 7, 5: PRINT "Period : "; : COLOR 7
PRINT sm; stryr; " - "; em; endyr: COLOR 14, 1

```

```

OPEN "o", #3, file + ".yr":

```

```

'----- Read daily cfs data ---

```

```

OPEN "i", #1, file + ".ini"
LINE INPUT #1, r$:
LINE INPUT #1, r$: sign = LEFT$(r$, 1)
da = VAL(MID$(r$, 49, 7)): nyear = 0:
DO UNTIL EOF(1)
cnt = 0: nyear = nyear + 1

```

```

IF sign = "H" THEN
INPUT #1, ia, ib: LINE INPUT #1, t$: LINE INPUT #1, t$

FOR MO = 1 TO 12
FOR i = 1 TO 4
INPUT #1, fdata
IF (i <> 4) THEN
max = 8
ELSE
max = 7
END IF
FOR j = 1 TO max
year = VAL(MID$(fdata, 17, 4))
q = VAL(MID$(fdata, 18 + j * 7, 7))
IF q >= 999998 THEN 602
cnt = cnt + 1:
cfs(cnt) = q
602 NEXT j
NEXT i
NEXT MO
END IF
'---feb. chk ---
LOCATE 7, 45: COLOR 15: PRINT "Year "; : COLOR 10: PRINT year;
COLOR 15: PRINT "'Processing ...."
GOSUB cal
IF EOF(1) GOTO 802
LINE INPUT #1, a$: LINE INPUT #1, sign

802 LOOP
'--- eof check ---
OPEN "a", #9, file + ".out"
VIEW SCREEN (312, 125)-(612, 165), 1, 12
BEEP: COLOR 15
LOCATE 17, 42: PRINT "Separation Results"
LOCATE 18, 42: PRINT USING "Average Slope : ##.###"; xt / nyear
LOCATE 19, 42: PRINT USING "Average Baseflow % : ###.##"; yt / nyear
CLOSE (1):

'----- Baseflow graph for whole period ---

LOCATE 20, 42: COLOR 15
PRINT "Press any key to continue " : COLOR 15, 1
DO: LOOP WHILE INKEY$ = ""
IF nyear = 1 THEN
LOCATE 20, 40: PRINT " "
LOCATE 15, 25: COLOR 10
BEEP: PRINT "No graphics.. Has only 1 year. Press any key ":
GOTO 705
END IF
CALL gra22: LOCATE 20, 42: COLOR 10:
PRINT "Press any key to continue " : GOTO 705

cal: idx = 0:

'----- Baseflow calculation for each trial slope ---

tt0 = 0
FOR i = 1 TO 25
tt0 = cfs(i) + tt0
NEXT
basef(1) = tt0 / 25
FOR sl = 0! TO .0188 STEP .0006
tot = cfs(1): sumbase = basef(1): bft = sl * da:

CALL basefcal
'IF tot = 0 THEN
' BEEP: LOCATE 15, 13: COLOR 12:

```

```

'      PRINT "Total cfs is Zero--> All missing value pls, check data file"
'      COLOR 15: CHAIN "menu"
'END IF
idx = idx + 1
y(idx) = (sumbase / tot) * 100
x(idx) = sl
NEXT sl

'----- Write into output file ---

ll = ll + 1
CALL break2: CALL gra11 '---graphics gen. ---

'----- Flow summary ---

sumbase = basef(1): bft = xcbest * da: tot = cfs(1)
CALL basefcal
FOR i = 1 TO cnt
IF basef(i) < 0 THEN GOTO 609
IF (basef(i) <= cfs(i) + 1) AND (basef(i) >= cfs(i) - 1) THEN
    pvol = pvol + basef(i)
    pcnt = pcnt + 1
ELSE
    mvol = mvol + basef(i)
END IF
609 NEXT i
totvol = tot + totvol: basetot = basetot + sumbase
RETURN
705 '--- write into output ---

totvol = totvol / nyear
basetot = basetot / nyear
totaft = totvol * 1.983471
basaft = basetot * 1.983471
paft = pvol * (1.983471) / nyear: paftp = 100 * paft / totaft
pin = 12 * paft / (da * 640): pmm = 25.4 * pin: ptimep = 100 * pcnt / tcnt
maft = mvol * (1.983471) / (nyear): maftp = 100 * maft / totaft
min = 12 * maft / (da * 640): mmm = 25.4 * min: mtimep = 100 - ptimep
othaft = (totaft - basaft)
othin = othaft * 12 / (da * 640): othmm = othin * 25.4:
totin = totaft * 12 / (da * 640): totmm = 25.4 * totin
PRINT #9, paft, paftp, pin, pmm, ptimep, maft, maftp, min, mmm, mtimep
'PRINT paft, paftp, pmm, pin
PRINT #9, basaft, othaft, othin, othmm, totaft, totin, totmm
CLOSE (9): CLOSE (3)
DO: LOOP WHILE INKEY$ = ""

END SUB

SUB stat

'----- Statistics ----

SCREEN 9
DIM sty AS STRING * 2
DIM fdata AS STRING * 80: DIM stype AS STRING * 14
DIM month(12) AS STRING * 4: DIM sign AS STRING * 1:
DIM ff AS STRING * 26: DIM q(10)

'--- month assign ---

month(1) = "Jan.": month(2) = "Feb.": month(3) = "Mar.": month(4) = "Apr."
month(5) = "May ": month(6) = "June": month(7) = "July": month(8) = "Aug."
month(9) = "Sep.": month(10) = "Oct.": month(11) = "Nov.": month(12) = "Dec."

```

'--- initial calculation ---

```
CLS : VIEW SCREEN (1, 1)-(638, 348), 1, 7
LINE (7, 6)-(632, 343), 7, B
LINE (7, 31)-(632, 31), 7
LINE (7, 36)-(632, 36), 7
LINE (7, 32)-(7, 35), 1: LINE (632, 32)-(632, 35), 1: COLOR 15, 1:
LOCATE 2, 26: PRINT "STATISTICAL PARAMETERS"
LOCATE 2, 56: COLOR 7: PRINT "(F8 : Abort)": COLOR 7, 1
LOCATE 10, 25: PRINT "File name "; : COLOR 15
PRINT file; : COLOR 7: PRINT "      Year "
```

'--- flow value read ---

```
OPEN "I", #1, file + ".INI":
LINE INPUT #1, r$
LINE INPUT #1, r$
lev = 999998: hev = 0: year = 0: add = 0: cnt = 0: sumxy = 0
sumq = 0: sumq2 = 0: sumq3 = 0: ql = 0: zerocnt& = 0
l1 = VAL(MID$(r$, 17, 2)): l2 = VAL(MID$(r$, 19, 2)):
l3 = VAL(MID$(r$, 21, 2)): l4 = VAL(MID$(r$, 23, 3)):
l5 = VAL(MID$(r$, 26, 2)): l6 = VAL(MID$(r$, 28, 2))
da = VAL(MID$(r$, 49, 7)): sty = RIGHT$(r$, LEN(r$) - 38)
SELECT CASE sty
CASE "SW"
    stype = "STREAM"
CASE "GW"
    stype = "WELL"
CASE "SP"
    stype = "SPRING"
CASE "LK"
    stype = "LAKE"
CASE "ES"
    stype = "ESTUARY"
CASE ELSE
    stype = "METEOROLOGICAL"
END SELECT

sign = LEFT$(r$, 1)
DO UNTIL EOF(1)
    IF sign = "H" THEN
        INPUT #1, ia, ib: LINE INPUT #1, tit:
        LINE INPUT #1, t$
        year = year + 1: LOCATE 10, 52: COLOR 15: PRINT year
        dachk = 0:
```

'--- daily value read ---

```
FOR MO = 1 TO 12
FOR i = 1 TO 4
INPUT #1, fdata
yyr = VAL(MID$(fdata, 17, 4))
IF (year = 1 AND dachk = 0) THEN
    smo = VAL(MID$(fdata, 21, 2))
    syr = VAL(MID$(fdata, 17, 4))
    dachk = 1
END IF
IF (i <> 4) THEN
    max = 8
ELSE
    max = 7
END IF
FOR j = 1 TO max
    q = VAL(MID$(fdata, 18 + j * 7, 7))
```

```

      IF q >= 999998 GOTO 709
      IF q < lev THEN lev = q:
      IF q > hev THEN hev = q

      cnt = cnt + 1: sumq = sumq + q: sumq2 = sumq2 + q ^ 2
      sumq3 = sumq3 + q ^ 3
      sumxy = sumxy + ql * q: ql = q
      IF q = 0 THEN zerocnt& = zerocnt& + 1
709  NEXT j
      NEXT i
      NEXT MO

      IF VAL(MID$(fdata, 17, 4)) MOD 4 = 0 THEN add = add + 1
      END IF
      IF EOF(1) GOTO 800
      LINE INPUT #1, a$
      LINE INPUT #1, sign
      LOOP

800  CLOSE (1): CLOSE (5): CLOSE (2):
      emo = VAL(MID$(fdata, 21, 2)): eyr = VAL(MID$(fdata, 17, 4))

      '--- statistics calculation ---

      mean = sumq / cnt
      csum! = 0: ssum! = 0
      sd = SQR(sumq2 / cnt - mean ^ 2)
      skew = (sumq3 / cnt - 3 * mean * sumq2 / cnt + 2 * mean ^ 3) / (sd ^ 3)
      variance = sd ^ 2: IF mean > 0 THEN coevar = sd / mean
      covq = (sumxy / cnt) - mean ^ 2

      '--- Unmeasured days & serial-R

      unm& = (365 * year + add - cnt): ser = covq / variance
      IF unm& < 0 THEN unm& = 0 '--- ???? ---

      '--- Screen display ---

      COLOR 7, 1
      LOCATE 10, 25: PRINT "
      CLOSE (9): : OPEN "o", #2, file + ".out":
      PRINT #2, tit; da
      PRINT #2, month(smo); syr; month(emo); eyr; :
      PRINT #2, USING "## ## ## ### ## ##"; l1; l2; l3; l4; l5; l6; :
      PRINT #2, stype: PRINT #2, year; cnt; zerocnt&; unm&
      PRINT #2, sumq; mean; sd; variance
      PRINT #2, ser; skew; coevar; lev; hev: CLOSE (2):

      '--- Output print into screen ---

      LOCATE 4, 5: PRINT "Station          : "; USING "\
      \"; tit:
      LOCATE 5, 5: PRINT "Drainage Area      : "; da; "sq. mi."
      LOCATE 6, 5: PRINT "Period of Record   : "; month(smo); syr; "- "; month(emo); eyr
      LOCATE 7, 5: PRINT "Type of station    : "; stype
      LOCATE 7, 39: PRINT " (Latitude "; USING "###:###:###"; l1; l2; l3
      LOCATE 7, 59: PRINT " Longitude "; USING "###:###:###"; l4; l5; l6
      LOCATE 9, 5: PRINT USING "Total Number of Years : #####"; year
      LOCATE 10, 5: PRINT USING "Total Measured Days   : #####"; cnt
      LOCATE 11, 5: PRINT USING "Days with No-flow    : #####"; zerocnt&
      LOCATE 12, 5: PRINT USING "Total Unmeasured Days : #####"; unm&
      LOCATE 14, 5: PRINT USING "Total Flow (cfs-days) : #####.###"; sumq;
      LOCATE 14, 49: PRINT USING "( #####.### Ac-ft )"; sumq * 1.983471
      LOCATE 15, 5: PRINT USING "Daily Mean (cfs)     : #####.###"; mean;
      LOCATE 15, 49: PRINT USING "( #####.### Ac-ft/yr)"; 1.983471 * sumq / year

```

```

LOCATE 16, 5: PRINT USING "Standard Deviation : #####.###"; sd
LOCATE 17, 5: PRINT USING "Variance (cfs ^2) : #####.###"; variance
LOCATE 19, 5: PRINT USING "Serial R : #####.###"; ser
LOCATE 20, 5: PRINT USING "Skewness : #####.###"; skew
LOCATE 21, 5: PRINT USING "Coeff. of Variation : #####.###"; coever
LOCATE 22, 5: PRINT USING "Low Extreme (cfs) : #####.###"; lev
LOCATE 23, 5: PRINT USING "High Extreme (cfs) : #####.###"; hev
LOCATE 23, 47: COLOR 7, 1: PRINT "Press any key to Continue ":
DO: LOOP WHILE INKEY$ = ""
END SUB

SUB title
'---- Front title page ---
CLS
WIDTH 80, 25: SCREEN 9:
VIEW SCREEN (1, 1)-(638, 348), 1, 7
VIEW SCREEN (5, 3)-(633, 345), 1, 7
LOCATE 4, 38: COLOR 14, 1:
LINE (195, 20)-(440, 50), 7, B

LOCATE 3, 28: COLOR 15, 1: PRINT "S"; : COLOR 7, 1:
PRINT "TREAMFLOW"; : COLOR 15, 1: PRINT " A"; : COLOR 7, 1:
PRINT "NALYSIS"; : COLOR 15, 1: PRINT " M"; : COLOR 7, 1:
PRINT "ODULE":
LINE (145, 80)-(495, 230), 7, B:
LINE (141, 77)-(499, 233), 7, B:
COLOR 7, 1
LOCATE 3, 59: PRINT "(Version 1.0)": COLOR 7, 1:
LOCATE 8, 26: PRINT " Developed by": COLOR 7, 1
LOCATE 9, 24: PRINT " Richard"; : COLOR 15, 1:
PRINT " Pete "; : COLOR 7: PRINT "Hawkins, Professor":
COLOR 7, 1
LOCATE 10, 24: PRINT " (K. H. Kim, graduate student)"
LOCATE 12, 27: PRINT "Division of Watershed Science"
LOCATE 13, 22: PRINT " School of Renewable Natural Resources"
LOCATE 14, 26: PRINT " University of Arizona"
LOCATE 15, 26: PRINT " September 1988": COLOR 7, 1
'LOCATE 18, 22: PRINT " Copy right to"; : COLOR 7, 1: PRINT " University of Arizona"
COLOR 7, 1
LOCATE 19, 23: PRINT "Dedicated to the Spirit of"; :
COLOR 12, 1: PRINT " Wildcats !": COLOR 7, 1
LOCATE 23, 23: PRINT " Press any key to start SAM"
DO: LOOP WHILE INKEY$ = "":
END SUB

DECLARE SUB mapdraw ()

'----- Sub-program to access output file, display,
' and report generation

'----- Subroutine define ---

DECLARE SUB report ()
DECLARE SUB readout ()
DECLARE SUB retr ()

'----- Common variables define ---

COMMON SHARED file AS STRING * 8
COMMON SHARED special AS INTEGER
COMMON SHARED /dim1/ cfs(), basef(), ncfs()
COMMON SHARED /dim2/ x(), y(), xdim(), ydim(), yrdim()
COMMON SHARED /real1/ r2best, xcbest, ycbest, senp, xt, yt, tot
COMMON SHARED /real2/ sumbase, sl, da, mvol, pvol, bft, hev, lev

```

```

COMMON SHARED /int1/ kbest, nyear, year, ll, cnt
COMMON SHARED /int2/ seq, pcnt, cntl

SCREEN 9
KEY(8) ON: ON KEY(8) GOSUB 9991
DIM SHARED x(32), y(32), xdim(100), ydim(100), yrdim(100)
DIM SHARED stype AS STRING * 14:
DIM SHARED tit AS STRING * 50
DIM SHARED month(12) AS STRING * 4:

IF special = 2 THEN CALL retr: GOTO 9991
IF special = 3 THEN CALL report:
IF special = 8 THEN CALL mapdraw
9991 : CHAIN "sam"

SUB mapdraw

DIM bf(1200), xd(1200), yd(1200)
OPEN "i", #4, "sam.drw"

SCREEN 9: WIDTH 80, 43:
LOCATE 20, 15: COLOR 15: PRINT "Generating Streamflow Map in Northeastern U.S....."

DO UNTIL EOF(4)
i = i + 1
INPUT #4, bf(i), xd(i), yd(i)
LOOP
CLOSE (4)
'COLOR 15, 0
10 VIEW SCREEN (1, 1)-(638, 348), 0, 15
LOCATE 2, 5: COLOR 7: PRINT "Location of Gauging Stations "
LOCATE 3, 5: PRINT "Size : <= 500 sq.mi."

FOR i = 1 TO 1122
IF again = 1 THEN 1233
IF bf(i) < 10 THEN clr = 6: GOTO 123
IF 10 <= bf(i) AND bf(i) < 20 THEN clr = 10: GOTO 123
IF 20 <= bf(i) AND bf(i) < 30 THEN clr = 15: GOTO 123
IF 30 <= bf(i) AND bf(i) < 40 THEN clr = 12: GOTO 123
IF 40 <= bf(i) AND bf(i) < 50 THEN clr = 14: GOTO 123
IF 50 <= bf(i) AND bf(i) < 60 THEN clr = 13: GOTO 123
IF 60 <= bf(i) AND bf(i) < 70 THEN clr = 11: GOTO 123
IF 70 <= bf(i) AND bf(i) < 80 THEN clr = 9: GOTO 123
IF 80 <= bf(i) AND bf(i) < 90 THEN clr = 7: GOTO 123
IF 90 <= bf(i) AND bf(i) < 100 THEN clr = 2: GOTO 123
123 LINE (xd(i), yd(i))-(xd(i) + 4, yd(i) + 3), clr, B
GOTO 1234

1233 IF bf(i) >= range AND bf(i) < range + 10 THEN
LINE (xd(i), yd(i))-(xd(i) + 4, yd(i) + 3), 14, B
END IF

1234 NEXT i
LINE (20, 40)-(197, 151), 12, B
COLOR 7: LOCATE 7, 5: PRINT "No. Basef% Count": 'COLOR 15
LOCATE 8, 5: PRINT "1. ": LINE (55, 56)-(63, 61), 6, B:
COLOR 7: LOCATE 8, 10: PRINT "0 - 10 % 7": 'COLOR 15
LOCATE 9, 5: PRINT "2. ": LINE (55, 64)-(63, 69), 10, B:
COLOR 7: LOCATE 9, 10: PRINT "10 - 20 % 126": 'COLOR 15
LOCATE 10, 5: PRINT "3. ": LINE (55, 72)-(63, 77), 15, B:
COLOR 7: LOCATE 10, 10: PRINT "20 - 30 % 425": 'COLOR 15
LOCATE 11, 5: PRINT "4. ": LINE (55, 80)-(63, 85), 12, B:
COLOR 7: LOCATE 11, 10: PRINT "30 - 40 % 270": 'COLOR 15
LOCATE 12, 5: PRINT "5. ": LINE (55, 88)-(63, 93), 14, B:

```

```

COLOR 7: LOCATE 12, 10: PRINT "40 - 50 %   167": 'COLOR 15
LOCATE 13, 5: PRINT "6. ": LINE (55, 96)-(63, 101), 13, B:
COLOR 7: LOCATE 13, 10: PRINT "50 - 60 %   85": 'COLOR 15
LOCATE 14, 5: PRINT "7. ": LINE (55, 104)-(63, 109), 11, B:
COLOR 7: LOCATE 14, 10: PRINT "60 - 70 %   25": 'COLOR 15
LOCATE 15, 5: PRINT "8. ": LINE (55, 112)-(63, 117), 9, B:
COLOR 7: LOCATE 15, 10: PRINT "70 - 80 %   10": 'COLOR 15
LOCATE 16, 5: PRINT "9. ": LINE (55, 120)-(63, 125), 7, B:
COLOR 7: LOCATE 16, 10: PRINT "80 - 90 %   0": 'COLOR 15
LOCATE 17, 4: PRINT "10. ": : COLOR 7: PRINT "All ranges   1115"
LOCATE 18, 4: PRINT "11. ": : COLOR 7: PRINT "Back to main menu"
132 COLOR 15: LOCATE 37, 58: PRINT "Select number for"
LOCATE 38, 58: INPUT "class display "; conl
IF conl > 12 OR conl < 1 THEN BEEP: GOTO 132
COLOR 15: again = 1
IF conl = 1 THEN range = 0: GOTO 10
IF conl = 2 THEN range = 10: GOTO 10
IF conl = 3 THEN range = 20: GOTO 10
IF conl = 4 THEN range = 30: GOTO 10
IF conl = 5 THEN range = 40: GOTO 10
IF conl = 6 THEN range = 50: GOTO 10
IF conl = 7 THEN range = 60: GOTO 10
IF conl = 8 THEN range = 70: GOTO 10
IF conl = 9 THEN range = 80: GOTO 10
IF conl = 10 THEN again = 0: GOTO 10
IF conl = 11 THEN CHAIN "sam"
DO: LOOP WHILE INKEY$ = ""

```

END SUB

SUB report

```

DIM title1 AS STRING * 32: DIM title2 AS STRING * 18
DIM p1 AS STRING * 10: DIM region AS STRING * 34
DIM p2 AS STRING * 10:

```

```

SCREEN 9
VIEW SCREEN (100, 260)-(550, 300), 1, 14: COLOR 15
LOCATE 20, 18: PRINT "Is printer on ? Then press any key"
DO: LOOP WHILE INKEY$ = ""
LPRINT CHR$(28); "I"; CHR$(1); "---IBM printer setup ---
LOCATE 21, 18: PRINT "Printing Report... Check the printer"

```

```

OPEN "i", #1, file + ".out"
LINE INPUT #1, a$
title1 = RIGHT$(a$, LEN(a$) - 0)
title2 = RIGHT$(a$, LEN(a$) - 32)
da = VAL(MID$(a$, 51, 10))

```

```

LINE INPUT #1, a$:
p1 = RIGHT$(a$, LEN(a$) - 0)
p2 = RIGHT$(a$, LEN(a$) - 10)

```

```

l1 = VAL(MID$(a$, 21, 2)): l2 = VAL(MID$(a$, 24, 2))
l3 = VAL(MID$(a$, 27, 2)): l4 = VAL(MID$(a$, 30, 3))
l5 = VAL(MID$(a$, 34, 2)): l6 = VAL(MID$(a$, 37, 2))
stype = RIGHT$(a$, LEN(a$) - 38)

```

```

INPUT #1, year, cnt, zeroct, umm:
INPUT #1, sumq, mean, sd, variance
INPUT #1, ser, skew, coevar, lev, hev
INPUT #1, paft, paftp, pin, pmm, ptimep, maft, maftp, min, mmm, mtimep
INPUT #1, basaft, othaft, othin, othmm, totaft, totin, totmm
CLOSE (1)

```

```

nyr = 0: xt = 0: yt = 0: st = 0: r2t = 0
OPEN "i", #1, file + ".yr"

```



```

DO UNTIL EOF(1)
nyr = nyr + 1
INPUT #1, yrdim(nyr), xdim(nyr), ydim(nyr), senp, r2
xt = xdim(nyr) + xt: yt = ydim(nyr) + yt
st = st + senp: r2t = r2t + r2
LOOP

LPRINT : LPRINT : LPRINT : LPRINT : LPRINT : LPRINT : LPRINT : LPRINT
LPRINT , " " : LPRINT CHR$(201); :
FOR i = 1 TO 29: LPRINT CHR$(205); : NEXT: LPRINT CHR$(187):
LPRINT , " " : LPRINT CHR$(186); :
LPRINT " STREAM FLOW ANALYSIS REPORT " : LPRINT CHR$(186)
LPRINT , " " : LPRINT CHR$(200); :
FOR i = 1 TO 29: LPRINT CHR$(205); : NEXT: LPRINT CHR$(188)
LPRINT : LPRINT : LPRINT
LPRINT , " " from "
LPRINT , " Watershed Simulation Module"
LPRINT , " " : FOR i = 1 TO 26: LPRINT CHR$(196); : NEXT
LPRINT CHR$(196): LPRINT
LPRINT , , " Prof. Richard Hawkins"
LPRINT , , " Watershed Research Team"
LPRINT , " Division of Watershed Science/SRNR"
LPRINT , , " University of Arizona"
LPRINT : LPRINT : LPRINT : LPRINT : LPRINT : LPRINT
LPRINT , " " : CHR$(218); :
FOR i = 1 TO 45: LPRINT CHR$(196); : NEXT: LPRINT CHR$(191)
LPRINT , " " : CHR$(179); " Station : " : title1; " " : CHR$(179)
LPRINT , " " : CHR$(179); " " : title2; " " : CHR$(179)
LPRINT , " " : CHR$(179);
LPRINT " Region : " : region; CHR$(179)
LPRINT , " " : CHR$(195);
FOR i = 1 TO 44: LPRINT CHR$(196); : NEXT
LPRINT CHR$(196); CHR$(180)
LPRINT , " " : CHR$(179); " Input file : " : file$; ".ini"; "
LPRINT , " " : CHR$(179); " Output file : " : file$; ".out"; "
LPRINT , " " : CHR$(179); " Time / Date : " : TIME$; "/" : DATE$; "
LPRINT , " " : CHR$(192); : FOR i = 1 TO 45: LPRINT CHR$(196); : NEXT
LPRINT CHR$(217): LPRINT : LPRINT CHR$(12)

LPRINT : LPRINT : LPRINT TAB(70); "Page 1":
LPRINT TAB(12); "Input : " : file$ + ".ini"
LPRINT TAB(12); "Output : " : file$ + ".out"
LPRINT : LPRINT : LPRINT
LPRINT TAB(12); "1. Station Identification"
LPRINT TAB(12); : FOR i = 1 TO 24: LPRINT CHR$(196); : NEXT
LPRINT CHR$(196): LPRINT
LPRINT TAB(12); " Station Name : " : title1
LPRINT TAB(12); " " : title2
LPRINT TAB(12); " Period of Record : " : p1; "- " : p2
LPRINT TAB(12); " Type of Station : " : stype
LPRINT TAB(12); USING " Drainage Area : ####.## sq. mi."; da
LPRINT TAB(12); USING " Location : Latitude ###:##:##"; l1, l2, l3
LPRINT TAB(12); USING " Longitude ###:##:##"; l4, l5, l6
LPRINT : LPRINT : LPRINT

LPRINT TAB(12); "2. Statistic Parameters"
LPRINT TAB(12); : FOR i = 1 TO 22: LPRINT CHR$(196); : NEXT
LPRINT CHR$(196): LPRINT
LPRINT TAB(12); USING " Total Number of Years : #####"; year
LPRINT TAB(12); USING " Total Measured Days : #####"; cnt
LPRINT TAB(12); USING " Days with No-flow : #####"; zerocnt
LPRINT TAB(12); USING " Total Unmeasured Days : #####"; unm
LPRINT " "
LPRINT TAB(12); USING " Total Flow (cfs-days) : #####.####"; sumq
LPRINT TAB(12); USING " (Ac-ft) : #####.####"; sumq * 1.983471

```

```

LPRINT TAB(12); USING "   Daily Mean (cfs)      : #####.###"; mean
LPRINT TAB(12); USING "                           (Ac-ft/yr) : #####.###"; 1.983471 * 365.25 * mean
LPRINT TAB(12); USING "   Standard Deviation    : #####.###"; sd
LPRINT TAB(12); USING "   Variance (cfs ^2)      : #####.###"; variance
LPRINT " "
LPRINT TAB(12); USING "   Serial R              : #####.###"; ser
LPRINT TAB(12); USING "   Skewness              : #####.###"; skew
LPRINT TAB(12); USING "   Coeff. of Variation   : #####.###"; coevar
LPRINT TAB(12); USING "   Low Extreme (cfs)    : #####.###"; lev
LPRINT TAB(12); USING "   High Extreme (cfs)   : #####.###"; hev
LPRINT : LPRINT
LPRINT CHR$(12)

```

```

LPRINT : LPRINT TAB(70); "Page 2":
LPRINT TAB(12); "Input  : "; file$ + ".ini"
LPRINT TAB(12); "Output : "; file$ + ".out"
LPRINT
LPRINT TAB(12); "3. Yearly Baseflow Separation"
LPRINT TAB(12); : FOR i = 1 TO 29: LPRINT CHR$(196); : NEXT:
LPRINT CHR$(196)

```

```

LPRINT
LPRINT TAB(12); "Station Name  : "; title1
LPRINT TAB(12); USING "Drainage Area   : ####.## sq. mi."; da
LPRINT " " : FOR i = 1 TO 60: LPRINT CHR$(205); : NEXT
LPRINT CHR$(205)
LPRINT " "      Water Best      Water Best      "
LPRINT " "      Year Slope Baseflow % Year Slope Baseflow %"
LPRINT " " : FOR i = 1 TO 60: LPRINT CHR$(205); : NEXT
LPRINT CHR$(205)

```

```

IF nyr > 35 THEN
  FOR i = 1 TO 35
    LPRINT USING "          #### ##.#### ##.###"; yrdim(i), xdim(i), ydim(i);
    IF i + 35 <= nyr THEN
      LPRINT USING "          #### ##.#### ##.###"; yrdim(i + 35), xdim(i + 35), ydim(i)

```

+ 35)

```

ELSE
  LPRINT " "
END IF
NEXT
ELSE
  FOR i = 1 TO nyr
    LPRINT USING "          #### ##.#### ##.### "; yrdim(i), xdim(i), ydim(i)
    NEXT
    IF nyr + 1 <= 35 THEN
      FOR i = nyr + 1 TO 35
        LPRINT " "
      NEXT
    END IF
  END IF
  LPRINT " " : FOR i = 1 TO 60: LPRINT CHR$(205); : NEXT
  LPRINT CHR$(205)
  LPRINT : CLOSE (1): CLOSE (2)
  LPRINT TAB(12); "Summary for Average Separation Slope"
  LPRINT TAB(12); : FOR i = 1 TO 35: LPRINT CHR$(196); : NEXT:
  LPRINT CHR$(196)
  LPRINT USING "          Avg. Best Slope : ###.#####"; xt / nyr
  LPRINT USING "          Avg. % Baseflow : ###.#####"; yt / nyr
  LPRINT USING "          Avg. R-square : ###.#####"; r2t / nyr
  LPRINT USING "          Avg. % Sensitivity : ###.## "; st / nyr
  LPRINT TAB(12); : FOR i = 1 TO 35: LPRINT CHR$(196); : NEXT:
  LPRINT CHR$(196)
  CLOSE (3):
  LPRINT CHR$(12)

```

```

LPRINT : LPRINT
LPRINT TAB(70); "Page 3":
LPRINT TAB(12); "Input : "; file$ + ".ini"
LPRINT TAB(12); "Output : "; file$ + ".out"
LPRINT : LPRINT
LPRINT TAB(12); "% Stream Flow Summary"
LPRINT TAB(12); : FOR i = 1 TO 21: LPRINT CHR$(196); : NEXT
LPRINT CHR$(196): LPRINT
LPRINT TAB(12); CHR$(201); : FOR i = 1 TO 10: LPRINT CHR$(205); : NEXT
LPRINT CHR$(203); : FOR i = 1 TO 11: LPRINT CHR$(205); : NEXT
LPRINT CHR$(203); : FOR i = 1 TO 7: LPRINT CHR$(205); : NEXT
LPRINT CHR$(203); : FOR i = 1 TO 10: LPRINT CHR$(205); : NEXT
LPRINT CHR$(203); : FOR i = 1 TO 12: LPRINT CHR$(205); : NEXT
LPRINT CHR$(203); : FOR i = 1 TO 7: LPRINT CHR$(205); : NEXT
LPRINT CHR$(187)
LPRINT TAB(12); CHR$(186); " Component"; CHR$(186); " Ac-ft/yr "; CHR$(186);
LPRINT " % "; CHR$(186); " in/yr "; CHR$(186); " mm/yr ";
LPRINT CHR$(186); " % time"; CHR$(186): COLOR 15, 1

LPRINT TAB(12); CHR$(204); : FOR i = 1 TO 10: LPRINT CHR$(205); : NEXT
LPRINT CHR$(206); : FOR i = 1 TO 11: LPRINT CHR$(205); : NEXT
LPRINT CHR$(206); : FOR i = 1 TO 7: LPRINT CHR$(205); : NEXT
LPRINT CHR$(206); : FOR i = 1 TO 10: LPRINT CHR$(205); : NEXT
LPRINT CHR$(206); : FOR i = 1 TO 12: LPRINT CHR$(205); : NEXT
LPRINT CHR$(206); : FOR i = 1 TO 7: LPRINT CHR$(205); : NEXT
LPRINT CHR$(185)

LPRINT TAB(12); CHR$(186); "BASEFLOW "; CHR$(186); " ";
LPRINT CHR$(186); " "; CHR$(186); " "; CHR$(186); " "; CHR$(186);
LPRINT " " " "; CHR$(186); " " " "; CHR$(186)

LPRINT TAB(12); CHR$(186); " Pure "; CHR$(186);
LPRINT USING " #####.##"; paf; : LPRINT CHR$(186);
LPRINT USING "###.## "; pafp; : LPRINT CHR$(186);
LPRINT USING "#####.## "; pin; : LPRINT CHR$(186);
LPRINT USING " #####.## "; pmm; : LPRINT CHR$(186);
LPRINT USING " ###.##"; ptime; : LPRINT CHR$(186);

LPRINT TAB(12); CHR$(186); " Mixed "; CHR$(186);
LPRINT USING " #####.##"; maf; : LPRINT CHR$(186);
LPRINT USING "###.## "; mafp; : LPRINT CHR$(186);
LPRINT USING "#####.## "; min; : LPRINT CHR$(186);
LPRINT USING " #####.## "; mmm; : LPRINT CHR$(186);
LPRINT USING " ###.##"; mtime; : LPRINT CHR$(186);

LPRINT TAB(12); CHR$(186); " Sub-total"; CHR$(186);
LPRINT USING " #####.##"; basaf; : LPRINT CHR$(186);
LPRINT USING "###.## "; (pafp + mafp); : LPRINT CHR$(186);
LPRINT USING "#####.## "; (pin + min); : LPRINT CHR$(186);
LPRINT USING " #####.## "; (pmm + mmm); : LPRINT CHR$(186);
LPRINT USING " ###.##"; 100; : LPRINT CHR$(186);

LPRINT TAB(12); CHR$(186); " "; CHR$(186); " ";
LPRINT CHR$(186); " "; CHR$(186); " "; CHR$(186); " "; CHR$(186);
LPRINT " " " "; CHR$(186); " " " "; CHR$(186)

LPRINT TAB(12); CHR$(186); "OTHERS "; CHR$(186);
LPRINT USING " #####.##"; othaf; : LPRINT CHR$(186);
LPRINT USING "###.## "; 100 - (pafp + mafp); : LPRINT CHR$(186);
LPRINT USING "#####.## "; othin; : LPRINT CHR$(186);
LPRINT USING " #####.## "; othmm; : LPRINT CHR$(186);
LPRINT USING " ###.##"; 100; : LPRINT CHR$(186)

LPRINT TAB(12); CHR$(186); " " " "; CHR$(186); " " " ";

```

```

LPRINT CHR$(186); "      "; CHR$(186); "      "; CHR$(186);
LPRINT "      "; CHR$(186); "      "; CHR$(186)

LPRINT TAB(12); CHR$(186); "TOTAL      "; CHR$(186);
LPRINT USING "#####.##"; totaft; : LPRINT CHR$(186);
LPRINT USING "###.## "; 100; : LPRINT CHR$(186);
LPRINT USING "#####.## "; totin; : LPRINT CHR$(186);
LPRINT USING "#####.## "; totmm; : LPRINT CHR$(186);
LPRINT USING "###.##"; 100; : LPRINT CHR$(186)

LPRINT TAB(12); CHR$(200); : FOR i = 1 TO 10: LPRINT CHR$(205); : NEXT
LPRINT CHR$(202); : FOR i = 1 TO 11: LPRINT CHR$(205); : NEXT
LPRINT CHR$(202); : FOR i = 1 TO 7: LPRINT CHR$(205); : NEXT
LPRINT CHR$(202); : FOR i = 1 TO 10: LPRINT CHR$(205); : NEXT
LPRINT CHR$(202); : FOR i = 1 TO 12: LPRINT CHR$(205); : NEXT
LPRINT CHR$(202); : FOR i = 1 TO 7: LPRINT CHR$(205); : NEXT
LPRINT CHR$(188)
LPRINT CHR$(12)
CLOSE (1):
LOCATE 20, 18: PRINT "
COLOR 15: LOCATE 21, 16: PRINT "      Back to main menu... Wait
CLOSE (2)
END SUB

SUB retr

'---- retrieve output and send it to screen ---

DIM emo AS STRING * 4: DIM tit1 AS STRING * 50:
DIM smo AS STRING * 4
VIEW SCREEN (100, 260)-(550, 300), 1, 14: COLOR 15
OPEN "i", #1, file + ".out"
LINE INPUT #1, t$: da = VAL(MID$(t$, 51, 7)): CLOSE (1)

'--- Read data from output

OPEN "i", #1, file + ".out":
LINE INPUT #1, a$: tit = a$: da = VAL(MID$(a$, 51, 9))
LINE INPUT #1, a$
syr = VAL(MID$(a$, 6, 4))
eyr = VAL(MID$(a$, 16, 4)): ssmo = 1: eemo = 2
month(eemo) = RIGHT$(a$, LEN(a$) - 10)
month(ssmo) = RIGHT$(a$, LEN(a$) - 0)
l1 = VAL(MID$(a$, 21, 2)): l2 = VAL(MID$(a$, 24, 2)):
l3 = VAL(MID$(a$, 27, 2)): l4 = VAL(MID$(a$, 30, 3)):
l5 = VAL(MID$(a$, 34, 2)): l6 = VAL(MID$(a$, 37, 2)):
stype = RIGHT$(a$, LEN(a$) - 38)
INPUT #1, year, cnt, zerocnt, unmg
INPUT #1, sumq, mean, sd, variance
INPUT #1, ser, skew, coevar, lev, hev
CLOSE (1)

CLS : VIEW SCREEN (1, 1)-(638, 348), 1, 7
LINE (7, 6)-(632, 343), 7, B
LINE (7, 31)-(632, 31), 7
LINE (7, 36)-(632, 36), 7
LINE (7, 32)-(7, 35), 1: LINE (632, 32)-(632, 35), 1: COLOR 15
LOCATE 2, 30: PRINT "STATISTICAL PARAMETERS": COLOR 7
LOCATE 4, 5: PRINT "Station      ": USING "\
\": tit:
LOCATE 5, 5: PRINT "Drainage Area      ": da; "sq. mi."
LOCATE 6, 5: PRINT "Period of Record   ": month(ssmo); syr; "- "; month(eemo); eyr
LOCATE 7, 5: PRINT "Type of Station    ": stype
LOCATE 7, 39: PRINT " (Latitude "; USING "###.###"; l1, l2, l3
LOCATE 7, 59: PRINT " Longitude "; USING "###.###"; l4, l5, l6

```

```

LOCATE 9, 5: PRINT USING "Total Number of Years : #####"; year
LOCATE 10, 5: PRINT USING "Total Measured Days : #####"; cnt
LOCATE 11, 5: PRINT USING "Days with No-flow : #####"; zeroent&
LOCATE 12, 5: PRINT USING "Total Unmeasured Days : #####"; unme&
LOCATE 14, 5: PRINT USING "Total Flow (cfs-days) : #####.###"; sumq;
LOCATE 14, 49: PRINT USING "( #####.## Ac-ft )"; sumq * 1.983471
LOCATE 15, 5: PRINT USING "Daily Mean (cfs) : #####.###"; mean;
LOCATE 15, 49: PRINT USING "( #####.## Ac-ft/yr)"; 1.983471 * 365.25 * mean
LOCATE 16, 5: PRINT USING "Standard Deviation : #####.###"; sd
LOCATE 17, 5: PRINT USING "Variance (cfs ^2) : #####.###"; variance
LOCATE 19, 5: PRINT USING "Serial R : #####.###"; ser
LOCATE 20, 5: PRINT USING "Skewness : #####.###"; skew
LOCATE 21, 5: PRINT USING "Coeff. of Variation : #####.###"; coevar
LOCATE 22, 5: PRINT USING "Low Extreme (cfs) : #####.###"; lev
LOCATE 23, 5: PRINT USING "High Extreme (cfs) : #####.###"; hev

LOCATE 23, 45: COLOR 7: PRINT "Press any key to continue "
s$ = ""
232 s$ = INKEY$: IF s$ = "" THEN GOTO 232
CLOSE (1): CLOSE (2):

DIM yd(100), xd(100)
DIM t1t AS STRING * 50:
DIM sm AS STRING * 4: DIM em AS STRING * 4

'VIEW SCREEN (100, 260)-(550, 300), 1, 14: COLOR 15
ll = 8: WIDTH 80, 43: COLOR 7, 1:
VIEW SCREEN (1, 1)-(638, 348), 1, 7
LINE (7, 6)-(632, 343), 7, B: LINE (7, 31)-(632, 31), 7
LINE (7, 36)-(632, 36), 7: LINE (7, 32)-(7, 35), 1:
LINE (632, 32)-(632, 35), 1:

COLOR 15: LOCATE 3, 22:
PRINT "SLOPE SEPARATION : Yearly -Basis Analysis"
COLOR 14: LOCATE 7, 9: COLOR 10
OPEN "i", #2, file + ".OUT"
LINE INPUT #2, r1$:
da = VAL(MID$(r1$, 51, 7))
t1t = RIGHT$(r1$, LEN(r1$) - 0)
LINE INPUT #2, r1$:
sm = RIGHT$(r1$, LEN(r1$) - 0):
em = RIGHT$(r1$, LEN(r1$) - 10)
stryr = VAL(MID$(r1$, 6, 4)): endyr = VAL(MID$(r1$, 16, 4))
CLOSE (2): COLOR 15
LOCATE 6, 5: PRINT "Station : "; : COLOR 7: PRINT t1t:
COLOR 15: LOCATE 7, 5: PRINT "Period : "; : COLOR 7
PRINT sm; stryr; " - "; em; endyr:

nyear = 0: OPEN "i", #1, file + ".yr"
DO UNTIL EOF(1)
INPUT #1, year, xcbest, ycbest, senp, r2
IF year = 0 THEN
xe = xcbest: ye = ycbest: sv = senp: rav = r2:
GOTO 102
ELSE
nyear = nyear + 1
yrdim(nyear) = year: ll = ll + 1:
xdim(nyear) = xcbest
ydim(nyear) = ycbest
yt = yt + ycbest: xt = xt + xcbest
END IF

ye = yt / nyear: xe = xt / nyear
IF nyear < 34 THEN
LOCATE ll, 5

```

```

        PRINT USING "Yr #### (#.####,##.##) "; year, xcbest, ycbest
ELSEIF nyear = 34 THEN
    ll = 9: LOCATE ll, 30
    PRINT USING "Yr #### (#.####,##.##) "; year, xcbest, ycbest
ELSEIF nyear > 34 AND nyear < 48 THEN
    LOCATE ll, 30
    PRINT USING "Yr #### (#.####,##.##) "; year, xcbest, ycbest
ELSEIF nyear = 48 THEN
    ll = 9: LOCATE ll, 55
    PRINT USING "Yr #### (#.####,##.##) "; year, xcbest, ycbest
ELSEIF nyear > 48 AND nyear < 62 THEN
    LOCATE ll, 55
    PRINT USING "Yr #### (#.####,##.##) "; year, xcbest, ycbest
ELSEIF nyear = 62 THEN
    ll = 9: LOCATE ll, 5: COLOR 14:
    PRINT USING "Yr #### (#.####,##.##) "; year, xcbest, ycbest
ELSEIF nyear > 62 THEN
    LOCATE ll, 5: COLOR 14:
    PRINT USING "Yr #### (#.####,##.##) "; year, xcbest, ycbest
END IF

LOOP
CLOSE (1)

VIEW SCREEN (312, 125)-(612, 165), 1, 12
COLOR 15: LOCATE 17, 42: PRINT "Separation Results"
LOCATE 18, 42: PRINT USING "Average Slope      : ##.####"; xe
LOCATE 19, 42: PRINT USING "Average Baseflow % : ##.####"; ye
COLOR 10: LOCATE 20, 42: PRINT "Press any key to continue"
CLOSE (1)
DO: LOOP WHILE INKEY$ = ""
IF nyear = 1 THEN
    BEEP: LOCATE 15, 16
    PRINT "No graphics.. Has only 1 year. Press any key ":
    DO: LOOP WHILE INKEY$ = ""
    GOTO 295
END IF

'----- Coordinate calculation & printing -----

YPOS = 26: l = 32: COLOR 14
LOCATE 24, 29: PRINT "100."
LOCATE 40, 29: PRINT "0.0":
LOCATE YPOS + 1, l: PRINT "B": LOCATE YPOS + 2, l: PRINT "A"
LOCATE YPOS + 3, l: PRINT "S": LOCATE YPOS + 4, l: PRINT "E"
LOCATE YPOS + 6, l: PRINT "F": LOCATE YPOS + 7, l: PRINT "L"
LOCATE YPOS + 8, l: PRINT "O": LOCATE YPOS + 9, l: PRINT "W"
LOCATE YPOS + 11, l: PRINT "X"

LOCATE 41, 32:
PRINT yrdim(1); : PRINT "          Water, Year          "; :
PRINT yrdim(nyear): COLOR 15
intr = 350 / (nyear - 1)
VIEW SCREEN (262, 182)-(612, 312), 8, 14
ssm = 0: lg = 100:
FOR i = 1 TO nyear
    xd(i) = (i - 1) * intr + 260
    yd(i) = 312 - (ydim(i) - ssm) * 130 / (lg - ssm)
NEXT i

FOR i = 2 TO nyear
IF i = 2 THEN
    LINE (xd(1), yd(1))-(xd(i), yd(i)), 10
ELSE
    LINE -(xd(i), yd(i)), 10:

```

```

END IF
NEXT i

VIEW SCREEN (265, 175)-(510, 184), 1, 12
COLOR 15: LOCATE 23, 35: PRINT "Yearly-Baseflow(%) Trends "
LOCATE 20, 42: COLOR 10:
PRINT "Press any key to continue"
DO: LOOP WHILE INKEY$ = ""

'---- Flow summary print into screen ---
295 'SCREEN 9:
WIDTH 80, 25
VIEW SCREEN (1, 1)-(638, 348), 1, 7: COLOR 15, 1
LOCATE 12, 32: PRINT "Flow summarizing... Wait"
OPEN "i", #4, file + ".out"
LINE INPUT #4, a$: tit1 = RIGHT$(a$, LEN(a$) - 0)
da = VAL(MID$(a$, 51, 9))
LINE INPUT #4, a$: smo = RIGHT$(a$, LEN(a$) - 0)
emo = RIGHT$(a$, LEN(a$) - 10): syr = VAL(MID$(a$, 6, 4))
eyr = VAL(MID$(a$, 16, 4))
CLOSE (4):
OPEN "i", #4, file + ".out"
FOR i = 1 TO 5: LINE INPUT #4, a$: NEXT
INPUT #4, paftp, paftp, pin, pmm, ptimep, maftp, maftp, min, mmm, mtimep
INPUT #4, basaftp, othaftp, othin, othmm, totaftp, totin, totmm
CLOSE (4):
LINE (210, 20)-(460, 47), 7, B
LOCATE 3, 34: COLOR 15, 1: PRINT "STREAMFLOW SUMMARY": COLOR 7
LOCATE 5, 15:
PRINT "Method : Yearly-basis separation";
LOCATE 12, 32: PRINT "
LOCATE 6, 15: PRINT "Station : "; : PRINT tit1
LOCATE 7, 15: PRINT "Drainage Area : "; da; "sq. mi.";
LOCATE 8, 15: PRINT "Period or Records : "; smo; syr; " - "; emo; eyr

LINE (40, 117)-(600, 270), 7, B
LINE (40, 147)-(600, 147), 7
LINE (40, 217)-(600, 217), 7
LINE (40, 243)-(600, 243), 7
LOCATE 10, 19: COLOR 15, 1: PRINT " Ac-ft/yr % in/yr mm/yr % time":
COLOR 15, 1
LOCATE 12, 7: COLOR 12, 1: PRINT "BASEFLOW"; : COLOR 15, 1: PRINT "(*)"
LOCATE 13, 9: PRINT USING "Pure #####.## ###.## #####.## #####.## ###.##";
paftp; paftp; pin; pmm; ptimep
LOCATE 14, 9: PRINT USING "Mixed #####.## ###.## #####.## #####.## ###.##";
maftp; maftp; min; mmm; mtimep
LOCATE 15, 9: PRINT USING "Sub-total #####.## ###.## #####.## #####.## ###.##";
basaftp; (paftp + maftp); (pin + min); (pmm + mmm); 100
LOCATE 17, 7: COLOR 12, 1: PRINT "OTHERS"; : COLOR 15, 1
PRINT USING " #####.## ###.## #####.## #####.## ###.##"; othaftp; 100 -
(paftp + maftp); othin; othmm; 100
LOCATE 19, 7: COLOR 12, 1: PRINT "TOTAL"; : COLOR 15, 1
PRINT USING " #####.## ###.## #####.## #####.## ###.##"; totaftp; 100;
totin; totmm; 100
LINE (140, 117)-(140, 270), 7
LINE (247, 117)-(247, 270), 7
LINE (315, 117)-(315, 270), 7
LINE (415, 117)-(415, 270), 7
LINE (520, 117)-(520, 270), 7: LOCATE 21, 13: COLOR 7
PRINT "(* Pure : baseflow = others / Mixed : baseflow < others)"
COLOR 7: LOCATE 23, 29: PRINT "Press any key to continue"
DO: LOOP WHILE INKEY$ = ""

LOCATE 23, 26: COLOR 15:

```

```

      PRINT "Wait...   Returning to main menu "
END SUB

```

```

-----
Sub-program to generate Hydrograph and Flow Duration Curve
-----
Processing Flow : Stations information display
                  Data read for hydrograph generation
                  Graph generation on yearly basis
                  Display (with monthly, statistics option)
                  when finished >>> back to main SAM

Size capacity   : Max. 40 years continuous graphic generation
                  No limitation on Flow Duration Curve

Graph hardcopy  : Tried with GEOGRAF S/W : results no good,
                  so temporarily hard copy routine deleted.
                  More efficient way (self programming with C)
                  will be best.>>>>needs time (as of Jan. 89)
-----

```

```

'---- Subroutine define ---

```

```

DECLARE SUB basefcal () :   DECLARE SUB gcopy ()
DECLARE SUB scrprt () :    DECLARE SUB stat ()
DECLARE SUB submenu () :   DECLARE SUB gragen ()
DECLARE SUB datagen () :   DECLARE SUB dataread ()
DECLARE SUB sort () :      DECLARE SUB grtwo ()
DECLARE SUB dataread2 () : DECLARE SUB datagen2 ()
DECLARE SUB mdraw () :

```

```

'---- Global Variable define ---

```

```

COMMON SHARED file AS STRING * 8
COMMON SHARED special AS INTEGER
COMMON SHARED /dim1/ cfs(), basef(), ncfs()
COMMON SHARED /rea2/ sl, da, mvol, pvol, bft, hev, lev, unm&, optm

```

```

'---- Local variable define ---

```

```

SCREEN 9
IF special = 6 THEN DIM cfs(14620), basef(14620)
IF special = 5 THEN DIM cfs(400), basef(400)

DIM SHARED othermin, othermax, yearno, min, maxcfs, yrslp, mean
DIM SHARED start, last, bfp, styr, yrval, slope, syr, eyr, ycnt
DIM SHARED yno, dcc, copy, diffyr, totyr, stgr, endgr
DIM SHARED title AS STRING * 50:
DIM SHARED yrno(100), slyr(100), bfyr(100), ymiss(100)
DIM SHARED yod(400), ybd(400), xd(400), y1d(400), y2d(400)
DIM SHARED sign AS STRING * 1:   DIM SHARED fdata AS STRING * 80

```

```

'---- Main processing ---

```

```

KEY(8) ON: ON KEY(8) GOSUB again
IF special = 0 THEN GOTO again
IF special = 6 THEN
    CALL scrprt
    CALL dataread
    CALL datagen
    CALL gragen
GOTO again
END IF:

```



```

      IF special = 5 THEN CALL sort
again: CHAIN "sam"
      STOP
      END

SUB basefcal

      '---- Baseflow calculation yr by yr ---

      FOR jj = (stgr + 1) TO endgr

          IF cfs(jj) = 0 THEN GOTO 511
          IF cfs(jj - 1) = 0 THEN basef(jj) = optm: GOTO 511
          IF (cfs(jj) < cfs(jj - 1)) THEN 309
          IF (cfs(jj) >= cfs(jj - 1)) AND (cfs(jj) > basef(jj - 1) + bft) THEN
              basef(jj) = basef(jj - 1) + bft: GOTO 511
          END IF
          IF (cfs(jj) >= cfs(jj - 1)) AND (cfs(jj) < basef(jj - 1) + bft) THEN
              IF cfs(jj) >= basef(jj - 1) THEN
                  basef(jj) = basef(jj - 1): GOTO 511
              ELSE
                  basef(jj) = cfs(jj): GOTO 511
              END IF
          END IF

          IF (cfs(jj) >= cfs(jj - 1)) AND (cfs(jj) = (basef(jj - 1) + bft)) THEN
              basef(jj) = basef(jj - 1) + bft: GOTO 511
          END IF

309      IF (cfs(jj) < cfs(jj - 1)) AND (cfs(jj) > basef(jj - 1) + bft) THEN
              basef(jj) = basef(jj - 1) + bft: GOTO 511
          END IF
          IF (cfs(jj) < cfs(jj - 1)) AND (cfs(jj) < basef(jj - 1) + bft) THEN
              IF cfs(jj) >= basef(jj - 1) THEN
                  basef(jj) = basef(jj - 1): GOTO 511
              ELSE
                  basef(jj) = cfs(jj): GOTO 511
              END IF
          END IF:

511      IF special = 5 THEN PRINT #8, USING "#####.#"; basef(jj)
          NEXT jj
      END SUB

SUB datagen

      '---- Baseflow calculation for a given period ---

      dcc = 0:
      LOCATE 36, 33: PRINT "
      LOCATE 37, 33: PRINT "
      LOCATE 38, 33: PRINT "
      VIEW SCREEN (250, 272)-(630, 325), 1, 7: COLOR 7
      LOCATE 36, 43: PRINT "Reading daily stream flow ..."
      LOCATE 38, 43: PRINT "Year      "; : COLOR 7, 1: PRINT " Processed..."

      '---- Starting year check

      IF yrno(1) = syr THEN yrval = syr: srt = 1: GOTO 2190
      IF syr >= eyr THEN GOTO 3110
      IF yrval < syr THEN
          FOR i = 1 TO totyr
              IF yrno(i) = syr THEN diffyr = i - 1
          NEXT
          yrval = syr

```

```

                GOTO 2190
                PRINT "diffyr", diffyr
                DO: LOOP WHILE INKEY$ = ""
END IF
'-----diffyr = syr - yrval: yrval = syr: GOTO 2190
IF yrval > syr THEN GOTO 3110

GOTO 2190

3110 BEEP: LOCATE 41, 20: COLOR 12, 1:
PRINT "Start year invalid! Press any key to try again":
DO: LOOP WHILE INKEY$ = "": CLOSE (1): CHAIN "sam"

'----- Baseflow calculation yr by yr -----

2190 CLOSE (4)
dqs = da * slope:

'----- Read daily cfs data yr by yr ---

OPEN "i", #1, file + ".ini"
LINE INPUT #1, r1$:
LINE INPUT #1, r1$:
sign = LEFT$(r1$, 1): nyear = 0:
LOCATE 40, 43: COLOR 7: PRINT "Searching data ... Wait"

'----- Skip data to reach the beginning year ---

IF diffyr = 0 THEN GOTO 2350
FOR i = 1 TO diffyr * 52
LINE INPUT #1, a$
NEXT

2350 LOCATE 40, 43: PRINT "

DO UNTIL EOF(1)
IF sign = "H" THEN
INPUT #1, ia, ib:
LINE INPUT #1, a$
LINE INPUT #1, t$

'----- daily value read ---

FOR MO = 1 TO 12
FOR i = 1 TO 4
INPUT #1, fdata
mm = VAL(MID$(fdata, 21, 2))
IF i = 4 THEN maxx = 7: GOTO 700
maxx = 8
700   FOR j = 1 TO maxx
       q = VAL(MID$(fdata, 18 + j * 7, 7))
       IF (mm = 11 OR mm = 4 OR mm = 6 OR mm = 9) AND (j = 7) AND (i = 4) THEN GOTO 600
       IF (mm = 2) AND (j = 5 OR j = 6 OR j = 7) AND (i = 4) THEN GOTO 600
       dcc = dcc + 1: cfs(dcc) = q
       IF q = 999999 THEN cfs(dcc) = 0: ym = ym + 1
600   NEXT j
       NEXT i
       NEXT MO
       END IF

       nyear = nyear + 1: LOCATE 38, 48: COLOR 10: PRINT nyear: COLOR 15
       stgr = 1 + 365 * (nyear - 1)
       endgr = 365 * nyear

       FOR i = stgr TO stgr + 24

```

```

    tt0 = tt0 + cfs(i)
NEXT

xxt = tt0 / 25
IF xxt > mean THEN
    basef(stgr) = mean
ELSE
    basef(stgr) = xxt
END IF
IF basef(stgr) = 0 THEN basef(stgr) = mean
optm = basef(stgr)
bft = slyr(nyear) * da

CALL basefcal
ymiss(nyear) = ym:
ym = 0
IF nyear = yearno THEN GOTO 850
IF EOF(1) THEN yearno = nyear: GOTO 850
LINE INPUT #1, sign
LINE INPUT #1, sign
LOOP
850  CLOSE (1): CLOSE (7): CLOSE (8)
END SUB

SUB datagen2

'---- Baseflow calculation for a given period ---

dcc = 0: ydcnt = 0
LOCATE 36, 33: PRINT "
LOCATE 37, 33: PRINT "
LOCATE 38, 33: PRINT "
VIEW SCREEN (250, 272)-(630, 325), 1, 7: COLOR 7
LOCATE 36, 43: PRINT "Reading daily stream flow ..."
LOCATE 38, 43: PRINT "Year      "; : COLOR 7, 1: PRINT " Processed..."

'---- Starting year check

IF yrno(1) = syr THEN yrval = syr: srt = 1: GOTO 2193
IF syr >= eyr THEN GOTO 3113
IF yrval < syr THEN
    FOR i = 1 TO totyr
        IF yrno(i) = syr THEN diffyr = i - 1
    NEXT
    yrval = syr
    GOTO 2193
    PRINT "diffyr", diffyr
    DO: LOOP WHILE INKEY$ = ""
END IF
'""diffyr = syr - yrval: yrval = syr: GOTO 2193
IF yrval > syr THEN GOTO 3113

GOTO 2193

3113 BEEP: LOCATE 41, 20: COLOR 12, 1:
PRINT "Start year invalid! Press any key to try again":
DO: LOOP WHILE INKEY$ = "": CLOSE (1): CHAIN "sam"

'---- Baseflow calculation yr by yr ----

2193 CLOSE (4)
dqs = da * slope:

'---- Read daily cfs data yr by yr ---

```

```

OPEN "i", #1, file + ".ini"
LINE INPUT #1, r1$:
LINE INPUT #1, r1$:
sign = LEFT$(r1$, 1): nyear = 0:
LOCATE 40, 43: COLOR 7: PRINT "Searching data ... Wait"

'---- Output file open in case of flow duration curve ---

OPEN "o", #7, "cfsi.out"
OPEN "o", #8, "basei.out"

'---- Skip data to reach the beginning year ---

IF diffyr = 0 THEN GOTO 2353
FOR i = 1 TO diffyr * 52
LINE INPUT #1, a$
NEXT

2353 LOCATE 40, 43: PRINT "

DO UNTIL EOF(1)
IF sign = "H" THEN
INPUT #1, ia, ib:
LINE INPUT #1, a$
LINE INPUT #1, t$

'---- daily value read ---

FOR MO = 1 TO 12
FOR i = 1 TO 4
INPUT #1, fdata
IF i = 4 THEN maxx = 7: GOTO 702
maxx = 8
702   FOR j = 1 TO maxx
      q = VAL(MID$(fdata, 18 + j * 7, 7))
      IF q >= 999998 GOTO 606
      dcc = dcc + 1: ydcnt = ydcnt + 1
      cfs(ydcnt) = q
      PRINT #7, USING "#####.##"; q
606   NEXT j
NEXT i
NEXT MO

END IF
nyear = nyear + 1: LOCATE 38, 48: COLOR 10: PRINT nyear: COLOR 15

stgr = 1: endgr = ydcnt: tt0 = 0
FOR i = stgr TO stgr + 24
tt0 = tt0 + cfs(i)
NEXT

basef(1) = tt0 / 25
PRINT #8, USING "#####.##"; basef(1)
bft = slyr(nyear) * da
CALL basefcal

IF nyear = yearno THEN GOTO 855
IF EOF(1) THEN yearno = nyear: GOTO 855
LINE INPUT #1, sign
LINE INPUT #1, sign
ydcnt = 0
LOOP
855   CLOSE (1): CLOSE (7): CLOSE (8)

END SUB

```

SUB dataread

'---- Data read ---

```

VIEW SCREEN (33, 60)-(219, 260), 1, 7
LOCATE 10, 9: COLOR 15: PRINT "Default setting": COLOR 15, 1
othermin = 0: othermax = maxcfs
LOCATE 13, 6: PRINT USING "Minimum cfs : #####"; othermin
LOCATE 15, 6: PRINT USING "Maximum cfs : #####"; maxcfs
LOCATE 17, 6: PRINT USING "Best slope : ##.####"; bfp: slope = bfp
LOCATE 17, 6: PRINT USING "Start year : #####"; styr: syr = styr
IF yno < 10 THEN yearno = yno ELSE yearno = 10
LOCATE 19, 6: PRINT USING "No. of year : #####"; yearno
totyr = yearno
LOCATE 20, 6: PRINT "(Max. 40 yr)"
LOCATE 23, 6: COLOR 14, 1: PRINT "Change default ? "
LOCATE 25, 6: PRINT "( "; : COLOR 14, 1: PRINT "y "; :
COLOR 15, 1: PRINT "or"; : COLOR 14, 1: PRINT " n"; :
COLOR 15, 1: PRINT " )":
icnt = 0
CLOSE (4)
OPEN "i", #4, file + ".yr"
DO UNTIL EOF(4)
icnt = icnt + 1
INPUT #4, yrno(icnt), slyr(icnt), bfyr(icnt)
LINE INPUT #4, aa$
LOOP: CLOSE (4): totyr = icnt

s$ = ""
1330 s$ = INKEY$: IF s$ = "" GOTO 1330
    IF ASC(s$) <> 121 AND ASC(s$) <> 89 THEN GOTO 1250

1240 LOCATE 13, 6: INPUT "Minimum cfs "; othermin
    COLOR 15: LOCATE 13, 20: PRINT USING "#####"; othermin
    LOCATE 15, 6: INPUT "Maximum cfs "; othermax
    IF othermax = 0 THEN othermax = maxcfs:
    LOCATE 15, 20: COLOR 15: PRINT USING "#####"; othermax
    LOCATE 17, 6: INPUT "Start year "; syr
    IF syr = 0 THEN syr = styr:
    LOCATE 17, 20: PRINT USING " #####"; syr
    LOCATE 19, 6: INPUT "No. of year "; yread
    IF yread = 0 AND yno < 10 THEN
        yearno = yno
    ELSEIF yread = 0 AND yno > 10 THEN
        yearno = 10
    ELSEIF yread <= yno AND yread <= 40 THEN
        yearno = yread
    ELSEIF yread <= yno AND yno <= 40 THEN
        yearno = yread
    ELSEIF yread > 40 AND yno <= 40 THEN
        yearno = yno
    ELSEIF yread > 40 AND yno > 40 THEN
        yearno = 40
    ELSEIF yread > yno AND yno >= 40 THEN
        yearno = 40
    ELSEIF yread > yno AND yno > 10 AND yno < 40 THEN
        yearno = yno
    END IF

    LOCATE 19, 20: PRINT USING " #####"; yearno
1250
END SUB

SUB dataread2

```

```

'---- Data read ---

VIEW SCREEN (33, 60)-(219, 260), 1, 7
LOCATE 10, 9: COLOR 15: PRINT "Default setting": COLOR 15, 1
OPEN "i", #4, file + ".yr"
DO UNTIL EOF(4)
  icnt = icnt + 1
  INPUT #4, yrno(icnt), slyr(icnt), bfyr(icnt)
  LINE INPUT #4, aa$
LOOP: CLOSE (4): totyr = icnt: icnt = 0

othermin = 0: othermax = maxcfs
LOCATE 13, 6: PRINT USING "Minimum cfs : #####"; othermin
LOCATE 15, 6: PRINT USING "Maximum cfs : #####"; maxcfs
LOCATE 17, 6: PRINT USING "Start year : #####"; sty: syr = sty
LOCATE 19, 6: PRINT USING "No. of year : #####"; totyr:
yearno = totyr

COLOR 15, 1: LOCATE 22, 6: PRINT "Est. Processing time "
LOCATE 23, 6: PRINT USING " >>>>###.# min."; totyr / 3

COLOR 14, 1: LOCATE 26, 6: PRINT "Ready to go ? "
LOCATE 28, 6: PRINT "(Then press any key)": COLOR 15, 1
s$ = ""
3305 s$ = INKEY$: IF s$ = "" THEN GOTO 3305
END SUB

SUB gragen

'---- Graphic generation yr by yr ---

'CLS 0: SCREEN 9
DIM xdd(370), yothd(370), ybasd(370)
3000 VIEW SCREEN (1, 1)-(638, 348), 1, 7
GOSUB mesg
FOR ycnt = 1 TO yearno

  start = 365 * (ycnt - 1) + 1:
  last = start + 364

'---- Station information read from data file ---

  LOCATE 4, 13: COLOR 15, 1: PRINT "Station   : "; title:
  LOCATE 6, 13: PRINT "Water Year : ";
  PRINT USING "Oct. ### - Sep. #####"; yrno(ycnt + diffyr) - 1, yrno(ycnt + diffyr)
  yrval = yrno(ycnt)
  LOCATE 8, 26: COLOR 10, 1:
  IF ycnt = yearno THEN
    PRINT "(Last....)"
  ELSE
    PRINT "(More....) "
  END IF

'---- Graphic frame lining (X & Y axes) ---

  LINE (91, 81)-(456, 275), 14, B
  LOCATE 15, 20: COLOR 15, 1
  LOCATE 36, 12: PRINT " Oct Nov DecJan Feb MarApr May Jun Jul Aug Sep"
  FOR i = 1 TO 11
    LINE (91 + i * 30, 276)-(91 + i * 30, 279), 7
  NEXT
  LOCATE 38, 28: COLOR 14, 1:
  PRINT " Time (month)"

```

```

COLOR 15, 1: yint = (othermax - othermin) / 4
FOR i = 1 TO 5
LOCATE 41 - i * 6, 3:
PRINT USING "#####.##"; othermin + yint * (i - 1)
NEXT:
YPOS = 18: l = 2: COLOR 14
LOCATE YPOS + 1, l: PRINT "C"
LOCATE YPOS + 3, l: PRINT "F"
LOCATE YPOS + 5, l: PRINT "S": COLOR 7, 1

'----- Coordinate calculation & printing -----

VIEW SCREEN (91, 81)-(456, 275), 8, 14
ii = 0:
FOR i = start TO last
ii = ii + 1
ybasd(ii) = 275 - (basef(i) - othermin) * 193 / (othermax - othermin)
yothd(ii) = 275 - (cfs(i) - othermin) * 193 / (othermax - othermin)
IF (ybasd(ii) - yothd(ii)) < 1 THEN ybasd(ii) = yothd(ii)
IF basef(i) > cfs(i) THEN basef(i) = cfs(i)
NEXT i

FOR i = 1 TO 365: xdd(i) = i + 90: NEXT i
LINE (90, 274)-(xdd(1), yothd(1)), 14
FOR i = 1 TO 365
LINE -(xdd(i), yothd(i)), 10:
LINE (xdd(i), 275)-(xdd(i), yothd(i)), 10
NEXT i

LINE (90, 274)-(xdd(1), ybasd(1)), 14
FOR i = 1 TO 365
LINE -(xdd(i), ybasd(i)), 12
LINE (xdd(i), 275)-(xdd(i), ybasd(i)), 12
NEXT i
LOCATE 9, 13
PRINT "
LOCATE 10, 13: PRINT "

3100 IF ymiss(ycnt) > 0 THEN
BEEP: LOCATE 9, 13: COLOR 14, 1
PRINT "Warning : This year has"; ymiss(ycnt); "days missing data"
LOCATE 10, 13: PRINT "( Require careful baseflow observation )"
COLOR 15, 1
END IF

VIEW SCREEN (486, 43)-(620, 67), 1, 7
LOCATE 7, 62: COLOR 15, 1: PRINT " Slope";
COLOR 10, 1: PRINT USING " #####"; slyr(ycnt + diffyr)
LOCATE 8, 62: COLOR 15, 1: PRINT " BF% ";
COLOR 10, 1: PRINT USING " #####"; bfyr(ycnt + diffyr)

VIEW SCREEN (93, 310)-(600, 335), 1, 7
LOCATE 41, 15:
COLOR 10: PRINT "Message : "; : COLOR 15
PRINT "Select one from menu "
s$ = ""
3200 s$ = INKEY$: IF s$ = "" GOTO 3200

'----- Input menu (graphic submenu) handling ---

IF ASC(s$) = 46 THEN GOTO 3800
IF ASC(s$) = 44 THEN GOTO 3700
IF ASC(s$) = 115 OR ASC(s$) = 83 THEN
CALL submenu: GOSUB mesg: ycnt = ycnt - 1:
GOTO 3500

```

```

END IF
IF ASC(s$) = 109 OR ASC(s$) = 77 THEN
    LOCATE 41, 25
    PRINT "
    COLOR 14, 1: LOCATE 41, 25: PRINT "Are you sure ? (y/n) "
    s$ = ""
3300 s$ = INKEY$: IF s$ = "" THEN GOTO 3300
    IF ASC(s$) = 121 OR ASC(s$) = 89 THEN
        LOCATE 41, 25: PRINT "      Wait.... Return to main menu "
        CLOSE (1): CHAIN "sam"
    END IF
    LOCATE 41, 25: PRINT "
    ": GOTO 3100
END IF

'---- Key entry error check ---

COLOR 14, 1: BEEP: LOCATE 41, 15:
LOCATE 41, 25: PRINT "Input Error! Press any key to continue"
DO: LOOP WHILE INKEY$ = ""
LOCATE 41, 25:
PRINT "
":
GOTO 3100

3700 IF ycnt > 1 THEN yrval = yrval - 1: ycnt = ycnt - 2: GOTO 3500
BEEP: COLOR 14
LOCATE 41, 25:
PRINT "No more years to go back... Press any key":
DO: LOOP WHILE INKEY$ = ""
LOCATE 41, 25:
PRINT "
":
GOTO 3100

3800 IF ycnt < yearno THEN yrval = yrval + 1: GOTO 3500
LOCATE 41, 25: COLOR 14: BEEP
PRINT "No more years to go... Press any key":
DO: LOOP WHILE INKEY$ = ""
COLOR 15, 1: LOCATE 41, 25:
PRINT "
":
GOTO 3100

3500 CLS 1
NEXT ycnt
GOTO 3900

mesg:

'---- Graphic submenu generation ---

COLOR 15, 1: VIEW SCREEN (486, 81)-(620, 110), 1, 7
LINE (494, 87)-(514, 92), 10, BF
LINE (494, 97)-(514, 102), 12, BF
LOCATE 12, 67: COLOR 15: PRINT "Stormflow"
LOCATE 13, 67: PRINT "Baseflow"

VIEW SCREEN (486, 120)-(620, 275), 1, 7
LOCATE 17, 66: COLOR 10: PRINT "Main Menu": COLOR 15
LOCATE 19, 63: PRINT "("; : COLOR 10: PRINT ">"; : COLOR 15: PRINT ") Forward"
LOCATE 21, 63: PRINT "("; : COLOR 10: PRINT "<"; : COLOR 15: PRINT ") Backward"
LOCATE 23, 63: PRINT "("; : COLOR 10: PRINT "S"; : COLOR 15: PRINT ") Submenu"
LOCATE 25, 63: PRINT "("; : COLOR 10: PRINT "M"; : COLOR 15: PRINT ") Back to"
LOCATE 26, 63: PRINT "      Main menu"
LOCATE 27, 70: PRINT "&"
LOCATE 28, 63: PRINT " "; : COLOR 12: PRINT " "; : COLOR 15: PRINT " Change"
LOCATE 29, 63: PRINT "      Parameters"

VIEW SCREEN (93, 310)-(600, 335), 1, 7

```



```

LOCATE 41, 15:
COLOR 10: PRINT "Message : "; : COLOR 15:
PRINT "Select one from menu "
RETURN

```

```

3900 END SUB

```

```

SUB grtwo

```

```

'----- Flow duration curve generation ---

```

```

DIM e1mo AS STRING * 4:      DIM s1mo AS STRING * 4:
'SCREEN 9:
VIEW SCREEN (1, 1)-(638, 348), 1, 7
LOCATE 15, 20: COLOR 15, 1: PRINT "Wait...      Graphics generating..."
intval = ((dcc - 2) / 363)
yod(1) = maxcfs: yod(365) = min
ybd(365) = yod(365):
OPEN "i", #8, "baseo.txt"
OPEN "i", #7, "cfso.txt"
LINE INPUT #7, a$: LINE INPUT #8, a$
FOR ii = 364 TO 2 STEP -1
  FOR i = 1 TO (intval - 1)
    LINE INPUT #7, a$
    LINE INPUT #8, a$
  NEXT i
  INPUT #7, yod(ii): INPUT #8, ybd(ii):
NEXT ii

```

```

'----- Get max. baseflow ---

```

```

DO UNTIL EOF(8): INPUT #8, ybd(1): LOOP: CLOSE (7): CLOSE (8)

```

```

'----- X-axis print ----

```

```

COLOR 15, 1: LOCATE 38, 18:
PRINT "0  10  20  30  40  50  60  70  80  90  100"
LOCATE 39, 29: COLOR 14, 1:
PRINT " Percent (%) greater than"

```

```

'----- Tic marks ---

```

```

FOR i = 0 TO 9
LINE (139 + 36.5 * i, 283)-(139 + 36.5 * i, 289), 15
NEXT
LINE (507, 283)-(507, 289), 15

```

```

'----- Y-axis print ----

```

```

yint = (yod(1) - 0) / 5      'yod(365)) / 5
FOR i = 0 TO 5
LOCATE 41 - 5 * (i + 1), 9: COLOR 15
PRINT USING "#####.##"; yint * i      'yod(365) + yint * i
NEXT:
YPOS = 17: l = 5: COLOR 14
LOCATE YPOS + 1, l: PRINT "R": LOCATE YPOS + 2, l: PRINT "U"
LOCATE YPOS + 3, l: PRINT "N": LOCATE YPOS + 4, l: PRINT "O"
LOCATE YPOS + 5, l: PRINT "F": LOCATE YPOS + 6, l: PRINT "F"
LOCATE YPOS + 9, 3: PRINT "(cfs)"

```

```

'----- Tic marks ---

```

```

LINE (141, 81)-(135, 81), 15
FOR i = 0 TO 4
LINE (141, 283 - 42 * i)-(135, 283 - 42 * i), 15

```

NEXT

'---- Station information read from data file ----

```
COLOR 15, 1
OPEN "i", #2, file + ".OUT"
LINE INPUT #2, r1$:
title = RIGHT$(r1$, LEN(r1$) - 0): da = VAL(MID$(r1$, 48, 12))
LINE INPUT #2, r1$: s1mo = RIGHT$(r1$, LEN(r1$) - 0):
e1mo = RIGHT$(r1$, LEN(r1$) - 10): syr = VAL(MID$(r1$, 6, 4)):
eyr = VAL(MID$(r1$, 16, 4)): CLOSE (2):
LOCATE 5, 18: PRINT " Station : "; : PRINT title
LOCATE 7, 18: PRINT " Period of Records : "; s1mo; syr; " - "; e1mo; eyr: COLOR 14, 1
```

'---- Coordinate calculation & printing ----

```
VIEW SCREEN (140, 82)-(506, 282), 8, 14
FOR i = 1 TO 365
xd(i) = 140 + i
y1d(i) = 283 - (ybd(i)) * 200 / (yod(1))
y2d(i) = 283 - (yod(i)) * 200 / (yod(1))
NEXT i
```

```
FOR i = 1 TO 365
IF i = 1 THEN LINE (141, 282)-(141, y2d(1)), 10: GOTO 122
IF i MOD 2 <> 0 THEN LINE (xd(i), y2d(i))-(xd(i), 282), 10
122 NEXT i
```

```
FOR i = 1 TO 365
IF i = 1 THEN LINE (141, 282)-(141, y1d(1)), 12: GOTO 123
IF i = 2 THEN LINE (xd(i), y1d(i))-(xd(i), 282), 12
123 LINE (xd(i), y1d(i))-(xd(i), 282), 12
NEXT i
```

'---- Value printing in the square ----

```
VIEW SCREEN (392, 99)-(470, 124), 1, 15
COLOR 10, 1: LOCATE 14, 51: PRINT "Others"
LOCATE 15, 51: COLOR 12, 1: PRINT "Baseflow": COLOR 7, 1
LOCATE 41, 30: COLOR 15, 1: PRINT "Press any key to Continue"
DO: LOOP WHILE INKEY$ = "":
```

END SUB

SUB mdraw

'---- Monthly hydro-graph generation ----

```
DIM ms(12) AS STRING * 10
LOCATE 14, 66: PRINT "      "
LOCATE 16, 66: PRINT "      "
LINE (514, 103)-(594, 236), 7, 8

r = 14: l = 66
LOCATE r + 1, l: COLOR 12, 1: PRINT "O"; : COLOR 15, 1: PRINT "ctober"
LOCATE r + 2, l: COLOR 12, 1: PRINT "N"; : COLOR 15, 1: PRINT "ovember"
LOCATE r + 3, l: COLOR 12, 1: PRINT "D"; : COLOR 15, 1: PRINT "ecember"
LOCATE r + 4, l: COLOR 12, 1: PRINT "J"; : COLOR 15, 1: PRINT "anuary"
LOCATE r + 5, l: COLOR 12, 1: PRINT "F"; : COLOR 15, 1: PRINT "ebruary"
LOCATE r + 6, l: COLOR 12, 1: PRINT "M"; : COLOR 15, 1: PRINT "arch"
LOCATE r + 7, l: COLOR 12, 1: PRINT "A"; : COLOR 15, 1: PRINT "pril"
LOCATE r + 8, l: COLOR 15, 1: PRINT "Ma"; : COLOR 12, 1: PRINT "y";
LOCATE r + 9, l: COLOR 15, 1: PRINT "J"; : COLOR 12, 1: PRINT "u"; : COLOR 15, 1: PRINT "ne"
LOCATE r + 10, l: COLOR 15, 1: PRINT "Ju"; : COLOR 12, 1: PRINT "l"; : COLOR 15, 1: PRINT "y"
LOCATE r + 11, l: COLOR 15, 1: PRINT "Au"; : COLOR 12, 1: PRINT "g"; : COLOR 15, 1: PRINT "ust"
LOCATE r + 12, l: COLOR 12, 1: PRINT "S"; : COLOR 15, 1: PRINT "eptember"
```

```

LOCATE r + 14, l: COLOR 12, 1: PRINT "Q"; : COLOR 15, 1: PRINT "uit "

ms(1) = " October ": ms(2) = " November ": ms(3) = " December ": ms(4) = " January ": ms(5)
= " February "
ms(6) = " March ": ms(7) = " April ": ms(8) = " May ": ms(9) = " June ": ms(10) = "
July "
ms(11) = " August ": ms(12) = " September"
6251
s$ = ""
6010 s$ = INKEY$: IF s$ = "" GOTO 6010
IF ASC(s$) = 113 THEN GOTO 6020
IF ASC(s$) = 106 THEN s = 93: e = 123: ct = 4: GOTO 6110
IF ASC(s$) = 102 THEN s = 124: e = 151: ct = 5: GOTO 6110
IF ASC(s$) = 109 THEN s = 152: e = 182: ct = 6: GOTO 6110
IF ASC(s$) = 97 THEN s = 183: e = 212: ct = 7: GOTO 6110
IF ASC(s$) = 121 THEN s = 213: e = 243: ct = 8: GOTO 6110
IF ASC(s$) = 117 THEN s = 244: e = 273: ct = 9: GOTO 6110
IF ASC(s$) = 108 THEN s = 274: e = 304: ct = 10: GOTO 6110
IF ASC(s$) = 103 THEN s = 305: e = 335: ct = 11: GOTO 6110
IF ASC(s$) = 115 THEN s = 336: e = 365: ct = 12: GOTO 6110
IF ASC(s$) = 111 THEN s = 1: e = 31: ct = 1: GOTO 6110
IF ASC(s$) = 110 THEN s = 32: e = 61: ct = 2: GOTO 6110
IF ASC(s$) = 100 THEN s = 62: e = 92: ct = 3: GOTO 6110

LOCATE 41, 25: PRINT "
LOCATE 41, 25: BEEP: COLOR 12, 1: PRINT "Input Error! Select a month or Q for quit": COLOR 15,
1: GOTO 6251

'---- Graphic screen generation
6110 VIEW SCREEN (91, 81)-(456, 275), 1, 14

'---- X-axis print ----

CLS (1)
DIM xmd(248), yomd(248), ybmd(248):
VIEW SCREEN (167, 95)-(410, 250), 8, 14
COLOR 15, 1
LOCATE 33, 20: PRINT " 1 3 6 9 12 15 18 21 23 25 28 31"
LOCATE 34, 31: COLOR 10, 1:
PRINT " Time (day)"

'---- Y-axis print ----

FOR i = 1 TO 3
LINE (87, 276 - 48 * i)-(91, 276 - 48 * i), 14, B
NEXT

FOR i = 1 TO 3
LINE (457, 276 - 48 * i)-(461, 276 - 48 * i), 14, B
NEXT
omax = 0: omin = 999999
FOR i = (s + start - 1) TO (e + start - 1)
IF cfs(i) > omax THEN omax = cfs(i)
NEXT
omin = 0
COLOR 15, 1: yint = (omax - omin) / 4
FOR i = 1 TO 4
LOCATE 33 - i * 5, 14: PRINT USING "####.#"; omin + yint * (i)
NEXT:
LOCATE 32, 14: PRINT USING "####.#"; omin

'---- Coordinate calculation & printing ----

ii = start + s - 1

```

```

FOR i = 1 TO (e - s) + 1
  ii = ii + 1
  IF basef(ii) = 0 THEN ybmd(i) = 200: GOTO 6201
  ybmd(i) = 98 + (omax - basef(ii)) * (155 / (omax - omin))
6201 NEXT i

  ii = start + s - 1
  FOR i = 1 TO (e - s + 1)
    ii = ii + 1
    IF omax = omin THEN yomd(i) = 273: ybmd(i) = 274: GOTO 133
    yomd(i) = 98 + (omax - cfs(ii)) * (155 / (omax - omin))
    IF ybmd(i) <= yomd(i) THEN ybmd(i) = yomd(i)
133 NEXT i:

  FOR i = 1 TO (e - s + 1)
    xmd(i) = 160 + i * 8
  NEXT i
  LINE (168, yomd(1))-(xmd(1), yomd(1)), 10

  FOR i = 2 TO (e - s) + 1
    FOR ij = xmd(i - 1) TO xmd(i)
      LINE (ij, 249)-(ij, yomd(i)), 10
    NEXT ij
  NEXT i

  LINE (168, ybmd(1))-(xmd(1), ybmd(1)), 12
  FOR i = 2 TO (e - s) + 1
    FOR ij = xmd(i - 1) TO xmd(i)
      LINE (ij, 249)-(ij, ybmd(i)), 12
    NEXT ij
  NEXT i

  LOCATE 14, 33: COLOR 15, 1: PRINT ms(ct)

  '---- Message generation ----

  LOCATE 41, 25: PRINT "
  LOCATE 41, 25: COLOR 15, 1: PRINT " (< : COLOR 14, 1: PRINT ">";
  COLOR 15, 1: PRINT ") Next month (< : COLOR 14, 1: PRINT "<";
  COLOR 15, 1: PRINT ") Last month (< : COLOR 14, 1: PRINT "q"; :
  COLOR 15, 1: PRINT ") Quit"

  s$ = ""
6300 s$ = INKEY$: IF s$ = "" GOTO 6300
  IF ASC(s$) = 113 THEN GOTO 6020
  IF ASC(s$) = 44 THEN GOTO 6035
  IF ASC(s$) = 46 THEN GOTO 6045
  LOCATE 41, 25: PRINT "
  LOCATE 41, 25: BEEP: COLOR 10, 1: PRINT "Input Error! Select (<) or (>) or Q": GOTO 6300
6035 IF ct > 1 THEN
  ct = ct - 1:
  IF ct = 5 THEN e = s - 1: s = e - 27: ERASE xmd, yomd, ybmd: GOTO 6110
  IF ct = 4 OR ct = 6 OR ct = 8 OR ct = 10 OR ct = 11 OR ct = 1 OR ct = 3 THEN e = s -
1: s = e - 30: ERASE xmd, yomd, ybmd: GOTO 6110
  IF ct = 2 OR ct = 12 OR ct = 9 OR ct = 7 THEN e = s - 1: s = e - 29: ERASE xmd, yomd,
ybmd: GOTO 6110
  END IF

  IF ct <= 1 THEN
  LOCATE 41, 25: COLOR 14, 1: PRINT "
  LOCATE 41, 25: BEEP: PRINT "No more month to go ! Press (>) or Quit"
  END IF: GOTO 6300
6045

```

```

IF ct < 12 THEN
    ct = ct + 1:
    IF ct = 5 THEN s = e + 1: e = s + 27: ERASE xmd, yomd, ybmd: GOTO 6110
    IF ct = 4 OR ct = 6 OR ct = 8 OR ct = 10 OR ct = 11 OR ct = 1 OR ct = 3 THEN s = e +
1: e = s + 30: ERASE xmd, yomd, ybmd: GOTO 6110
    IF ct = 2 OR ct = 12 OR ct = 9 OR ct = 7 THEN s = e + 1: e = s + 29: ERASE xmd, yomd,
ybmd: GOTO 6110
END IF

IF ct >= 12 THEN
LOCATE 41, 25: COLOR 14, 1: PRINT "
LOCATE 41, 25: BEEP: PRINT "No more month to go !   Press (<) or Quit"
END IF: GOTO 6300

6020 LOCATE 41, 25: PRINT "
LOCATE 41, 25: COLOR 15, 1: PRINT " Select again or "; :
COLOR 12, 1: PRINT " Q"; : COLOR 15, 1: PRINT "uit"
r = 12: l = 64:
FOR i = 1 TO 25
LOCATE r + i, l: PRINT "          ": NEXT
END SUB

SUB scrprt

'---- Output print (statistics) ---

DIM stype AS STRING * 14:      DIM tit2 AS STRING * 35
DIM emo AS STRING * 4:      DIM smo AS STRING * 4
IF special = 5 THEN 5151
'SCREEN 9:
WIDTH 80, 25: COLOR 7, 1
VIEW SCREEN (100, 260)-(550, 300), 1, 7: COLOR 15
WIDTH 80, 43
VIEW SCREEN (1, 1)-(638, 348), 1, 7
LINE (170, 16)-(500, 37), 7, 8

LOCATE 4, 24: COLOR 14:
PRINT " BASEFLOW / STORMFLOW GRAPHIC ANALYSIS"
5151 VIEW SCREEN (250, 60)-(630, 260), 1, 7
LINE (100, 15)-(500, 30), 7
LOCATE 10, 44: COLOR 15, 1
PRINT "Station Information": COLOR 15, 1

LOCATE 39, 10: COLOR 15: PRINT "Press F8 to abort"
OPEN "i", #9, file + ".out"
LINE INPUT #9, a$: tit2 = RIGHT$(a$, LEN(a$) - 0):
title = RIGHT$(a$, LEN(a$) - 0)
da = VAL(MID$(a$, 51, 9))
LINE INPUT #9, a$
OPEN "i", #6, file + ".yr"
INPUT #6, syr
CLOSE (6)

styr = syr: yrval = syr
eyr = VAL(MID$(a$, 16, 4)):
emo = RIGHT$(a$, LEN(a$) - 10)
smo = RIGHT$(a$, LEN(a$) - 0)

l1 = VAL(MID$(a$, 21, 2)): l2 = VAL(MID$(a$, 24, 2)):
l3 = VAL(MID$(a$, 27, 2)): l4 = VAL(MID$(a$, 30, 2)):
l5 = VAL(MID$(a$, 33, 2)): l6 = VAL(MID$(a$, 36, 2)):
stype = RIGHT$(a$, LEN(a$) - 38)
INPUT #9, year, cnt, zeroCnt, urn
INPUT #9, sumq, mean, sd, variance
INPUT #9, ser, skew, coevar, lev, hev

```

```

min = lev: maxcfs = hev: yno = year:
COLOR 7, 1
LOCATE 12, 33: PRINT "Station : "; USING "\          \"; tit2:
LOCATE 13, 33: PRINT "Drainage Area      : "; da; "sq. mi."
LOCATE 14, 33: PRINT "Period of Record   : "; smo; syr; "- "; emo; eyr
LOCATE 15, 33: PRINT "Type of Station    : "; stype
LOCATE 17, 33: PRINT USING "Total Number of Years : #####"; year
LOCATE 18, 33: PRINT USING "Total Measured Days  : #####"; cnt
LOCATE 19, 33: PRINT USING "Days with No-flow   : #####"; zerocnt&
LOCATE 20, 33: PRINT USING "Total Unmeasured Days : #####"; unme&
LOCATE 22, 33: PRINT USING "Total Flow (cfs-days) : #####.###"; sumq;
LOCATE 23, 33: PRINT USING "Daily Mean (cfs)     : #####.###"; mean;
LOCATE 24, 33: PRINT USING "Standard Deviation  : #####.###"; sd
LOCATE 25, 33: PRINT USING "Variance (cfs ^2)    : #####.###"; variance
LOCATE 27, 33: PRINT USING "Serial R              : #####.###"; ser
LOCATE 28, 33: PRINT USING "Skewness                : #####.###"; skew
LOCATE 29, 33: PRINT USING "Coeff. of Variation     : #####.###"; coevar
LOCATE 30, 33: PRINT USING "Low Extreme (cfs)       : #####.###"; lev
LOCATE 31, 33: PRINT USING "High Extreme (cfs)      : #####.###"; hev
CLOSE (9):
END SUB

SUB sort
'----- Sort the whole period cfs data --- (using DBASE)

WIDTH 80, 43: 'SCREEN 9
VIEW SCREEN (1, 1)-(638, 348), 1, 7
LINE (170, 16)-(500, 37), 7, 8
LOCATE 4, 24: COLOR 14:
PRINT " Time vs. Percentage Graphics Analysis"

VIEW SCREEN (250, 60)-(630, 260), 1, 14
LINE (100, 15)-(500, 30), 15
LOCATE 10, 44: COLOR 12, 1
PRINT "Station Information": COLOR 15, 1

CALL scrprt
LOCATE 39, 10: COLOR 15: PRINT "Press F8 to abort"

CALL datread2
CALL datagen2
VIEW SCREEN (30, 272)-(630, 325), 1, 14: COLOR 15, 1
COLOR 7, 0: SCREEN 0:
LOCATE 15, 25: COLOR 12: PRINT "Wait... DBASE interfacing "
ERASE cfs, basef
SHELL "dbase.exe"

COLOR 7, 1
SCREEN 9: COLOR 7, 1
LOCATE 20, 25: COLOR 10, 1: PRINT "Records reading ..."; :
COLOR 12, 1: PRINT "    Wait"

CALL grtwo:
LOCATE 41, 19: PRINT "          Returning to main menu... Wait          "
CLOSE (ALL): special = 5: KILL "baseo.txt": KILL "cfso.txt":
CHAIN "sam"
END SUB

SUB stat
'----- Yearly statistics calculation ---

VIEW SCREEN (91, 81)-(456, 275), 1, 14
prev = 0: zerocnt& = 0

```

```

lev = 999999: hev = 0
IF (yrval + 1) MOD 4 = 0 THEN
    cnt = 366
ELSE
    cnt = 365
END IF

FOR i = start TO last
    IF cfs(i) > hev THEN hev = cfs(i)
    IF cfs(i) < lev THEN lev = cfs(i)
    sumq = cfs(i) + sumq
    sumq2 = sumq2 + cfs(i) ^ 2
    sumq3 = sumq3 + cfs(i) ^ 3
    sumxy = sumxy + prev * cfs(i)
    prev = cfs(i)
    IF cfs(i) = 0 THEN zeroCnt = zeroCnt + 1
NEXT

'--- Statistics calculation

mean = sumq / cnt
csum1 = 0: ssum1 = 0: sd = SQR(sumq2 / cnt - mean ^ 2)
skew = (sumq3 / cnt - 3 * mean * sumq2 / cnt + 2 * mean ^ 3) / (sd ^ 3)
variance = sd ^ 2: IF mean > 0 THEN coevar = sd / mean
covq = (sumxy / cnt) - mean ^ 2

'---- output writing into view port

LOCATE 12, 27: COLOR 10, 1: PRINT "Yearly Statistics"
r = 13: l = 15: LOCATE r, l: COLOR 7, 1
LOCATE r + 1, l: PRINT USING "Drainage Area          : #####.## ( mi^2 )"; da
LOCATE r + 2, l: PRINT USING "Total Measured Days    : #####"; cnt
LOCATE r + 3, l: PRINT USING "Days with No-flow    : #####"; zeroCnt
LOCATE r + 5, l: PRINT " "
LOCATE r + 6, l: PRINT USING "Total Flow (cfs-days) : #####.###"; sumq;
LOCATE r + 7, l: PRINT USING "( #####.### Ac-ft/yr)"; sumq * 1.983471
LOCATE r + 8, l: PRINT ""
LOCATE r + 9, l: PRINT USING "Daily Mean (cfs)      : #####.###"; mean;
LOCATE r + 10, l: PRINT USING "( #####.### Ac-ft/yr)"; 1.983471 * sumq
LOCATE r + 11, l: PRINT ""
LOCATE r + 12, l: PRINT USING "Standard Deviation   : #####.###"; sd
LOCATE r + 13, l: PRINT USING "Variance (cfs ^2)    : #####.###"; variance
LOCATE r + 14, l: PRINT ""
LOCATE r + 15, l: PRINT USING "Serial R             : #####.###"; covq / variance
LOCATE r + 16, l: PRINT USING "Skewness            : #####.###"; skew
LOCATE r + 17, l: PRINT USING "Coeff. of Variation  : #####.###"; coevar
LOCATE r + 18, l: PRINT USING "Low Extreme (cfs)   : #####.###"; lev
LOCATE r + 19, l: PRINT USING "High Extreme (cfs)  : #####.###"; hev
END SUB

SUB submenu

'---- Graphics sub-menu table generation

FOR i = 10 TO 36: LOCATE i, 60: PRINT "                ": NEXT

5405 VIEW SCREEN (510, 81)-(600, 273), 1, 7
COLOR 14, 1: LOCATE 12, 66: PRINT "Sub Menu": lo = 66
COLOR 15, 1: LINE (510, 98)-(600, 98), 7
LOCATE 14, lo: COLOR 12, 1: PRINT "M"; : COLOR 15, 1: PRINT "onth"
LOCATE 16, lo: COLOR 12, 1: PRINT "S"; : COLOR 15, 1: PRINT "tatistics"
LOCATE 18, lo: COLOR 12, 1: PRINT "Q"; : COLOR 15, 1: PRINT "uit"
LOCATE 22, lo: PRINT ""
LOCATE 24, lo: PRINT ""
LOCATE 26, lo: PRINT ""

```

```

LINE (510, 243)-(600, 243), 7
ccntl = 0
5050 LOCATE 41, 25: COLOR 15
IF ccntl = 0 THEN
    PRINT "
    LOCATE 41, 25: PRINT " Select one from submenu "
END IF
LOCATE 33, 10: COLOR 14, 1: PRINT "Select : "
ss$ = ""
5030 ss$ = INKEY$: IF ss$ = "" GOTO 5030
IF ASC(ss$) = 115 THEN CALL stat: ccntl = 0: GOTO 5050
IF ASC(ss$) = 109 THEN CALL mdraw: ccntl = 0: GOTO 5405
IF ASC(ss$) = 113 THEN ccntl = 0: GOTO 5040
COLOR 12, 1: BEEP: LOCATE 41, 25: ccntl = 1
PRINT "
LOCATE 41, 25: PRINT "Input Error! Select one from submenu "
GOTO 5050

5040 r = 8: l = 62:
FOR i = 1 TO 30
    LOCATE r + i, l: PRINT "
NEXT i
END SUB

```


REFERENCES

- Bethlahmy, N. 1972. Hydrograph Analysis: A Computerized Separation Technique. USDA Forest Service Research Paper INT- 122. 19pp.
- Bevan, K.J. 1986. Runoff Production and Flood Frequency in Catchments of Order n: an Alternative Approach. In: V.J. Gupta, I. Rodruiguez-Iturbe and E.F. Wood (Eds), Scale Problems in Hydrology. D. Reidel Publishing Co, Dordrecht, 246pp.
- Birdwell, G.A., Sandberg, G.W., Herbert, L.R., and ReMillard, M.D. 1987. Water Resource Data Utah Water Year 1987. U.S. Geological Survey Water-data Report UT-87-1, 2-17.
- Birtles, A.B. 1978. Identification of Major Base Flow Components from a Stream Hydrograph. Water Resources Research 14(5), 791- 803. (Oct 1978)
- Box, G.P., Jenkins G.M. 1971. Time Series Analysis. Holden-Day, Inc., San Francisco. Ch.2, 23-27.
- Cassidy, J.J, Hjelmfelt, A.T. 1975. Hydrology for Engineers and Planners. Iowa State University Press, Ames. Ch.6, 99-102.
- Chapman, T.G., Dunin, F.X. 1975. Prediction in Cachement Hydrology, A National Symposium on Hydrology, Sponsored by the Australian Academy of Science. Water Quality Aspects, Modelling Water Quality by E.M. O'Loughlin, 337-358.
- Chow, V.T., Maidment D.R., Mays, L.W. 1988. Applied Hydrology. Mc-Graw Hill Book Company, New York. Ch.5, 127-134.
- Davis, John C. 1973. Statistics and Data Analysis in Geology. John Wiley & Sons, Inc., New York. Ch.7, 412-536.
- Dunn, T., Leopold, L.B. 1978. Water in Environmental Planning. W.H. Freeman and Company, New York. Ch.10, 285-287.
- Eagleson, P.S. 1970. Dynamic Hydrology. McGraw Hill Book Company, New York. Ch.2.
- Ebisemiju, F.S. Feb. 1979. An Objective Criterion for the Selection of Representative Watersheds. Water Resources Research 15(1), 148-158.

- Englund, E., Sparks, A. 1987. GEO-EAS (Geostatistical Environmental Assessment Software) User's Guide. Environmental Monitoring Systems Laboratory. U.S.E.P.A. Las Vegas. Nevada. Ch.4.
- Fowler, D., Van Den Avyle, M.J., Lasier, P.J., and Winger, P.V. June 1987. Sensitivity of High-elevation streams in the southern blue ridge province to acidic deposition. Water Resource Bulletin. Volume 23, Number 3. 379-386.
- Grover, N.C., Harrington, A.W. 1966. Streamflow : Measurements, Records and Their Uses. Dover Publications, Inc., New York. Ch.2, 16-18.
- Haan, C.T. 1977. Statistical Methods in Hydrology, The Iowa State University Press, Ames. Ch.12.
- Haan, C.T., Johnson, H.P., Brakensiek, D.L. 1982. Hydrologic Modelling of Small Watersheds. American Society of Agricultural Engineers. 21-29.
- Hall, M.J. 1984. Urban Hydrology. Elsevier Applied Science Publishers, New York. Part IV. Water Quality Problems of Urban Area. 227-242.
- Harbaugh, T.E., Knapp, J.W., Viessman, W. 1972. Introduction to Hydrology. Intext Educational Publishers, New York. Ch.3, 71-81.
- Havas, M., Hutchinson, T.C. 1980. Effects of Acid Precipitation on Terrestrial Ecosystems. NATO Conference Series, Series I: Ecology. Plenum Press. Part III. Effect of Acid Precipitation on Soils, 183-222.
- Hawkins, R H. 1986. Rainfall-Runoff Response Classification. Presentation at 3rd TVA-EPA Acid Rain Conference, Gatlinburg, November.
- Hino, M. and Masahiko Hasabe. 1984. Identification and Prediction of Nonlinear Hydrologic Systems by the Filter-Separation Autoregressive (AR) Method: Extension to Hourly Hydrologic Data. Journal of Hydrology 68(181-210)
- Johnson. D.E., Milliken, G.A. 1984. Analysis of Messy Data, Volume I : Designed Experiments. Van Nostrand Reinhold Company, New York. Ch.31, 424-425.
- Kazman, R.G. 1965. Modern Hydrology. Harper's Geoscience Series, Harper & Row, Publishers, New York. Ch.4.
- Lotspeich. F.B. 1980. Watersheds as the Basic Ecosystem: This Conceptual Framework Provides a Basis for a Natural

- Classification System. Water Resources Bulletin 16(4), 581-586. (Aug 1980)
- Lull, W. H. 1970. Streamflow Characteristics of the Northeastern United States. The Pennsylvania State University, College of Agriculture, Agricultural Experimental Station 48-68.
- McCuen, R.H. 1985. Statistical Methods for Engineers. Prentice-Hall, Inc., Englewood Cliffs. Ch.5, 58-78.
- Morrison, D.F. 1976. Multivariate Statistical Methods. McGraw-Hill Book Company, New York. Ch.9, 302-343.
- Pankey, J.M., and N.V. DeByle. 1984. Streamflow Summaries from Twelve Tributaries of Farmington Creek, Davis County Experimental Watershed, Northern Utah. USDA Forest Service GTR INT-162. 133 pp.
- Para-Mata, J.J. 1981. Process-Response Systems: A Practical Approach to Watershed Classification Considering Water and Sediment Yields. Ph.D. Dissertation, Colorado State University, Fort Collins.
- Raudkivi, A.J. 1979. Hydrology-An Advanced Introduction to Hydrological Processes and Modelling. Pergamon Press, New York. Ch.7.
- Romesburg, C.H. 1984. Cluster Analysis for Researchers. Lifetime Learning Publication, Belmont. 1-223. 292-304.
- Shirmohammadi, A., J.M. Sheridan, and W.G. Knisel. 1984. Streamflow Partitioning and Effect of Threshold Value. Am. Soc. Agric. Eng. Paper 84-2021. 18pp.
- Shirmohammadi, A., J.M. Sheridan, and W.G. Knisel. 1985. Characterization of Daily Streamflow Data Using an Approximate Partitioning Method. Paper 53, IWRA Vth World Congress on Water Resources, Brussels. 179-188.
- Shirmohammadi, A. J.M. Sheridan, and L.E. Asmussen. 1986. Hydrology of Alluvial Stream Channels in Southern Coastal Plain Watersheds. Trans. Am. Soc. Agric. Eng. 29(1), 135-142.
- Shirmohammadi, A., J.M. Sheridan, and W.G. Knisel. 1987. Regional Application of an Approximate Streamflow Partitioning Method. Water Resources Bulletin 23(1), 103-111. (Feb 1987)
- U.S.D.A. 1956 (et seq). National Engineering Handbook, Section 4, Hydrology. USGPO, Washington, D.C.

- U.S.E.P.A. 1988. Aquatic Effects Research Program : Chemical Characteristics of Streams in the Mid-Atlantic and Southeastern United States (National Stream Survey-Phase I). Volume I-Population Description and Physico-chemical Relationships 11-74.
- Van Haveren, B. P. 1981. Wagon Wheel Gap Watershed Experiment Revisited. Proceedings Western Snow Conference 1981. 131-138.
- Van Haveren, B.P. 1988. A Reevaluation of the Wagon Wheel Gap Forest Watershed Experiment. Forest Science 34(1). In press.
- Welty, C., Viessman, W. Jr. 1985. Water Management. Technology and Institution, New York. 184-192.
- White, E.L. 1975. Factor Analysis of Drainage Basin Properties; Classification of Flood Behavior in Terms of Basin Geomorphology. Water Resources Bulletin 11(4), 676-687. (Aug 1975)
- Wilson, E.M. 1974. Engineering Hydrology. A Halsted Press Book, New York. Ch.7.
- Yevjevich V. 1972. Probability and Statistics in Hydrology. Water Resources Publications, Ann Arbor. Ch.12.