

Publications

- Bariola, L. A. Short Season Cotton Approach to Insect Control. Proc. Lower Colorado Desert Valley Cotton Conf., pp. 29-30, El Centro, CA. 1982.
- Bariola, L. A. and D. Bergman. 1982. Toxicity of Selected Insecticides to Boll Weevils in Arizona. Southwestern Entomologist 7(3):142-145.
- Bariola, L. A. and T. J. Henneberry. 1982. Pink Bollworm Control by Chemical Termination with Dicamba and Chlorflurenol in Large Field Tests. Proc. 1982 Beltwide Cotton Prod. Res. Conf., pp 219-221, Las Vegas, NV.
- Bariola, L. A., T. J. Henneberry, and D. L. Kittock. Chemical termination and irrigation cutoff to reduce overwintering populations of pink bollworms. J. Econ. Entomol. 74:106-109. 1981.
- Bartlett, A. C. Genetic markers: discovery and use in insect population dynamics studies and control programs. Int'l. Symposium on the Sterile Insect Technique and Radiation in Insect Control. IAEA-SM 255, pp. 451-465. 1982.
- Bartlett, A. C. Genetic processes of domestication. In Advances and Challenges in Insect Rearing, Edgar G. King and N. C. Leppla (Eds.). USDA Handbook (in press).
- Bartlett, A. C. Introduction to colony establishment and maintenance. In Advances and Challenges in Insect Rearing, Edgar G. King and N. C. Leppla (Eds.). USDA Handbook (in press). 1981. (Review article).
- Bartlett, A. C. Isozyme polymorphisms in boll weevils and thurberia weevils from Arizona. Annals Entomol. Soc. Amer. 74:359-362. 1981.
- Bartlett, A. C. Isozyme polymorphism in populations of the pink bollworm. Annals Entomol. Soc. Amer. 74:9-13. 1981.
- Bartlett, A. C., and L. J. Lewis. Competitive fitness of the "sooty" mutant of the pink bollworm. Annals Entomol. Soc. Amer. 75:32-37. 1982.
- Bergman, D., T. J. Henneberry, and L. A. Bariola. 1982. Distribution of the Boll Weevil in Southwestern Arizona Cultivated Cotton From 1978-1981. Proc. 1982 Beltwide Cotton Prod. Res. Conf., pp. 204-207, Las Vegas, NV.
- Bergman, D., L. A. Bariola, and T. J. Henneberry. Boll weevil infestations in Arizona cultivated cotton. Proc. Beltwide Cotton Prod. Res. Conf., pp. 70-72. 1981.
- Bergman, D., T. J. Henneberry and L. A. Bariola. Overwintering and seasonal development of the pink bollworm in Arizona stub and planted cotton. Proc. Beltwide Cotton Prod. Res. Conf., pp. 66-69. 1981.
- Butler, G. D., Jr. Biological control of weeds in Arizona. Weeds Today 12(3):18-19. 1981.
- Butler, G. D. Jr., and R. J. Barker. 1982. Bollworm Sex Pheromone is Great But Beware. The Speedy Bee 11(4):22.
- Butler, G. D. Jr., and R. J. Barker. 1982. Pheromones For the Control of the Pink Bollworm. Amer. Bee J. 122(6):400-401.
- Butler, G. D. Jr., and R. J. Barker. 1982. Sex Pheromone Gives Hope to Beekeepers. Gleanings in Bee Culture 110(7):405.
- Butler, G. D. Jr. 1982. Sweetpotato Whitefly, Bemisia tabaci, a New Pest of Cotton in Arizona. Ariz. Agr. Expt. Sta. P-56:49-50.
- Butler, G. D. Jr., and T. J. Henneberry. 1982. Gossyplure for the Control of the Pink Bollworm. Ariz. Agr. Expt. Sta. P-56:125-127.
- Butler, G. D. Jr., T. J. Henneberry, F. G. Werner, and J. M. Gillespie. 1982. Seasonal Distribution, Hosts, and Identification of Parasites of Cotton Insects. USDA, ARS, ARM-W-27, 54 pp.
- Butler, G. D., Jr., and J. D. Lopez. Trichogramma praetiosum: Development in two hosts in relation to constant and fluctuating temperatures. Ann. Entomol. Soc. Amer. 73:671-673. 1981.
- Ehlig, C. F. Maximizing yields of cotton. 1981 Proc. of California Plant and Soil Conference, sponsored by California Chapter Amer. Soc. Agron., Sacramento, CA 1981. (Abstract)
- Feaster, C. V., and E. L. Turcotte. 1982. Fiber quality of early and late set cotton from three Pima cultivars. Proceedings-Beltwide Cotton Production Research Conferences, Las Vegas, Nevada.

- Flint, H. M., and J. R. Merkle. 1982. Mating behavior, sex pheromone responses, and radiation sterilization of the greater wax moth. *J. Econ. Entomol.* (in press).
- Flint, H. M., and J. R. Merkle. 1982. Studies on disruption of sexual communication in the pink bollworm, *Pectinophora gossypiella* (Saunders) (Lepidoptera:Gelechiidae), with microencapsulated gossyplure or its Z,Z-isomer component. *Bull. Ent. Res.* (in ms).
- Flint, H. M., and J. R. Merkle. 1982. Pink bollworm: Disruption of sexual communication by the release of the Z,Z-isomer of gossyplure. *J. Econ. Entomol.* (in ms).
- Flint, H. M., and J. R. Merkel. Early-season movements of pink bollworm male moths between selected habitats. *J. Econ. Entomol.* 74:366-371. 1981.
- Flint, H. M., J. R. Merkle, and M. Sledge. Attraction of male *Collops vittatus* in the field by caryophyllene alcohol. *Environ. Entomol.* 10:301-304. 1981.
- Fry, K. E. Heat-unit calculations in cotton crop and insect models: A comparison of algorithms. U.S. Department of Agriculture, Agricultural Research Service, AAT-W-23 (in press).
- Fry, K. E., C. V. Feaster, and E. F. Young, Jr. 1982. Fruiting patterns related to earliness in Pima genotypes. *Proceedings-Beltwide Cotton Production Research Conferences, Las Vegas, Nevada.* (Abstract).
- George, B. W., and F. D. Wilson. Selecting cottons with artificial infestations of pink bollworm. *Proc. Beltwide Cotton Prod. Conf.*, p 63. 1981
- Graham, H. C., C. G. Jackson, and G. D. Butler, Jr. 1982. Composition of the *Lygus* Complex in Some Crop and Weed Habitats of Arizona. *Southwestern Entomol.* 7:105-110.
- Henneberry, T. J., J. M. Gillespie, L. A. Bariola, H. M. Flint, G. D. Butler, Jr., P. D. Lingren, and A. F. Kydonious. 1982. Mating disruption as a means of suppressing pink bollworm (Lepidoptera:Gelechiidae) and tobacco budworm (Lepidoptera:Noctuidae) populations on cotton. In *Insect Suppression with Controlled Release Pheromone Systems*. Vol 2:75-95. CRC Press, Inc., Boca Raton, FL.
- Henneberry, T. J., L. A. Bariola, H. M. Flint, P. D. Lingren, J. M. Gillespie, and A. F. Kydonious. Pink bollworm and tobacco budworm mating disruption studies on cotton. pp. 267-283. In Everett R. Mitchell (Ed.) *Management of Insect Pests with Semiochemicals*, Plenum Publishing Corp., New York. 513 pp. 1981. (Book chapter)
- Henneberry, T. J., and T. Clayton. Effects on reproduction of gamma irradiated, laboratory-reared pink bollworms and their F₁ progeny after matings with untreated laboratory-reared or native insects. *J. Econ. Entomol.* 74:19-23. 1981
- Henneberry, T. J., J. M. Gillespie, L. A. Bariola, H. M. Flint, P. D. Lingren, and A. F. Kydonious. Gossyplure in laminated plastic formulations for mating disruption and pink bollworm control. *J. Econ. Entomol.* 74:376-381. 1981.
- Henneberry, T. J., T. Clayton, and D. F. Keaveny. Effects of gamma radiation on mating, reproduction and longevity of laboratory-reared or native St. Croix strain. *S.W. Entomol.* 5:250-256. 1980.
- Kittock, D. L., T. J. Henneberry, L. A. Bariola, B. B. Taylor, and W. C. Hofmann. Effect of water stress and pink bollworm infestation on cotton boll maturity. *Western Soc. of Crop Science, Oregon State Univ., Corvallis.* 1981. (Abstract)
- Kittock, D. L., T. J. Henneberry, and L. A. Bariola. Fruiting of upland and Pima cotton with different planting dates. *Agron. Journal* 73:711-715. 1981.
- Kittock, D. L., T. J. Henneberry, L. A. Bariola, and V. T. Walhood. Water use efficiency of Upland and Pima cottons under short and long season production. *Proc. Beltwide Cotton Prod. Res. Conf.*, pp. 106-110. 1981.
- Lingren, P. D., and W. W. Wolf. Nocturnal activities of the tobacco budworm and other insects. pp. 211-228. In J. L. Hatfield and I. J. Thomason (Eds.) *Biometeorology in Integrated Pest Management*. Acad. Press, Inc., New York. 500 pp. 1982.
- Lingren, P. D., J. Burton, W. Shelton, and J. R. Raulston. Night vision goggles: for design, evaluation and comparative efficiency determination of a pheromone trap for capturing live adult male pink bollworms. *J. Econ. Entomol.* 73:622-630. 1980.
- Martin, P. B., P. D. Lingren, G. L. Greene, and A. H. Baumhover. Seasonal occurrence of *Rachiplusia* ov, *Autographa biloba*, and associated entomophages in clover. *J. Georgia Entomol. Soc.* 16:288-295. 1981.

- Martin, P. B., P. D. Lingren, G. L. Greene, and E. E. Grissell. The parasitoid complex of three noctuids (Lep.) in a northern Florida cropping system: seasonal occurrence, parasitization, alternate hosts and influence of host-habitat. *Entomophaga* 26:401-419. 1981.
- Merkle, J. R., and H. M. Flint. 1982. Methods for efficient use of the Delta trap in the capture of pink bollworm moths. *Southwest. Entomol.* (in ms).
- Merkle, J. R., and H. M. Flint. Responses of male pink bollworms to various mixtures of Z,Z- and Z,E- isomers of gossyplure in gossyplure-treated fields. *S.W. Entomol.* 6:114-116. 1981.
- Mulrean, E. N., J. Mueller, R. Hine, and P. von Bretzel. 1982. Comparison of crop loss in Pima and Upland cotton caused by Phymatotrichum omnivorum. (ABST), *Phytopathology* 72:940.
- Mulrean, E. N., J. Mueller, and R. B. Hine. Comparison of yield and fiber quality loss in Pima and Upland cotton caused by Phymatotrichum omnivorum. (Manuscript in preparation), *Plant Disease*.
- Parton, M. C., E. N. Mulrean, and O. C. Chadwick. Assessment of disease-induced yield reduction in cotton using simulated satellite imagery. Sixteenth International Symposium on Remote Sensing of Environment (in press). Environmental Research Institute of Michigan, Ann Arbor.
- Ridgway, R. L., F. I. Proshold, T. J. Henneberry, D. F. Martin, and D. Keaveny. St. Croix studies with sterile pink bollworms and backcross tobacco budworms. *Proc. 1981 Beltwide Cotton Prod. Res. Conf.* pp. 152-153. 1981.
- Sharpe, P. J. H., R. M. Schoolfield, and G. D. Butler, Jr. Distribution model of Heliothis zea (Lepidoptera: Noctuidae) development time. *Canadian Entomol.* 113:845-856. 1981.
- Turcotte, E. L. and Carl V. Feaster. 1982. Doubled haploids of American Pima cotton. *ARS-USDA, ARM-W-32*.
- Walhood, V. T., T. J. Henneberry, L. A. Bariola, D. L. Kittock, and C. M. Brown. Effect of shortseason cotton on overwintering pink bollworm larvae and spring moth emergence. *J. Econ. Entomol.* 74:297-302. 1981.
- Waller, G. D., F. D. Wilson, and J. H. Martin. Influence of cotton genotype, season and time-of-day on nectar production. *Crop Sci.* 21:507-511. 1981.
- Wilson, F. D., and B. W. George. Lint yield and resistance to pink bollworm in early maturing cotton. *Crop Sci.* 21:213-216. 1981.
- Wilson, F. D., and B. W. George. Breeding potential of noncultivated cottons. V. Productivity of cultivars, race stocks, and F₁ hybrids among them in long- and short-day environments. *Crop Sci.* 21:410-414. 1981.
- Wilson, F. D., and B. W. George. Breeding cotton for resistance to pink bollworm. *Proc. Beltwide Cotton Prod. Conf.*, p. 63-65. 1981.
- Wilson, F. D., and B. W. George. Effect of pink bollworm on yield components in cotton. *Agron. Abstr.* p. 76. 1981.
- Wilson, F. D., and B. W. George. Effects of Okra-leaf, frego-bract and Smooth-leaf mutants on pink bollworm damage and on agronomic properties of cotton. *Crop Sci.* 22:798-801. 1982.
- Wilson, F. D., B. W. George, and R. L. Wilson. Screening cotton for resistance to pink bollworm. *USDA-SEA-ARM-W-22.* 22 p. 1981.
- Wilson, F. D., R. L. Wilson, and B. W. George. Agronomic and fiber properties of primitive race stocks and hybrids of cotton. *USDA-SEA-ARM-W-21.* 32p. 1981.
- Wolfenbarger, D. A., J. R. Raulston, A. C. Bartlett, G. E. Donaldson, and P. P. Lopez. Tobacco budworm: selection for resistance to methyl parathion from a field-collected strain. *J. Econ. Entomol.* (Accepted for publication July 1980.)