

## PUBLICATIONS

- Bariola, L. A., and T. J. Henneberry. Pink bollworm control by chemical termination with dicamba and chlorflurenol in large field tests. Proc. 1982 Beltwide Cotton Prod. Res. Conf., pp. 219-221. 1982.
- Bariola, L. A. Short-season cotton approach to insect control. Proc. Lower Colorado Desert Valley Cotton Conf., pp. 29-30. 1982.
- Bariola, L. A., and D. Bergman. Toxicity of selected insecticides to boll weevils in Arizona. Southwestern Entomologist 7:142-145. 1982.
- Bartlett, A. C., and L. J. Lewis. Competitive fitness of the "sooty" mutant of the pink bollworm. Annals Entomol. Soc. Amer. 75:32-37 1982.
- Bartlett, A. C. Genetic markers: Discovery and use in insect population dynamics studies and control programs. International Atomic Energy Agency Publ. 255:451-465. 1982.
- Bartlett, A. C., and Jr. R. Raulston. The identification and use of genetic markers for population dynamics and control studies in Heliothis. Proc. Intl. Workshop on Heliothis Management, Hyderabad, India. In Int'l. Crops Res. Inst. for Semi-Arid Tropics, pp. 75-85. 1982.
- Bartlett, A. C. Polymorphisms of the pink bollworm, pp. 45-56. In Stock, M. W., and A. C. Bartlett, (eds), The Evolutionary Significance of Insect Polymorphism. University of Idaho Press, 105 pp. 1982.
- Bell, M. R., and C. L. Romine. Cotton leafperforator: Effect of two microbial insecticides on field populations. J. Econ. Entomol. 75:1140-1142. 1982.
- Bell, M. R. Microbial agens. In Ridgway, R. L., Lloyd, E. P., and Cross, W. H. (eds), Cotton Insect Management wih Special Reference to the Boll Weevil. Agricultural Handbook, 23 pp. 1982.
- Bergman, D., T. J. Henneberry, and L. A. Bariola. Distribution of the boll weevil in southwestern Arizona cultivated cotton from 1978-1981. Proc. 1982 Beltwide Cotton Prod. Res. Conf., pp. 204-207. 1982.
- Bergman, D., T. J. Henneberry, and Louis Bariola. We need plowdowns, not boll weevils. Arizona Farmer-Ranchman 61(4):55. 1982.
- Butler, G. D., Jr. Sweetpotato whitefly, Bemisia tabaci, a new pest of cotton in Arizona. Ariz. Agr. Expt. Sta. P-56:49-50. 1982.

- Butler, G. D., Jr., and R. J. Barker. Bollworm sex pheromone is great but beware. *The Speedy Bee* 11(4):22. 1982.
- Butler, G. D., Jr., and R. J. Barker. Pheromones for the control of the pink bollworm. *Amer. Bee J.* 122(6):400-401. 1982.
- Butler, G. D., Jr., and R. J. Barker. Sex Pheromone gives hope to beekeepers. *Gleanings in Bee Culture* 10(7):405. 1982.
- Butler, G. D., Jr., J. M. Gillespie, T. J. Henneberry, and A. Zvirgzdins. Seasonal movement of the pink bollworm, Pectinophora gossypiella (Saunders) (Lepidoptera:- Gelechiidae). *Proc. Beltwide Cotton Production-Mechanization Conf.* Proc. pp. 205-206. 1983.
- Butler, G. D., Jr., A. G. Hamilton, and J. D. Lopez, Jr. Cardiochiles nigriceps (Hymenoptera:Braconidae): Development time and fecundity in relation to temperature. *Ann. Entomol. Soc. Am.* 76:536-538. 1983.
- Butler, G. D., Jr., and T. J. Henneberry. Gossyplure for the control of the pink bollworm. *Ariz. Agr. Expt. Sta.* P-56:125-127. 1983.
- Butler, G. D., Jr. and T. J. Henneberry. Gossyplure for the control of the pink bollworm. *Univ. Ariz. Series P-59:* 102-103. 1983.
- Butler, G. D., Jr. and T. J. Henneberry. Sweetpotato whitefly, Bemisia tabaci, 1982 research results. *Univ. Ariz. Series P-59:* 113-116. 1983.
- Butler, G. D., Jr., T. J. Henneberry, and R. J. Barker. Pink Bollworm: Comparison of Commercial Control with Gossyplure or Insecticides. *ARM-W-35.* 1983.
- Butler, G. D., Jr., T. J. Henneberry, and T. E. Clayton. Bemisia tabaci (Homoptera:Aleyrodidae): Development, oviposition, and longevity in relation to temperature. *Ann. Entomol. Soc. Am.* 76: 310-313. 1983.
- Butler, G. D., Jr. and A. S. Las. Predaceous insects: Effect of adding permethrin to the sticker used in gossyplure applications. *J. Econ. Entomol.* 76: 1448-1451. 1983.
- Butler, G. D., Jr., T. J. Henneberry, F. G. Werner, and J. M. Gillespie. Seasonal distribution, hosts, and identification of parasites of cotton insects. *USDA-ARS, ARM-W-27,* 54 pp. 1982.
- Chan, B. G., A. C. Waiss, Jr., V. Sevacherian, F. D. Wilson, and B. W. George. Allelochemical inhibition of larval growth of pink bollworm. *Proc. Beltwide Cotton Prod. Res. Conf.,* p. 133-134. 1982.

Clayton, T. E., and T. J. Henneberry. Pink bollworm: Effect of soil moisture and temperature on moth emergence in field and laboratory studies. Environ. Entomol. 11:147-149. 1982.

Ehlig, C. F., and R. W. Hageman. Nitrogen management for irrigated annual ryegrass in Southwestern United States. Agron. J. 74:820-823. 1982.

Ehlig, C. F. Studies on water use by cotton. Lower Colorado Desert Valleys' Cotton Conf. (Abstract) 1982.

Ehlig, C. F. Timing applications for terminating late-season cotton fruiting in the Imperial Valley. 1982 Proc. Beltwide Cotton Prod. Res. Conf., pp. 67-69 1982.

Feaster, C. V. and E. L. Turcotte. 1983. Recent developments in Pima cotton. Proceedings -- Western Cotton Production Conference, Las Cruces, New Mexico.

Flint, H. M. Control of pink bollworm, Pectinophora gossypiella, (Lepidoptera; Gelechiidae) with gossyplure: Problems and progress. The Madras Agricultural Journal 68:89-96. 1982.

Flint, H. M., and J. R. Merkle. Early-season movements of pink bollworm male moths between selected habitats. J. Econ. Entomol. 74:366-371. 1982.

Graham. H. M., C. G. Jackson, and G. D. Butler, Jr. Composition of the Lygus complex in some crop and weed habitats of Arizona. Southwestern Entomol. 7:105-110. 1982.

Henneberry, T. J. Gossyplure for pink bollworm survey, detection, and control. 1982 Proc. Lower Colorado Desert Valleys' Cotton Conference, pp. 15-18. 1982.

Henneberry, T. J., and T. Clayton. High soil temperatures and pink bollworm: Effects on larval mortality, pupation and reproduction of adults from surviving larvae. Environ. Entomol. 11:742-745. 1982.

Henneberry, T. J., J. M. Gillespie, L. A. Bariola, H. M. Flint, G. D. Butler, Jr., P. D. Lingren, and A. F. Kydonieus. Mating disruption as a method of suppressing pink bollworm (Lepidoptera, Gelechiidae) and tobacco budworm (Lepidoptera, Noctuidae) populations on cotton. pp. 75-98. In Kydonieus, A. F. and Morton, B. (eds), Insect Suppression with Controlled Released Pheromone Systems. CRC Press, Inc., Boca Raton, FL, 312 pp. (Book Chapter 6, Vol. II). 1982.

Henneberry, T. J., D. L. Kittock, and L. A. Bariola. Pink bollworm: Effect of cotton types and planting date on early season infestations. S.W. Entomol. 7:1. 1982.

Henneberry, T. J., and T. E. Clayton. Pink bollworm of cotton (Pectinophora gossypiella (Saunders) ): Male moth catches in gossypure-baited traps and relationships to oviposition, boll infestation and moth emergence. *Crop Prot.* 1(4):497-504. 1982.

Henneberry, T. J., and T. E. Clayton. Pink bollworm: seasonal oviposition, egg predation, and square and boll infestations in relation to cotton plant development. *Environ. Entomol.* 11:663-666. 1982.

Henneberry, T. J., L. A. Bariola, and D. L. Kittock. Selective removal of immature cotton bolls in late season to reduce populations of diapausing pink bollworm. *Prot. Ecol.* 4:159-165. 1982.

George, B. W., and F. D. Wilson. Infestation of okra leaf and normal leaf isolines by pink bollworm. *Proc. Beltwide Cotton Prod. Res. Conf.*, p. 133 (abstract). 1982.

Kydonieus, A. F., J. M. Gillespie, M. W. Barry, J. Welch, T. J. Henneberry, and B. A. Leonhardt. Formulations and equipment for large volume pheromone applications by aircraft, pp. 175-191. In Leonhardt, B. A., and Morton, B.(eds), *Insect Pheromone Technology: Chemistry and Applications*. ACS Symposium Series 190, New York, NY, 1981, 260 pp. (Book Chapter 9). 1982.

Lingren, P. D., J. R. Raulston, A. N. Sparks, and W. W. Wolf. Insect monitoring technology for evaluation of suppression via pheromone systems. Chapter 6, pp. 171-193. In Kydonieus, A. F., and Beroza, M. (eds), *Insect Suppression with Controlled Release Pheromone Systems*. CRC Press, Inc., Boca Raton, FL, 274 pp. Book chapter. 1982.

Lingren, P. D., and W. W. Wolf. Nocturnal activities of the tobacco budworm and other insects, pp. 211-228. In Hatfield, J. L., and Thomason, I. J. (eds), *Biometeorology in Integrated Pest Management*. Academic Press, New York, 491 pp. Book chapter. 1982.

Lingren, P. D., A. N. Sparks, and J. R. Raulston. The potential contribution of moth behavior research to Heliothis management, pp. 39-48. In Reed, W., and Davies, J. C. (eds), Proc. Intnl. Workshop on Heliothis Management. International Crops Research Institute for the Semi-Arid Tropics. Andhra Pradesh, India. 1982.

Mulrean, E. N., J. Mueller, and R. B. Hine. Comparison of yield and fiber quality loss in Pima and Upland cotton caused by Phymatotrichum omnivorum. *Plant Disease* (Accepted for publication).

Parton, M. C., E. N. Mulrean, and O. C. Chadwick. 1983. Assessment of disease-induced yield reduction in cotton using simulated satellite imagery. Seventeenth International Symposium on Remote Sensing of Environment. Environmental Research Institute of Michigan, Ann Arbor.

Parton, M. C. Multispectral monitoring of *Phymatotrichum* root rot in Arizona. Western Regional Crop Loss Assessment Bulletin. (Accepted for publication).

Parton, M. C. Small-format aerial photography for monitoring *Phymatotrichum* root rot. Western Regional Crop Loss Assessment Bulletin (Accepted for publication).

Raulston, J. R., W. W. Wolf, P. D. Lingren, and A. N. Sparks. Migration as a factor in *Heliothis* management, 30 pp. In Reed, W., and Davies, J. C. (eds), Proc. International Workshop on *Heliothis* Management. International Crops Research Institute for the Semi-Arid Tropics, Andhra Pradesh, India. pp. 61-73. 1982.

Sparks, A. N., J. R. Raulston, J. E. Carpenter, and P. D. Lingren. The present status and potential for novel uses of pheromone to control *Heliothis*, pp. 291-307. In Reed, W., and Davies, J. C. (eds), Proc. Intnl. Workshop on *Heliothis* Management. International Crops Research Institute for the Semi-Arid Tropics. Andhra Pradesh, India. 1982.

Turcotte, E. L. and C. V. Feaster. 1983. Inheritance of a goldenveins mutant in American Pima Cotton. Jour. of Heredity 74:213-214.

Wilson, F. D., and B. W. George. Effects of okra leaf, frego bract and smoothleaf mutants of cotton on damage by pink bollworm and on agronomic properties. Crop Sci. 22:798-801. 1982.

Wilson, F. D., and B. W. George. Increased resistance to pink bollworm in hybrids between two resistant cottons. Agron. Abstract. p. 88. 1982.

Wilson, F. D. Present state of the art and science of cotton breeding for insect resistance in the West. 1982 Beltwide Cotton Prod. Res. Conf., p. 111-117. 1982.

Wolfenbarger, D. A., J. R. Raulston, A. C. Bartlett, G. E. Donaldson, and P. P. Lopez. Tobacco budworm: Selection for resistance to methyl parathion from a field-collected strain. J. Econ. Entomol. 75:211-215. 1982.