

SUBJECT INDEX

- Ablation zones, 165–169
- Accelerator mass spectroscopy (AMS), 91–101,
119–130, 149–154, 227–237, 275–284, 285–290,
299–310, 331–336, 347–359, 371–378, 629–636,
637–641, 649–656, 657–661, 663–673, 675–681,
683–691, 693–696, 697–704, 705–710, 711–716,
791–795, 815–817
- Actual rate of carbon accumulation (ARCA), 575–584
- Age deviation, 119–130
- Ageröds Mosse, 197–202
- Allerød, 149–154, 347–359
- Alluvial-fan delta, 531–542
- Amino acid racemization (AAR) dating, 103–109
- Annual grasses, 505–508
- Antarctica, 165–169, 171–180
- Anthropogenic disturbance, 505–508
- Anthropogenic radiocarbon, 497–504
- Arizona, 829–830
- Atmospheric ¹⁴C levels, 505–508
- Atmospheric ¹⁴C variations, 361–369, 443–456,
509–515
- Australia, 361–369, 517–524, 593–598, 663–673
- Azore Islands, 139–147
- β -counting systems, 767–772, 791–795
- Background, 629–636, 697–704, 737–742, 759–765
reduction, 773–779, 781–787
- Bayesian statistics, 425–430, 431–441
- Belfast 1986 calibration, 395–407, 829–830
- Belgium, 291–297
- Benzene, 737–742
synthesis, 717–725
- Biblical chronology and sites, 205–212, 267–273
- Bioturbation, 119–130, 191–195, 91–101
- Blank sample background, 705–710
- Bog sediments, 149–154
- Boiling water reactors, 475–483
- Bomb-¹⁴C, 567–573
- Bone, 331–336, 822–823
proteins, 331–336
- Boron, 551–565
- Bottom water, ocean, 617–627
- Breccia, 139–147
- Bremsstrahlung, 599–604
- Bristlecone pine, 395–407
- Bulgaria, 443–456
- Bükk Mountains, 543–505
- Caldeira Formation, 139–147
- Calibrated measurements, 239–244
- Calibration curve, 155–163, 197–202, 213–220,
347–359, 361–369, 389–393, 395–407, 425–430,
822–823, 829–830
- Carbon cycle, 567–573, 575–584, 585–592, 824–825
- Carbon dioxide, 165–169, 509–515, 637–641, 711–716
collection of, 629–636, 643–647, 683–691
in groundwater, 551–565
- Carbon emissions, 567–573
- Carbonate
dissolution, 585–592
sediment, 91–101
- Carnegie Canyon, 611–614
- Carpathian Basin, 239–244
- Cassia oil samples, 505–508
- Catalyst, for benzene synthesis, 717–725
- Caves, 103–109
- Cellulose, 605–610
- Ceramics, 239–244
seriation of, 443–456
- Charcoal, 443–456
- Chemical pretreatment, 805–811
- Chernobyl nuclear power plant, 469–473
- Chile, 389–393
- China, 245–249, 605–610
- Clam communities, 617–627
- Clay, 275–284
varved, 347–359
- Climate change, 181–190
- Climatic warming, 818–819
- Collagen, 319–330, 331–336
- Computer
data acquisition system, 767–772, 773–779
databases, 337–343, 789–790
software, 767–772, 789–790
- Consensus values, 805–811, 820–821
- Contamination, in microsamples, 697–704
- Coral
post-bomb, 517–524
samples, 791–795
- Cosmic rays, 599–604, 637–641
flux, 417–424, 593–598
- Counter calibration, 737–742
- Croatia, 259–266
- Cyclotron, 675–681
- Czech Republic, 131–137
- ΔR value, 409–416
- Danau-di-Atas, 181–190
- Dating uncertainties, 409–416
- Daya Bay Nuclear Power Plant, 505–508
- Decadal samples, 361–369
- Deep-sea cores, 91–101, 585–592
- Dendrochronology, 347–359, 361–369, 605–610
- Depletion, ¹⁴C, 509–515
- Deuterium, 551–565
- Devensian, 111–117
- Dislocated samples, 291–297
- Dispersion, ¹⁴C, 485–496
- Dissolved inorganic carbon (DIC), 459–467, 543–505,
517–524, 567–573, 617–627, 683–691, 824–825

- DOC (dissolved organic carbon), 459–467, 567–573, 818–819
 “Dry” separation system, 629–636
 Dvina River, 251–257
- Early Iron Age, 251–257, 259–266
 Ecosystem dynamics, 575–584
 El Niño/Southern Oscillation (ENSO), 509–515, 517–524
 England, 459–467
 Estonia, 575–584
- Finland, 567–573, 575–584
 Fish otoliths, 409–416
 Floodplain, 131–137
 Flow velocities, 531–542
 Fluvial sediments, 131–137
 Foraminifera, 119–130, 585–592, 91–101
 Fossil fuels, 475–483, 505–508, 509–515
 Fractionation, 815–817
- γ-rays, 599–604
 Gas chromatography, 711–716
 Gas purification, 749–757
 Gas-proportional counting system, 759–765, 781–787, 791–795
 Gastropod shells, 459–467
 Geothermal systems, 551–565
 German oak, 395–407
 Gibbs sampling, 425–430
 Glen Garry, 379–388
 Global climate, 417–424
 Global cooling, 611–614
 Global warming, 643–647
 Grains, 213–220, 227–237
 Graphite, 815–817
 sample, 705–710, 683–691, 697–704
 target, 629–636
 Greenhouse gases, 637–641
 Greenland, 637–641
 Groundwater, 543–505, 551–565, 749–757
- Hair, dating, 319–330
 Hallstattzeit (Hallstatt period), 259–266
 disaster, 611–614
 Hebrew, 205–212
 Hekla tephra, 379–388
 High-intensity Cs sputtering ion source, 705–710
 High-precision measurement, 197–202, 417–424, 649–656, 657–661, 737–742, 791–795
 High-precision multisample techniques, 379–388
 High-throughput measurement, 649–656, 657–661
 Histograms, ¹⁴C, 443–456
 Hoabinhian culture, 221–225
 Holocene, 119–130, 139–147, 371–378, 417–424
 floodplain, 131–137
 Holzmaar, 149–154
- Hong Kong, 505–508
 Huangling, 605–610
 Hungarian Plain, 239–244
 Hungary, 497–504, 543–505
 Hydrocarbon emissions, 497–504
 Hydrogeology, 531–542, 543–505
- IAEA ¹⁴C Quality Assurance Programme, 797–803
 IAEA intercomparison standards, 657–661, 797–803, 805–811
 Ice cores, 149–154, 165–169, 637–641
 Iceland, 525–529, 551–565
 India, 191–195
 Inscriptions, archaeological, 205–212
 Intercomparison, 657–661, 727–736, 791–795, 797–803, 805–811
 International Collaborative Study, 805–811
 Ion source, 705–710, 711–716
 Irish oak, 395–407
 Iron Age II, 205–212
 Iron artifacts, 629–636
 Israel, 205–212, 267–273
 Italy, 593–598
- Japan, 371–378, 629–636
 Jericho, 213–220
- Karst, 111–117, 543–505
 Kauri (wood) standard, 797–803
 Keratin, 319–330
 Kvartett (LSC system), 727–736
- La Tène, 259–266
 Laacher See, 149–154
 Labe (Elbe) River, 131–137
 Lake sediments, 149–154, 191–195, 347–359, 371–378
 Lake Suigetsu, 371–378
 Late Glacial, 119–130
 Late Mesolithic, 291–297
 Late Pleistocene, 371–378
 Late Quaternary, 171–180, 181–190
 Late Weichselian, 347–359
 Lignin, 311–317
 Linearbandkeramik (LBK) culture, 227–237
 Liquid scintillation counting (LSC), 275–284, 717–725, 727–736, 737–742, 743–747, 773–779, 789–790
 Lithics, 291–297
 Little Ice Ages, 417–424
 Loess, 637–641
 Logs, buried, dating of, 611–614
 Long-lived radioisotopes, 663–673
 LORCA (long-term rate of carbon accumulation), 575–584
 Lovat River, 251–257
 Low-level counting systems, 727–736, 759–765
 Lysocline, 585–592

- Macrofossils, 119–130, 149–154, 371–378
 Marine plants, 505–508
 Marine samples, vs. terrestrial, 389–393
 Marine sediment cores, 119–130
 Mean-residence times, 543–505
 Medieval warming, 191–195
 Methane, 617–627
 atmospheric, 475–483
 Microvolume ^{14}C dating, 743–747
 Mid-Holocene elm decline, 197–202
 Middle Ages, 251–257, 259–266
 Middle Bronze Age, 213–220
 Mini-cyclotron, 675–681
 Mollusk shells, 119–130, 221–225
 Moss, 525–529
 Multidetector systems, 727–736, 759–765
 Mumiyo, 171–180
 Mussels, 459–467

 Near Eastern archaeology, 213–220
 Neolithic, 227–237, 239–244, 245–249, 251–257, 291–297
 New Zealand, 409–416, 797–803
 Nuclear bomb tritium, 531–542
 Nuclear power plants, 469–473, 475–483, 505–508
 discharges and emissions, 459–467, 469–473, 485–496, 497–504
 Nuclear weapons, 485–496, 505–508

 Oxalic acid, 693–696
 OxCal (software), 425–430

 Paint, dating, 299–310
 Paks Pressurized Water Reactor (PWR) Nuclear Power Plant, 497–504
 Paleoclimatic records, 103–109
 Paleogeography, 205–212
 Paleokarst, 111–117
 Paleolithic, 245–249
 Palynology, 251–257
 Particulate Inorganic Carbon (PIC), 459–467
 Particulate Organic Carbon (POC), 459–467, 617–627, 824–825
 Peat, 197–202, 431–441, 525–529, 567–573, 575–584
 accumulation and decay rates of carbon in, 431–441
 Petrels, 171–180
 Phoenician, 205–212
 Photomultiplier tube, 727–736
 Photosynthesis, 459–467
 Phytoplankton, 459–467
 Pictographs, 299–310
 Plasma-chemical extraction, 299–310
 Poland, 103–109
 Pollen, 181–190, 815–817, 818–819
 Pore waters, 617–627
 Potsherds, 227–237, 275–284
 Pottery, dating, 275–284, 443–456

 Pre-bomb ^{14}C , 824–825
 Precipitation history, 191–195
 Pressurized water reactors, 475–483, 485–496, 497–504
 Pretreatment, chemical, 805–811
 Probability distribution, 239–244, 425–430
 Procedural blanks, 683–691
 Production rate of ^{14}C , variations in, 593–598
 Pulse-shape discrimination, 781–787
 Pyroclasts, 139–147

 Quality assurance, 797–803, 820–821, 822–823
 Quality control, 693–696

 Radon, 749–757, 759–765
 contamination, 395–407, 805–811
 Raised beaches, 111–117
 Recharge rates, 531–542
 Reservoir age, 389–393
 Reservoir effect, 409–416, 824–825
 Reworking, 119–130
 Rise-time analysis, 781–787
 Russia, 251–257

 Sample contamination, 227–237, 749–757
 Sample preparation, 285–290, 311–317, 319–330, 683–691, 749–757, 815–817
 Sandy soils, 291–297
 Schlackenmehrener Maar, 149–154
 Scotland, 379–388
 Seattle 1993 calibration, 395–407, 829–830
 Seawater samples, 683–691, 517–524, 824–825
 Seaweed, 459–467
 Sediment, 111–117, 131–137, 191–195
 bog, 149–154
 carbonate, 91–101
 fluvial, 131–137
 lake, 149–154, 191–195, 347–359, 371–378
 ocean, 91–101, 119–130, 585–592
 Sedimentation rates, 585–592
 Sellafield Nuclear Fuel Reprocessing Plant, 459–467, 469–473
 Shag Mouth, 409–416
 Shells, 119–130, 409–416
 Shell-charcoal pairs, 409–416
 Short-lived samples, 213–220
 Silica-alumina catalyst, 717–725
 Sinai, 205–212
 Site chronology, 291–297
 Skagen core, 119–130
 Smoke-derived carbon, 275–284
 Soils, 818–819
 Solar activity, 417–424, 611–614
 Solar cycle, 417–424
 Solar flare particles, 593–598
 Soppensee, 149–154
 South America, 337–343, 509–515
 South Equatorial Current, 517–524

- Southern hemisphere, 155–163
 Speleothems, 103–109
 Sphagnum, 197–202, 567–573
 Stable isotope analysis, 103–109, 285–290
 Stable-carbon isotope, 605–610
 Standards
 ANU sucrose, 361–369, 657–661, 663–667, 797–803, 805–811
 Chinese sucrose, 505–508
 IAEA, 797–803, 805–811
 NIST (NBS), 361–369, 663–667, 693–696
 Statistical analysis, 797–803
 Stomach oil deposits, *see* mumiyo
 Stratigraphy, 443–456, 822–823
 Sublimation, ice core, 637–641
 Suess effect, 593–598
 Sumatra, 181–190
 Sunspot cycle, 417–424, 611–614
 Supernovas, 593–598, 599–604
 Sweden, 347–359
 Swedish Time Scale, 149–154, 347–359

 Taiwan, 531–542
 Tandron accelerator, 617–627, 629–636, 649–656, 657–661
 Tasmania, 361–369
 Taupo eruption, 155–163
 Teflon® light coupler, 743–747
 Teflon® vials, 743–747
 Tell mounds, 443–456
 Tephra, 149–154, 379–388
 Tephrochronology, 139–147
 Terrestrial plants, 525–529
 Thermal karst springs, 543–505
 Thermoluminescence, 111–117
 Third International Radiocarbon Intercomparison (TIRI), 299–310, 805–811, 820–821

 Tooth enamel carbonate, 285–290
 Tracer studies, 711–716
 Transport model, 475–483
 Tree rings, 155–163, 417–424, 469–473, 593–598, 599–604, 605–610, 611–614
 Tritium, 531–542, 543–505, 749–757
 Troposphere, 509–515
 Troy, 443–456
 Turkey, 443–456

 Upwelling, 389–393
 Uranium/thorium (U/Th) series dating, 103–109, 347–359, 759–765

 Varves, 149–154, 347–359, 371–378
 Vials, 727–736, 737–742, 743–747
 holders, 773–779
 Vietnam, 221–225
 Vistulian, 103–109
 Volcanoes, 139–147, 155–163, 525–529
 ash, 149–154, 379–388
 gases, 525–529

 Wiggle-matching, 213–220, 361–369, 379–388, 425–430, 443–456, 611–614, 824–825
 Winkels, 459–467
 Wood
 archaeological, 311–317
 decomposed, 311–317
 Pliocene-age, 697–704

 X-rays, 599–604

 Younger Dryas, 149–154

 Zagreb, 259–266
 Zeolite molecular sieve, 643–647