



ATHOL RAFTER, 1913-1996

One of the pioneers of radiocarbon, Thomas Athol Rafter died peacefully on 26 September 1996, at the age of 83.

Athol Rafter was born in Wellington, New Zealand, on 5 March 1913. He grew up in Wellington, attended school there (St. Patrick's College), and graduated from Victoria University of Wellington, then a College of the University of New Zealand, in 1938. Athol first attracted attention while at secondary school, not so much for his academic achievements as for his abilities as a middle distance athlete. In his early career, he worked as a schoolteacher, and in 1940 he was appointed to the staff of the Dominion Laboratory of the New Zealand Department of Scientific and Industrial Research (DSIR). At the end of World War II, Athol was one of a small group of scientists selected to investigate the possibilities opened up by the new field of nuclear science. As a chemist, Athol learned the techniques necessary for handling and using radioactive isotopes. Gordon Fergusson designed and constructed instruments for monitoring background radioactivity, and was joined by Graham McCallum. Others, particularly Bill McCabe, assisted Athol in such projects as using labeled ^{32}P for studying the action of superphosphate as a soil fertilizer. This isotope was also investigated as a therapeutic tool for cancer treatment.

According to Athol's own account, it was the head of the DSIR, F. R. Callaghan, who asked him, in 1950, if he would look into a new method of measuring the ages of volcanic ash showers using radioactive carbon, "to stop the geologists arguing". Accordingly, Athol assembled a small team

comprising himself, Alex Wilson and Bill McCabe to work on the chemistry side, while Fergusson, McCallum and Fred Knox developed a suitable counting system. These initial attempts basically copied Libby's original method of using a solid carbon counter, and Athol corresponded with Libby on the best method of depositing a thin carbon layer on the inner copper surface. However, the New Zealand team soon encountered problems with this approach. One of the problems was that the chemical preparation laboratory was in Wellington, but the counting laboratory was in Lower Hutt, about 18 km away, and it was necessary to carry the counter with its delicate carbon layer by car along a road that bore little resemblance to the highway of today. All too often, the carbon had been shaken off the counter surface by the time it reached the Lower Hutt laboratory. It was at the end of such a trip that Bill McCabe recalls Athol remarking that there had to be a better way to do this! Other problems involved the difficulties of keeping the carbon free of radioactive contaminants introduced during the carbon reduction stage, and so attention shifted to developing a counter using CO₂ as the counter gas.

At this time, Hessel de Vries and G. W. Barendson were also working on a CO₂ counter, but their system was successful only for small volumes of gas. Athol and his team were in contact with de Vries, and they realized that the purity of the CO₂ was of paramount importance. By concentrating their efforts as much on the quality of the counting gas as on the configuration of the counter itself, they finally succeeded in producing a 7.7-liter counter system that could measure ages to a precision of better than ± 50 yr, a major achievement for the time.

With the radiocarbon laboratory now fully established at Lower Hutt, Athol turned his attention to monitoring natural ¹⁴C levels in the environment. Regular sampling programs to measure ¹⁴C in the atmosphere and the southern ocean were begun. This work began sufficiently early (in fact just in time) to establish a baseline of atmospheric ¹⁴C before nuclear weapons testing changed the picture entirely. Athol reported the first measurements of environmental radiocarbon produced by nuclear weapons testing in 1957, but this was not just a lucky observation. He had signaled his intentions in his previous 1955 paper on ¹⁴C variations in nature, the last sentence of which reads, "Samples for ¹⁴C activity of the atmosphere are being constantly taken to study any trends with seasons or possible enrichment of the atmosphere in ¹⁴C from atomic explosions that may not as yet have reached this part of the Earth's atmosphere."

This account of Athol Rafter's career has concentrated entirely on his work with ¹⁴C, and does not cover his achievements in isotope geochemistry or his later connections with teaching. But I think it is important to finish with a view of him as man and a leader. Athol was in many respects a plain man, with a plain man's propensity to go straight to what is important, unhampered by a veneer of sophistication or undue intellectualizing. For him there was no conflict between being an eminent scientist and having a devoutly religious view of life. His postwar work culminated in his being appointed foundation Director of the Institute of Nuclear Sciences, a position he held until his retirement in 1978. In this role, his leadership was clear and firm, without in any way conforming to the stereotype of the autocratic director. He always maintained an easy relationship with his staff, and seemed to see them as part of his extended family. In the early days of the Institute, a tradition grew of Athol entertaining the entire staff at his home on the last day before the Christmas shutdown. One year, in a return gesture, the staff presented him with a glass candleholder shaped in the form of a hydrogen atom, complete with nucleus and orbiting electron. The following year it seemed appropriate to repeat the gesture, this time with a representation of a helium atom. Once the pattern was established, year by year, the candle progressed inexorably through the periodic table, to the growing despair of the Institute glassblower. Spontaneous fission set in at $Z = 5$, and the custom was reluctantly abandoned.

The leadership Athol gave spread beyond Lower Hutt. Alex Wilson (now at The University of Arizona) went on to become professor of chemistry at Waikato University, where he set up the ^{14}C laboratory now ably managed by Alan Hogg. Henry Polach left the Institute of Nuclear Sciences to establish the radiocarbon laboratory at the Australian National University. Athol retired before the full impact of accelerator mass spectrometry was felt in the ^{14}C world. But even in retirement, he took a lively interest in this new way of doing things, although, to be honest, accelerators were always a bit of a mystery to him. No matter. All of us who knew him and worked with him will recall the universal greeting he had when he passed by in the corridors, whether to junior technician or senior scientist: "How's it going?"

Rodger Sparks

SELECTED BIBLIOGRAPHY

- Fergusson, G. J. and Rafter, T. A. 1953 New Zealand ^{14}C age measurements, 1. *New Zealand Journal of Science and Technology* B 35(1): 127–128.
- Rafter, T. A. 1955 Carbon dioxide as a substitute for solid carbon in ^{14}C age measurements. *New Zealand Journal of Science and Technology* B 36(4): 363–370.
- Fergusson, G. J. 1955 Radiocarbon dating system. *Nucleonics* 13(1): 18–23.
- Fergusson, G. J. and Rafter, T. A. 1955 New Zealand ^{14}C age measurements, 2. *New Zealand Journal of Science and Technology* B 36(4): 371–374.
- Rafter, T. A. 1955 ^{14}C variations in nature and the effect on radiocarbon dating. *New Zealand Journal of Science and Technology* B37(1): 20–38.
- Rafter, T. A. and Fergusson, G. J. 1957 Atom bomb effect: Recent increase of ^{14}C content of the atmosphere and the biosphere. *Science* 126(3273): 557–558.
- _____. 1958 Atmospheric radiocarbon as a tracer in geophysical circulation problems. In *Proceedings of the Second United Nations International Conference on the Peaceful Uses of Atomic Energy* 18: 526–532.
- Rafter, T. A. 1963 Recent developments in the interpretation and the reporting of ^{14}C activity measurements from New Zealand. In *Radioactive Tracers in Oceanography*. International Union of Geodesy and Geophysics Monograph. Paris, IUGG: 33–41.
- _____. 1965 ^{14}C variations in nature. Part 1: Technique of ^{14}C preparation, counting and reporting of results. *New Zealand Journal of Science and Technology* 8(4): 451–471.
- _____. 1965 ^{14}C variations in nature. Part 2: ^{14}C in the atmosphere of the Southern Hemisphere from the testing of nuclear weapons. *New Zealand Journal of Science and Technology* 8(4): 472–493.
- _____. 1966 Problems in the establishment of a ^{14}C and tritium laboratory. In Chatters, R. M. and Olson, E. A., eds., *Proceedings of the Sixth International Conference on Radiocarbon and Tritium Dating*. Washington, D.C., USAEC Division of Technical Information: 752–761.
- _____. 1968 ^{14}C variations in nature. Part 3: ^{14}C measurements in the South Pacific and Antarctic Oceans. *New Zealand Journal of Science and Technology* 11(4): 551–589.
- Rafter, T. A. and O'Brien, B. J. 1970 Exchange rates between the atmosphere and the ocean as shown by recent ^{14}C measurements in the South Pacific. In Olsson, I. U. ed., *Radiocarbon Variations and Absolute Chronology: Proceedings of the Twelfth Nobel Symposium*. Stockholm, Almqvist & Wiksell: 355–377.
- Rafter, T. A. and Stout, J. D. 1970 Radiocarbon measurements as an index of the rate of turnover of organic matter in forest and grassland ecosystems in New Zealand. In Olsson, I. U., ed., *Radiocarbon Variations and Absolute Chronology: Proceedings of the Twelfth Nobel Symposium*. Stockholm, Almqvist & Wiksell: 401–417.
- Rafter, T. A. and O'Brien, B. J. 1972 ^{14}C measurements in the atmosphere and in the South Pacific Ocean. A recalculation of the exchange rates between the atmosphere and the ocean. In Rafter, T. A. and Grant-Taylor, T., eds., *Proceedings of the Eighth International Radiocarbon Dating Conference*. Wellington, Royal Society of New Zealand: C17–C42.
- Goh, K. M., Molloy, B. P. J. and Rafter, T. A. 1973 Radiocarbon dating of Late Pleistocene loess from Banks Peninsula, New Zealand: Evaluation of sample preparation methods. In *Ninth Congress of the International Union for Quaternary Research...: Abstracts*. Wellington, Royal Society of New Zealand: 126–127.
- Runge, E. C. A., Goh, K. M. and Rafter, T. A. 1973 Radiocarbon chronology and problems in its interpretation for Quaternary loess deposits, South Canterbury, New Zealand. *Soil Society of America Proceedings* 37(5): 742–746.
- Goh, K. M., Stout, J. D. and Rafter, T. A. 1977 Radiocarbon enrichment of soil organic fractions in New Zealand soils. *Soil Science* 123(6): 385–391.